



**SR520 I5 Mercer Street to SR520 Portage Bay - I5 Interchange Improvements
 Major Public Projects Construction Noise Variance #6733975-NV**

Noise Monitoring Weekly Report Summary for Monday, March 4, 2024 to Sunday, March 10, 2024

PUBLISHED October 25, 2023

Monitoring times: Weekdays, 10 p.m. to 7 a.m.; weekends, 10 p.m. to 9 a.m.

How to use this report: This document summarizes the weekly nighttime noise data for the SR520 I5 Mercer Street to SR520 Portage Bay - I5 Interchange Improvements Project. In it, you'll find:

- Page 1 - Summary of noise levels recorded above the limits allowed under the Major Public Project Construction Noise Variance, for this week and throughout the project. This includes non-project-related noise exceedances
- Page 2 - Map of the project limits and locations of the five stationary monitor locations
- Pages 3 – 9 - Night-by-night noise recordings for each of the project noise monitors, along with a description of the work that night, comments received from the public regarding Project noise, and explanations for any noise limit exceedances and actions taken in response
- Page 10 - Log of public comments regarding nighttime noise issues and resolutions for the week

WSDOT is sharing this information as per the terms of the Major Public Project Construction Noise Variance (Permit #6733975).


MPPCNV start date: Tuesday, August 23, 2022

MPPCNV days to date: 566

WEEKLY TOTALS	
Nights worked this week (under the MPPCNV)	4
Public nighttime noise issue comments to project	0
Project related exceedances this week	0
Other Project-related non-compliance events this week	0
Non-project-related noise exceedances this week	108

PROJECT TOTALS TO DATE	
Total Nights Worked	519
Total public noise issue comments to project	20
Total Project related exceedances	28
Total Other Project related non-compliance events	19
Total non-project related exceedances	13600

MPPCNV Construction Noise Monitoring Locations

 **Monitor Location**
 Actual location may vary depending on construction work.
 See MPPCNV Decision and Application

Site M1 


Site M2 

Site M4 

Site M5 

Site M6 

MPPCNV Noise Monitoring Compliance Limits		
Site	Leq	L1
M1	72	82
M2	74	84
M4	70	80
M5	71	81
M6	66	76



Sources: Esri, HERE, Garmin, USGS, Intermap, INCREMENT P, NRCan, Esri Japan, METI, Esri China (Hong Kong), Esri Korea, Esri (Thailand), NGCC, © OpenStreetMap contributors, and the GIS User Community

**SR520 I5 Mercer Street to SR520 Portage Bay - I5 Interchange Improvements
Major Public Project Construction Noise Variance - #6733975-NV**

NOISE MONITORING - WEEKLY REPORT

Monday, March 4, 2024 to Sunday, March 10, 2024 10 pm to 7 am (weekdays)/ 9am (weekends)

The table below includes data gathered from noise monitoring equipment in the Project area

Monday, March 4, 2024													
Site	Site limit (dBA)	10pm - 11pm	11pm - 12am	12am - 1am	1am - 2am	2am - 3am	3am - 4am	4am - 5am	5am - 6am	6am - 7am	7am - 8am	8am - 9am	
M1 - 624 Yale Ave N	1 Hr Leq	72	71.9	67.7	65.3	64.0	64.9	62.5	65.6	69.5	71.3	N/A	N/A
	1 Hr L1	82	75.2	71.3	67.9	69.1	64.4	68.6	73.2	75.1	74.7	N/A	N/A
M2 - 1547 Boylston Ave E	1 Hr Leq	74	76.7	75.4	73.6	71.6	71.8	72.3	74.9	77.6	78.4	N/A	N/A
	1 Hr L1	84	78.5	77.7	76.4	75.2	75.6	76.1	78.0	79.7	80.0	N/A	N/A
M4 - 3625 Federal Ave E	1 Hr Leq	70	63.0	59.9	57.0	53.8	53.8	53.7	57.8	62.4	64.3	N/A	N/A
	1 Hr L1	80	65.5	62.7	60.1	57.5	57.2	57.5	61.2	65.0	66.0	N/A	N/A
M5 - E Roanoke St & 10th Ave E	1 Hr Leq	71	65.2	61.1	57.7	55.0	57.1	55.5	60.6	64.0	66.7	N/A	N/A
	1 Hr L1	81	67.6	64.2	60.5	58.1	58.4	58.7	62.7	66.5	69.0	N/A	N/A
M6 - 3125 Eastlake Ave E	1 Hr Leq	66	77.0	69.9	67.4	60.2	59.7	60.8	63.9	78.4	80.4	N/A	N/A
	1 Hr L1	76	80.4	74.0	64.1	63.1	63.5	64.2	66.7	81.6	82.5	N/A	N/A
Mobile - 2411 Boylston Ave E	1 Hr Leq	71	69.5	67.5	65.6	63.5	64.4	64.6	68.4	70.2	72.5	N/A	N/A
	1 Hr L1	81	71.3	69.5	68.8	66.0	66.3	67.0	70.0	71.9	73.8	N/A	N/A

Notes recorded by the on-site Independent Noise Monitor

Work:
Observed Excavators under 10th Ave bridge in Roanoke area
Observed Excavator and Front Loader filling truck in South Gor

Public Comments:

Exceedances:
Site(s) M1, M2, M6 & Mobile exceedances are not project related. Exceedances are caused by public traffic driving by the noise monitors.

Non-Compliance Events:
None.

Legend
N/A = Time Period not applicable to MPPCNV
Leq = Leq means the equivalent sound level, which is the constant sound level in a given time period.
L1 = L1 means the Sound level exceeded for 1 percent of the measurement duration (i.e., 36 seconds per hour)
Red = Noise Level Exceedance (Project Related)
Blue = Noise Level Exceedance (Not Project Related)
~ = No Data Available

**SR520 I5 Mercer Street to SR520 Portage Bay - I5 Interchange Improvements
Major Public Project Construction Noise Variance - #6733975-NV**

NOISE MONITORING - WEEKLY REPORT

Monday, March 4, 2024 to Sunday, March 10, 2024 10 pm to 7 am (weekdays)/ 9am (weekends)

The table below includes data gathered from noise monitoring equipment in the Project area

Tuesday, March 5, 2024													
Site	Site limit (dBA)	10pm - 11pm	11pm - 12am	12am - 1am	1am - 2am	2am - 3am	3am - 4am	4am - 5am	5am - 6am	6am - 7am	7am - 8am	8am - 9am	
M1 - 624 Yale Ave N	1 Hr Leq	72	69.8	67.4	65.5	64.3	64.8	63.9	67.1	70.6	73.0	N/A	N/A
	1 Hr L1	82	71.6	68.6	68.6	67.1	69.2	65.5	70.3	74.6	77.0	N/A	N/A
M2 - 1547 Boylston Ave E	1 Hr Leq	74	76.5	75.2	72.9	71.5	71.0	71.4	74.1	77.4	78.2	N/A	N/A
	1 Hr L1	84	78.5	77.8	75.9	74.9	74.5	75.3	77.5	79.5	79.7	N/A	N/A
M4 - 3625 Federal Ave E	1 Hr Leq	70	61.7	59.6	56.7	54.9	54.1	55.1	57.5	62.4	64.4	N/A	N/A
	1 Hr L1	80	63.9	62.1	59.5	57.5	57.1	58.4	60.4	64.8	65.9	N/A	N/A
M5 - E Roanoke St & 10th Ave E	1 Hr Leq	71	63.9	61.4	58.5	56.4	56.2	57.9	59.8	64.6	69.1	N/A	N/A
	1 Hr L1	81	66.6	63.9	61.0	59.1	58.5	60.3	62.3	67.0	73.1	N/A	N/A
M6 - 3125 Eastlake Ave E	1 Hr Leq	66	64.4	62.5	62.1	60.0	60.1	61.8	63.5	78.7	80.0	N/A	N/A
	1 Hr L1	76	66.2	64.7	64.1	63.1	63.5	64.2	65.5	81.7	82.2	N/A	N/A
Mobile - 2411 Boylston Ave E	1 Hr Leq	71	70.9	69.4	67.8	66.1	68.6	67.5	68.8	72.0	72.9	N/A	N/A
	1 Hr L1	81	72.7	71.6	71.0	68.8	68.6	69.1	70.9	73.6	75.1	N/A	N/A

Notes recorded by the on-site Independent Noise Monitor

Work:
Observed Excavator Grading in Roanoke area
Observed concrete pour on I-5 overpass

Public Comments:

Exceedances:
Site(s) M1, M2, M6 & Mobile exceedances are not project related. Exceedances are caused by public traffic driving by the noise monitors.

Non-Compliance Events:
None.

Legend
N/A = Time Period not applicable to MPPCNV
Leq = Leq means the equivalent sound level, which is the constant sound level in a given time period.
L1 = L1 means the Sound level exceeded for 1 percent of the measurement duration (i.e., 36 seconds per hour)
Red = Noise Level Exceedance (Project Related)
Blue = Noise Level Exceedance (Not Project Related)
~ = No Data Available

**SR520 I5 Mercer Street to SR520 Portage Bay - I5 Interchange Improvements
Major Public Project Construction Noise Variance - #6733975-NV**

NOISE MONITORING - WEEKLY REPORT

Monday, March 4, 2024 to Sunday, March 10, 2024 10 pm to 7 am (weekdays)/ 9am (weekends)

The table below includes data gathered from noise monitoring equipment in the Project area

Wednesday, March 6, 2024													
Site	Site limit (dBA)	10pm - 11pm	11pm - 12am	12am - 1am	1am - 2am	2am - 3am	3am - 4am	4am - 5am	5am - 6am	6am - 7am	7am - 8am	8am - 9am	
M1 - 624 Yale Ave N	1 Hr Leq	72	72.1	69.8	67.1	65.5	66.3	64.7	67.3	70.6	72.5	N/A	N/A
	1 Hr L1	82	76.4	73.5	71.5	69.4	71.1	67.1	70.2	74.2	76.4	N/A	N/A
M2 - 1547 Boylston Ave E	1 Hr Leq	74	74.7	76.7	76.6	74.4	72.0	75.0	73.2	72.5	71.8	N/A	N/A
	1 Hr L1	84	76.5	78.1	78.1	76.1	73.6	77.1	76.1	75.9	75.5	N/A	N/A
M4 - 3625 Federal Ave E	1 Hr Leq	70	63.6	64.2	64.9	64.1	63.0	61.0	57.4	55.9	53.9	N/A	N/A
	1 Hr L1	80	65.6	65.9	66.2	66.5	65.2	62.7	60.4	58.5	56.9	N/A	N/A
M5 - E Roanoke St & 10th Ave E	1 Hr Leq	71	68.0	67.3	66.6	66.3	65.5	62.8	60.4	57.2	57.1	N/A	N/A
	1 Hr L1	81	71.2	69.8	69.1	68.8	68.6	64.8	62.0	59.5	58.4	N/A	N/A
M6 - 3125 Eastlake Ave E	1 Hr Leq	66	78.9	77.5	76.5	68.9	64.7	64.0	61.2	60.2	60.1	N/A	N/A
	1 Hr L1	76	81.0	80.3	79.6	71.6	66.8	65.6	63.9	63.3	63.2	N/A	N/A
Mobile - 2411 Boylston Ave E	1 Hr Leq	71	73.1	73.3	71.7	72.8	72.4	70.6	75.1	67.5	66.6	N/A	N/A
	1 Hr L1	81	75.2	75.4	74.3	73.6	74.3	72.7	70.5	70.0	69.2	N/A	N/A

Notes recorded by the on-site Independent Noise Monitor

Work:
Observed Excavator Grading in Roanoke area
Observed concrete pour on I-5 overpas

Public Comments:
None.

Exceedances:
Site(s) M1, M2, M6 & Mobile exceedances are not project related. Exceedances are caused by public traffic driving by the noise monitors.

Non-Compliance Events:
None.

Legend
N/A = Time Period not applicable to MPPCNV
Leq = Leq means the equivalent sound level, which is the constant sound level in a given time period.
L1 = L1 means the Sound level exceeded for 1 percent of the measurement duration (i.e., 36 seconds per hour)
Red = Noise Level Exceedance (Project Related)
Blue = Noise Level Exceedance (Not Project Related)
~ = No Data Available

**SR520 I5 Mercer Street to SR520 Portage Bay - I5 Interchange Improvements
Major Public Project Construction Noise Variance - #6733975-NV**

NOISE MONITORING - WEEKLY REPORT

Monday, March 4, 2024 to Sunday, March 10, 2024 10 pm to 7 am (weekdays)/ 9am (weekends)

The table below includes data gathered from noise monitoring equipment in the Project area

Thursday, March 7, 2024													
Site	Site limit (dBA)	10pm - 11pm	11pm - 12am	12am - 1am	1am - 2am	2am - 3am	3am - 4am	4am - 5am	5am - 6am	6am - 7am	7am - 8am	8am - 9am	
M1 - 624 Yale Ave N	1 Hr Leq	72	75.2	69.9	68.1	66.3	66.8	64.9	66.9	69.5	72.3	N/A	N/A
	1 Hr L1	82	75.8	73.5	71.9	71.6	67.1	70.4	73.2	76.4	76.8	N/A	N/A
M2 - 1547 Boylston Ave E	1 Hr Leq	74	77.0	76.3	73.9	72.8	72.5	73.1	74.7	77.6	78.6	N/A	N/A
	1 Hr L1	84	78.5	78.2	76.7	76.1	75.7	76.8	77.9	79.8	80.1	N/A	N/A
M4 - 3625 Federal Ave E	1 Hr Leq	70	63.7	61.0	57.2	55.8	54.7	54.2	57.0	62.3	63.9	N/A	N/A
	1 Hr L1	80	66.1	63.8	60.1	58.8	58.3	57.8	60.6	64.8	65.7	N/A	N/A
M5 - E Roanoke St & 10th Ave E	1 Hr Leq	71	66.5	63.0	61.3	59.8	57.1	56.3	59.4	64.6	66.8	N/A	N/A
	1 Hr L1	81	69.0	65.8	62.4	60.9	59.9	59.0	62.5	66.8	69.2	N/A	N/A
M6 - 3125 Eastlake Ave E	1 Hr Leq	66	77.8	69.0	61.9	60.5	60.0	61.4	63.4	78.6	80.2	N/A	N/A
	1 Hr L1	76	80.9	72.3	64.6	63.7	63.3	64.6	65.9	81.9	82.6	N/A	N/A
Mobile - 2411 Boylston Ave E	1 Hr Leq	71	77.8	69.4	67.9	66.6	66.8	66.2	68.6	70.5	73.3	N/A	N/A
	1 Hr L1	81	73.9	71.3	70.0	68.6	68.3	68.6	70.6	72.0	75.4	N/A	N/A

Notes recorded by the on-site Independent Noise Monitor

Work:
Observed Excavator, mini excavator, and backhoe work in Roanoke area

Public Comments:
None.

Exceedances:
Site(s) M1, M2, M6 & Mobile exceedances are not project related. Exceedances are caused by public traffic driving by the noise monitors.

Non-Compliance Events:
None.

Legend
N/A = Time Period not applicable to MPPCNV
Leq = Leq means the equivalent sound level, which is the constant sound level in a given time period.
L1 = L1 means the Sound level exceeded for 1 percent of the measurement duration (i.e., 36 seconds per hour)
Red = Noise Level Exceedance (Project Related)
Blue = Noise Level Exceedance (Not Project Related)
~ = No Data Available

**SR520 I5 Mercer Street to SR520 Portage Bay - I5 Interchange Improvements
Major Public Project Construction Noise Variance - #6733975-NV**

NOISE MONITORING - WEEKLY REPORT

Monday, March 4, 2024 to Sunday, March 10, 2024 10 pm to 7 am (weekdays)/ 9am (weekends)

The table below includes data gathered from noise monitoring equipment in the Project area

Friday, March 8, 2024													
Site	Site limit (dBA)	10pm - 11pm	11pm - 12am	12am - 1am	1am - 2am	2am - 3am	3am - 4am	4am - 5am	5am - 6am	6am - 7am	7am - 8am	8am - 9am	
M1 - 624 Yale Ave N	1 Hr Leq	72	71.5	71.2	68.7	67.6	66.7	65.2	63.7	67.3	69.4	71.0	71.1
	1 Hr L1	82	74.4	73.2	73.2	72.3	71.3	67.9	66.0	71.3	73.7	75.4	74.8
M2 - 1547 Boylston Ave E	1 Hr Leq	74	77.4	77.4	76.7	75.2	74.4	72.6	73.0	73.9	75.5	77.4	78.2
	1 Hr L1	84	78.9	78.9	78.5	77.7	77.3	75.7	76.3	76.8	77.9	79.4	79.9
M4 - 3625 Federal Ave E	1 Hr Leq	70	63.3	63.1	60.3	56.9	56.4	54.3	54.1	58.9	61.0	62.9	64.2
	1 Hr L1	80	65.2	65.2	62.9	60.2	60.0	58.1	57.9	62.0	63.5	65.3	66.3
M5 - E Roanoke St & 10th Ave E	1 Hr Leq	71	65.6	65.0	61.6	59.4	59.0	56.2	56.1	60.6	63.5	65.3	67.3
	1 Hr L1	81	68.2	67.6	64.3	62.2	62.0	59.2	59.3	63.6	65.9	68.3	70.3
M6 - 3125 Eastlake Ave E	1 Hr Leq	66	76.7	71.1	62.6	61.6	60.6	59.9	60.3	62.0	63.7	65.8	75.2
	1 Hr L1	76	80.1	76.2	64.8	64.1	63.2	63.0	63.2	64.5	65.7	67.2	79.4
Mobile - 2411 Boylston Ave E	1 Hr Leq	71	71.6	70.4	69.2	67.1	66.0	65.2	66.6	68.8	69.9	73.1	73.7
	1 Hr L1	81	73.0	71.9	71.0	69.1	68.0	66.7	69.0	70.6	72.1	74.5	75.4

Notes recorded by the on-site Independent Noise Monitor

Work:
No Work

Public Comments:
None.

Exceedances:
Site(s) M1, M2, M6 & Mobile exceedances are not project related. Exceedances are caused by public traffic driving by the noise monitors.

Non-Compliance Events:
None.

Legend
 N/A = Time Period not applicable to MPPCNV
 Leq = Leq means the equivalent sound level, which is the constant sound level in a given time period.
 L1 = L1 means the Sound level exceeded for 1 percent of the measurement duration (i.e., 36 seconds per hour)
 Red = Noise Level Exceedance (Project Related)
 Blue = Noise Level Exceedance (Not Project Related)
 ~ = No Data Available

**SR520 I5 Mercer Street to SR520 Portage Bay - I5 Interchange Improvements
Major Public Project Construction Noise Variance - #6733975-NV**

NOISE MONITORING - WEEKLY REPORT

Monday, March 4, 2024 to Sunday, March 10, 2024 10 pm to 7 am (weekdays)/ 9am (weekends)

The table below includes data gathered from noise monitoring equipment in the Project area

Saturday, March 9, 2024												
Site	Site limit (dBA)	10pm - 11pm	11pm - 12am	12am - 1am	1am - 2am	2am - 3am	3am - 4am	4am - 5am	5am - 6am	6am - 7am	7am - 8am	8am - 9am
M1 - 624 Yale Ave N	1 Hr Leq	72	70.7	69.9	70.2	68.9	66.7	64.0	63.9	68.8	69.2	71.1
	1 Hr L1	82	74.6	73.7	72.7	71.5	66.8	67.0	71.2	73.6	73.9	75.2
M2 - 1547 Boylston Ave E	1 Hr Leq	74	77.1	76.9	75.5	74.5	73.8	71.7	71.2	72.6	74.9	77.4
	1 Hr L1	84	78.7	78.6	77.8	77.0	76.5	74.7	74.4	75.5	77.4	79.2
M4 - 3625 Federal Ave E	1 Hr Leq	70	63.2	62.5	60.3	57.4	56.7	54.1	53.9	57.9	61.1	63.5
	1 Hr L1	80	65.3	65.0	63.0	60.6	60.2	57.8	57.7	61.1	63.7	66.2
M5 - E Roanoke St & 10th Ave E	1 Hr Leq	71	66.6	64.8	63.2	59.7	58.9	58.1	56.0	59.3	63.0	66.2
	1 Hr L1	81	69.2	67.4	65.7	62.4	61.8	60.2	59.0	62.1	65.5	68.9
M6 - 3125 Eastlake Ave E	1 Hr Leq	66	76.6	69.7	61.7	61.3	60.4	58.5	59.2	60.9	63.4	76.8
	1 Hr L1	76	80.2	74.6	63.9	63.6	62.8	61.2	62.0	63.2	65.2	80.3
Mobile - 2411 Boylston Ave E	1 Hr Leq	71	70.7	69.9	67.9	67.3	66.8	67.0	67.4	66.6	69.1	71.3
	1 Hr L1	81	73.1	71.2	69.5	69.0	68.5	67.3	67.4	68.5	70.7	73.9

Notes recorded by the on-site Independent Noise Monitor

Work:
No Work

Public Comments:
None.

Exceedances:
Site(s) M1, M2, M6 & Mobile exceedances are not project related. Exceedances are caused by public traffic driving by the noise monitors.

Non-Compliance Events:
None.

Legend
 N/A = Time Period not applicable to MPPCNV
 Leq = Leq means the equivalent sound level, which is the constant sound level in a given time period.
 L1 = L1 means the Sound level exceeded for 1 percent of the measurement duration (i.e., 36 seconds per hour)
 Red = Noise Level Exceedance (Project Related)
 Blue = Noise Level Exceedance (Not Project Related)
 ~ = No Data Available

**SR520 I5 Mercer Street to SR520 Portage Bay - I5 Interchange Improvements
Major Public Project Construction Noise Variance - #6733975-NV**

NOISE MONITORING - WEEKLY REPORT

Monday, March 4, 2024 to Sunday, March 10, 2024 10 pm to 7 am (weekdays)/ 9am (weekends)

The table below includes data gathered from noise monitoring equipment in the Project area

Sunday, March 10, 2024												
Site	Site limit (dBA)	10pm - 11pm	11pm - 12am	12am - 1am	1am - 2am	2am - 3am	3am - 4am	4am - 5am	5am - 6am	6am - 7am	7am - 8am	8am - 9am
M1 - 624 Yale Ave N	1 Hr Leq	72	69.3	67.6	65.9	63.9	64.1	62.4	65.4	69.9	71.8	N/A
	1 Hr L1	82	71.9	70.5	70.5	66.8	65.3	64.2	68.2	73.7	75.4	N/A
M2 - 1547 Boylston Ave E	1 Hr Leq	74	75.5	75.3	73.6	72.2	71.5	72.2	75.0	77.7	79.0	N/A
	1 Hr L1	84	77.6	77.6	76.5	75.5	74.8	75.5	78.1	79.8	80.5	N/A
M4 - 3625 Federal Ave E	1 Hr Leq	70	61.7	60.8	56.3	54.3	54.0	54.6	57.7	62.0	64.4	N/A
	1 Hr L1	80	64.2	62.6	59.7	57.8	57.4	57.7	61.0	64.4	66.1	N/A
M5 - E Roanoke St & 10th Ave E	1 Hr Leq	71	63.6	62.3	58.3	57.7	56.5	56.2	59.4	63.6	72.9	N/A
	1 Hr L1	81	66.5	64.4	61.3	59.4	59.3	58.8	62.5	66.1	74.4	N/A
M6 - 3125 Eastlake Ave E	1 Hr Leq	66	75.2	67.4	60.5	59.6	58.8	60.2	63.7	78.7	80.5	N/A
	1 Hr L1	76	79.1	69.5	63.1	62.2	61.6	63.3	65.5	81.9	82.8	N/A
Mobile - 2411 Boylston Ave E	1 Hr Leq	71	71.3	69.5	69.1	66.8	67.6	67.6	70.4	72.7	74.3	N/A
	1 Hr L1	81	73.1	71.6	70.2	69.2	68.7	70.1	72.6	74.2	75.6	N/A

Notes recorded by the on-site Independent Noise Monitor

Work:
No Work

Public Comments:
None.

Exceedances:
Site(s) M1, M2, M5, M6 & Mobile exceedances are not project related. Exceedances are caused by public traffic driving by the noise monitors.

Non-Compliance Events:
None.

Legend
N/A = Time Period not applicable to MPPCNV
Leq = Leq means the equivalent sound level, which is the constant sound level in a given time period.
L1 = L1 means the Sound level exceeded for 1 percent of the measurement duration (i.e., 36 seconds per hour)
Red = Noise Level Exceedance (Project Related)
Blue = Noise Level Exceedance (Not Project Related)
~ = No Data Available

SR520 I5 Mercer Street to SR520 Portage Bay - I5 Interchange Improvements

Major Public Project Construction Noise Variance - #6733975-NV

NOISE MONITORING - WEEKLY REPORT

Monday, March 4, 2024 to Sunday, March 10, 2024

10 p.m. to 7 a.m. (weekdays)/ 9a.m. (weekends)

Public Comment Log			
Date / Time	To/From	Issue	Resolution