



**SR520 I5 Mercer Street to SR520 Portage Bay - I5 Interchange Improvements
 Major Public Projects Construction Noise Variance #6733975-NV**

Noise Monitoring Weekly Report Summary for Monday, February 13, 2023 to Sunday, February 19, 2023

PUBLISHED February 22, 2023

Monitoring times: Weekdays, 10 p.m. to 7 a.m.; weekends, 10 p.m. to 9 a.m.

How to use this report: This document summarizes the weekly nighttime noise data for the SR520 I5 Mercer Street to SR520 Portage Bay - I5 Interchange Improvements Project. In it, you'll find:

- Page 1 - Summary of noise levels recorded above the limits allowed under the Major Public Project Construction Noise Variance, for this week and throughout the project. This includes non-project-related noise exceedances
- Page 2 - Map of the project limits and locations of the five stationary monitor locations
- Pages 3 – 9 - Night-by-night noise recordings for each of the project noise monitors, along with a description of the work that night, comments received from the public regarding Project noise, and explanations for any noise limit exceedances and actions taken in response
- Page 10 - Log of public comments regarding nighttime noise issues and resolutions for the week


WSDOT is sharing this information as per the terms of the Major Public Project Construction Noise Variance (Permit #6733975).

MPPCNV start date: Tuesday, August 23, 2022
MPPCNV days to date: 181

WEEKLY TOTALS	
Nights worked this week (under the MPPCNV)	4
Public nighttime noise issue comments to project	0
Project related exceedances this week	0
Other Project-related non-compliance events this week	0
Non-project-related noise exceedances this week	118

PROJECT TOTALS TO DATE	
Total Nights Worked	273
Total public noise issue comments to project	12
Total Project related exceedances	24
Total Other Project related non-compliance events	12
Total non-project related exceedances	8332

MPPCNV Construction Noise Monitoring Locations

 Monitor Location
 Actual location may vary depending on construction work.
 See MPPCNV Decision and Application

Site M1 

Site M2 

Site M4 

Site M5 

Site M6 

MPPCNV Noise Monitoring Compliance Limits

Site	Leq	L1
M1	72	82
M2	74	84
M4	70	80
M5	71	81
M6	66	76



Sources: Esri, HERE, Garmin, USGS, Intermap, INCREMENT P, NRCan, Esri Japan, METI, Esri China (Hong Kong), Esri Korea, Esri (Thailand), NGCC, © OpenStreetMap contributors, and the GIS User Community

**SR520 I5 Mercer Street to SR520 Portage Bay - I5 Interchange Improvements
Major Public Project Construction Noise Variance - #6733975-NV**

NOISE MONITORING - WEEKLY REPORT

Monday, February 13, 2023 to Sunday, February 19, 2023 10 pm to 7 am (weekdays)/ 9am (weekends)

The table below includes data gathered from noise monitoring equipment in the Project area

Monday, February 13, 2023												
Site	Site limit (dBA)	10pm - 11pm	11pm - 12am	12am - 1am	1am - 2am	2am - 3am	3am - 4am	4am - 5am	5am - 6am	6am - 7am	7am - 8am	8am - 9am
M1 - 624 Yale Ave N	1 Hr Leq	72	71.00	70.98	67.25	67.46	67.49	65.08	68.59	71.33	N/A	N/A
	1 Hr L1	82	75.50	74.9	71.0	70.0	72.1	66.9	71.9	75.2	77.4	N/A
M2 - 1547 Boylston Ave E	1 Hr Leq	74	76.16	74.88	72.95	72.09	72.36	71.61	73.28	76.84	78.31	N/A
	1 Hr L1	84	78.30	77.40	76.00	75.40	75.70	75.40	76.50	79.20	79.70	N/A
M4 - 3625 Federal Ave E	1 Hr Leq	70	61.65	59.55	55.25	53.55	53.60	53.79	57.03	62.83	65.23	N/A
	1 Hr L1	80	64.10	62.70	58.80	57.60	57.50	57.80	60.50	65.10	67.00	N/A
M5 - E Roanoke St & 10th Ave E	1 Hr Leq	71	63.68	60.99	57.91	56.00	56.37	55.05	59.55	63.74	66.55	N/A
	1 Hr L1	81	66.60	64.10	60.80	59.40	59.10	58.60	62.40	66.00	68.80	N/A
M6 - 3125 Eastlake Ave E	1 Hr Leq	66	64.33	62.54	60.68	59.88	60.69	59.65	63.46	78.86	79.97	N/A
	1 Hr L1	76	65.80	65.10	63.50	63.00	63.20	63.00	65.60	82.10	82.30	N/A
Mobile - 2411 Boylston Ave E	1 Hr Leq	71	69.8	69.3	66.8	64.3	66.6	66.4	69.0	71.7	73.4	N/A
	1 Hr L1	81	71.9	71.4	68.9	67.0	67.8	69.2	70.9	73.4	75.0	N/A

Notes recorded by the on-site Independent Noise Monitor

Work:

Walsh worked between 10:00pm and 3:15am on I-5 Express Lanes working on piers and worked between 10:00pm and 4:11am on Mercer installing drainage.

Public Comments:

None.

Exceedances:

Sites M1, M2, M6 & Mobile exceedances are not project related. Exceedances are caused by public traffic driving by the noise monitors.

Non-Compliance Events:

None.

Legend

N/A = Time Period not applicable to MPPCNV

Leq = Leq means the equivalent sound level, which is the constant sound level in a given time period.

L1 = L1 means the Sound level exceeded for 1 percent of the measurement duration (i.e., 36 seconds per hour)

Red = Noise Level Exceedance (Project Related)

Blue = Noise Level Exceedance (Not Project Related)

~ = No Data Available

SR520 I5 Mercer Street to SR520 Portage Bay - I5 Interchange Improvements

Major Public Project Construction Noise Variance - #6733975-NV

NOISE MONITORING - WEEKLY REPORT

Monday, February 13, 2023 to Sunday, February 19, 2023 10 pm to 7 am (weekdays)/ 9am (weekends)

The table below includes data gathered from noise monitoring equipment in the Project area

Tuesday, February 14, 2023													
Site	Site limit (dBA)	10pm - 11pm	11pm - 12am	12am - 1am	1am - 2am	2am - 3am	3am - 4am	4am - 5am	5am - 6am	6am - 7am	7am - 8am	8am - 9am	
M1 - 624 Yale Ave N	1 Hr Leq	72	71.92	71.43	68.37	67.75	67.56	67.67	68.74	71.69	73.67	N/A	N/A
	1 Hr L1	82	76.20	75.90	72.80	71.10	72.70	67.20	72.80	75.60	77.50	N/A	N/A
M2 - 1547 Boylston Ave E	1 Hr Leq	74	77.09	75.88	74.12	71.68	71.54	71.45	74.79	77.99	78.77	N/A	N/A
	1 Hr L1	84	78.80	78.20	77.10	75.10	75.20	75.20	78.00	80.00	80.20	N/A	N/A
M4 - 3625 Federal Ave E	1 Hr Leq	70	63.47	62.34	60.81	57.69	53.65	53.74	57.69	62.46	65.39	N/A	N/A
	1 Hr L1	80	65.50	64.60	63.30	60.70	57.50	57.20	61.10	65.00	67.30	N/A	N/A
M5 - E Roanoke St & 10th Ave E	1 Hr Leq	71	64.89	62.93	60.86	58.13	55.65	55.73	59.89	64.50	66.96	N/A	N/A
	1 Hr L1	81	67.50	65.40	63.40	61.00	59.00	59.10	62.40	66.60	69.20	N/A	N/A
M6 - 3125 Eastlake Ave E	1 Hr Leq	66	65.64	66.17	62.19	60.69	61.52	61.86	63.93	78.93	80.24	N/A	N/A
	1 Hr L1	76	66.70	65.90	64.60	63.70	63.90	64.50	66.50	82.30	82.60	N/A	N/A
Mobile - 2411 Boylston Ave E	1 Hr Leq	71	70.6	74.6	67.7	67.5	65.6	65.1	69.3	71.5	73.2	N/A	N/A
	1 Hr L1	81	72.2	72.1	69.6	69.2	67.9	67.3	71.1	73.1	75.0	N/A	N/A

Notes recorded by the on-site Independent Noise Monitor

Work:
Walsh worked between 10:00pm and 2:50am on old SR 520 to Roanoke off ramp working on the 10th street bridge.

Public Comments:
None.

Exceedances:
Sites M1, M2, M6 & Mobile exceedances are not project related. Exceedances are caused by public traffic driving by the noise monitors.

Non-Compliance Events:
None.

Legend

- N/A = Time Period not applicable to MPPCNV
- Leq = Leq means the equivalent sound level, which is the constant sound level in a given time period.
- L1 = L1 means the Sound level exceeded for 1 percent of the measurement duration (i.e., 36 seconds per hour)
- Red = Noise Level Exceedance (Project Related)
- Blue = Noise Level Exceedance (Not Project Related)
- ~ = No Data Available

SR520 I5 Mercer Street to SR520 Portage Bay - I5 Interchange Improvements

Major Public Project Construction Noise Variance - #6733975-NV

NOISE MONITORING - WEEKLY REPORT

Monday, February 13, 2023 to Sunday, February 19, 2023 10 pm to 7 am (weekdays)/ 9am (weekends)

The table below includes data gathered from noise monitoring equipment in the Project area

Wednesday, February 15, 2023													
Site	Site limit (dBA)	10pm - 11pm	11pm - 12am	12am - 1am	1am - 2am	2am - 3am	3am - 4am	4am - 5am	5am - 6am	6am - 7am	7am - 8am	8am - 9am	
M1 - 624 Yale Ave N	1 Hr Leq	72	71.59	71.18	67.98	67.37	68.31	66.97	71.21	71.52	73.53	N/A	N/A
	1 Hr L1	82	75.60	75.20	72.20	69.60	72.30	68.50	71.80	75.50	77.00	N/A	N/A
M2 - 1547 Boylston Ave E	1 Hr Leq	74	75.19	73.65	70.04	68.32	67.74	67.40	73.74	77.35	78.38	N/A	N/A
	1 Hr L1	84	77.30	76.20	73.10	71.70	71.20	70.50	77.00	79.60	80.00	N/A	N/A
M4 - 3625 Federal Ave E	1 Hr Leq	70	62.08	61.10	56.95	54.00	52.22	52.94	57.14	61.83	64.06	N/A	N/A
	1 Hr L1	80	64.40	63.40	59.50	58.00	56.30	57.00	60.50	64.40	65.80	N/A	N/A
M5 - E Roanoke St & 10th Ave E	1 Hr Leq	71	64.59	62.93	58.09	56.71	54.28	54.51	59.08	64.21	66.81	N/A	N/A
	1 Hr L1	81	67.10	64.30	59.60	57.40	57.90	62.10	66.50	69.10	72.20	N/A	N/A
M6 - 3125 Eastlake Ave E	1 Hr Leq	66	77.33	75.83	73.09	72.56	72.53	73.60	69.91	78.91	80.40	N/A	N/A
	1 Hr L1	76	80.60	79.30	77.00	76.80	76.80	77.90	74.10	82.20	82.70	N/A	N/A
Mobile - 2411 Boylston Ave E	1 Hr Leq	71	70.5	69.2	66.5	65.4	65.5	66.2	68.8	71.3	72.8	N/A	N/A
	1 Hr L1	81	72.3	71.1	69.0	67.7	67.3	68.5	70.7	72.9	74.7	N/A	N/A

Notes recorded by the on-site Independent Noise Monitor

Work:

Walsh worked between 10:00pm and 3:31am on Mercer to NB I-5 on ramp left installing drainage.

Public Comments:

None.

Exceedances:

Sites M1, M2, M6 & Mobile exceedances are not project related. Exceedances are caused by public traffic driving by the noise monitors.

Non-Compliance Events:

None.

Legend

N/A = Time Period not applicable to MPPCNV

Leq = Leq means the equivalent sound level, which is the constant sound level in a given time period.

L1 = L1 means the Sound level exceeded for 1 percent of the measurement duration (i.e., 36 seconds per hour)

Red = Noise Level Exceedance (Project Related)

Blue = Noise Level Exceedance (Not Project Related)

~ = No Data Available

SR520 I5 Mercer Street to SR520 Portage Bay - I5 Interchange Improvements

Major Public Project Construction Noise Variance - #6733975-NV

NOISE MONITORING - WEEKLY REPORT

Monday, February 13, 2023 to Sunday, February 19, 2023 10 pm to 7 am (weekdays)/ 9am (weekends)

The table below includes data gathered from noise monitoring equipment in the Project area

Thursday, February 16, 2023													
Site	Site limit (dBA)	10pm - 11pm	11pm - 12am	12am - 1am	1am - 2am	2am - 3am	3am - 4am	4am - 5am	5am - 6am	6am - 7am	7am - 8am	8am - 9am	
M1 - 624 Yale Ave N	1 Hr Leq	72	73.72	70.79	68.22	66.83	67.61	66.12	69.11	72.43	74.73	N/A	N/A
	1 Hr L1	82	77.10	75.30	72.80	71.00	71.80	68.70	73.10	76.50	78.80	N/A	N/A
M2 - 1547 Boylston Ave E	1 Hr Leq	74	76.74	75.67	73.55	71.87	71.75	72.46	74.30	77.15	78.20	N/A	N/A
	1 Hr L1	84	78.40	77.90	76.50	75.40	75.30	76.00	77.60	79.20	79.60	N/A	N/A
M4 - 3625 Federal Ave E	1 Hr Leq	70	63.51	60.79	58.01	54.82	53.32	55.94	57.70	61.51	63.82	N/A	N/A
	1 Hr L1	80	66.00	63.70	61.20	58.70	57.00	58.90	60.70	64.10	65.70	N/A	N/A
M5 - E Roanoke St & 10th Ave E	1 Hr Leq	71	65.93	62.46	60.08	57.66	55.83	56.82	59.46	63.77	66.74	N/A	N/A
	1 Hr L1	81	68.20	65.60	63.10	61.00	58.70	59.90	62.60	66.30	69.00	N/A	N/A
M6 - 3125 Eastlake Ave E	1 Hr Leq	66	74.46	64.82	62.02	60.03	60.26	62.61	63.77	78.43	79.90	N/A	N/A
	1 Hr L1	76	78.50	66.70	64.70	63.30	63.40	64.70	65.70	81.70	82.20	N/A	N/A
Mobile - 2411 Boylston Ave E	1 Hr Leq	71	72.4	70.6	68.6	66.0	68.0	68.3	68.9	71.5	72.9	N/A	N/A
	1 Hr L1	81	74.1	72.6	70.9	68.7	69.9	70.8	71.1	73.1	74.9	N/A	N/A

Notes recorded by the on-site Independent Noise Monitor

Work:
Walsh worked between 10:30 p.m. and 3:49 a.m. excavating, shoring, backfilling, compacting, installing drainage system, and loading and hauling away material.

Public Comments:

None.

Exceedances:

Sites M1, M2, M6 & Mobile exceedances are not project related. Exceedances are caused by public traffic driving by the noise monitors.

Non-Compliance Events:

None.

Legend

N/A = Time Period not applicable to MPPCNV

Leq = Leq means the equivalent sound level, which is the constant sound level in a given time period.

L1 = L1 means the Sound level exceeded for 1 percent of the measurement duration (i.e., 36 seconds per hour)

Red = Noise Level Exceedance (Project Related)

Blue = Noise Level Exceedance (Not Project Related)

~ = No Data Available

SR520 I5 Mercer Street to SR520 Portage Bay - I5 Interchange Improvements

Major Public Project Construction Noise Variance - #6733975-NV

NOISE MONITORING - WEEKLY REPORT

Monday, February 13, 2023 to Sunday, February 19, 2023 10 pm to 7 am (weekdays)/ 9am (weekends)

The table below includes data gathered from noise monitoring equipment in the Project area

Friday, February 17, 2023													
Site	Site limit (dBA)	10pm - 11pm	11pm - 12am	12am - 1am	1am - 2am	2am - 3am	3am - 4am	4am - 5am	5am - 6am	6am - 7am	7am - 8am	8am - 9am	
M1 - 624 Yale Ave N	1 Hr Leq	72	72.66	72.01	70.84	69.55	72.19	67.43	65.76	67.70	70.21	71.39	72.77
	1 Hr L1	82	76.60	76.10	75.10	74.00	72.80	70.90	68.20	70.90	74.80	75.50	76.50
M2 - 1547 Boylston Ave E	1 Hr Leq	74	66.30	65.37	64.01	63.28	62.22	60.63	60.46	61.67	63.60	67.88	71.69
	1 Hr L1	84	67.80	67.20	66.30	65.50	65.00	63.90	63.70	64.50	66.00	71.10	73.50
M4 - 3625 Federal Ave E	1 Hr Leq	70	63.57	61.75	60.10	57.77	56.95	54.83	54.57	58.45	60.91	62.37	63.63
	1 Hr L1	80	65.70	64.40	62.80	61.00	60.30	58.20	58.20	61.60	63.40	64.70	65.80
M5 - E Roanoke St & 10th Ave E	1 Hr Leq	71	68.80	67.45	66.79	66.11	65.95	65.56	65.61	66.26	67.37	68.03	68.82
	1 Hr L1	81	69.70	68.80	68.10	67.10	66.90	66.20	66.30	67.40	68.50	69.60	70.50
M6 - 3125 Eastlake Ave E	1 Hr Leq	66	76.55	72.49	63.19	61.95	61.27	59.87	64.33	62.12	63.82	65.76	77.91
	1 Hr L1	76	80.0	76.8	65.1	64.5	63.9	62.8	63.7	64.6	65.9	67.4	81
Mobile - 2411 Boylston Ave E	1 Hr Leq	71	73.2	71.8	70.3	68.3	68.0	66.5	69.1	69.3	71.2	72.3	73.6
	1 Hr L1	81	74.5	73.7	71.9	70.4	69.9	68.7	70.3	71.5	72.9	73.9	75.2

Notes recorded by the on-site Independent Noise Monitor

Work:

No work performed.

Public Comments:

None.

Exceedances:

Sites M1, M6 & Mobile exceedances are not project related. Exceedances are caused by public traffic driving by the noise monitors.

Non-Compliance Events:

None.

Legend

N/A = Time Period not applicable to MPPCNV

Leq = Leq means the equivalent sound level, which is the constant sound level in a given time period.

L1 = L1 means the Sound level exceeded for 1 percent of the measurement duration (i.e., 36 seconds per hour)

Red = Noise Level Exceedance (Project Related)

Blue = Noise Level Exceedance (Not Project Related)

~ = No Data Available

SR520 I5 Mercer Street to SR520 Portage Bay - I5 Interchange Improvements

Major Public Project Construction Noise Variance - #6733975-NV

NOISE MONITORING - WEEKLY REPORT

Monday, February 13, 2023 to Sunday, February 19, 2023 10 pm to 7 am (weekdays)/ 9am (weekends)

The table below includes data gathered from noise monitoring equipment in the Project area

Saturday, February 18, 2023													
Site	Site limit (dBA)	10pm - 11pm	11pm - 12am	12am - 1am	1am - 2am	2am - 3am	3am - 4am	4am - 5am	5am - 6am	6am - 7am	7am - 8am	8am - 9am	
M1 - 624 Yale Ave N	1 Hr Leq	72	74.22	72.20	70.23	69.48	68.50	65.87	66.20	67.43	69.41	70.72	72.83
	1 Hr L1	82	77.30	76.40	75.10	74.20	73.00	69.40	68.50	70.90	74.20	75.50	77.40
M2 - 1547 Boylston Ave E	1 Hr Leq	74	77.26	77.01	75.80	75.06	74.10	71.76	71.22	72.28	74.18	75.34	76.59
	1 Hr L1	84	78.70	78.70	77.80	77.40	76.50	74.70	74.70	75.30	76.70	77.70	78.60
M4 - 3625 Federal Ave E	1 Hr Leq	70	63.06	61.44	59.92	57.57	56.33	54.15	54.93	57.10	59.51	60.73	62.24
	1 Hr L1	80	65.10	63.70	62.20	60.70	59.80	58.20	58.60	60.70	62.50	63.60	65.00
M5 - E Roanoke St & 10th Ave E	1 Hr Leq	71	68.28	67.25	67.41	66.17	66.02	65.77	65.73	66.08	66.76	67.18	68.23
	1 Hr L1	81	69.50	68.50	67.60	67.10	66.80	66.20	66.40	67.00	67.90	68.50	70.10
M6 - 3125 Eastlake Ave E	1 Hr Leq	66	77.68	69.79	62.14	61.06	60.62	58.39	58.83	60.25	61.91	63.50	75.73
	1 Hr L1	76	80.90	74.40	64.40	63.40	63.10	61.20	61.70	62.90	64.00	65.40	79.50
Mobile - 2411 Boylston Ave E	1 Hr Leq	71	71.8	71.4	70.4	70.1	67.6	71.5	65.8	67.0	68.8	69.6	71.5
	1 Hr L1	81	73.3	73.1	72.1	70.8	69.0	67.7	68.1	69.0	70.7	71.5	73.6

Notes recorded by the on-site Independent Noise Monitor

Work:
No work performed.

Public Comments:
None.

Exceedances:
Sites M1, M2, M6 & Mobile exceedances are not project related. Exceedances are caused by public traffic driving by the noise monitors.

Non-Compliance Events:
None.

Legend

N/A = Time Period not applicable to MPPCNV
 Leq = Leq means the equivalent sound level, which is the constant sound level in a given time period.
 L1 = L1 means the Sound level exceeded for 1 percent of the measurement duration (i.e., 36 seconds per hour)
 Red = Noise Level Exceedance (Project Related)
 Blue = Noise Level Exceedance (Not Project Related)
 ~ = No Data Available

SR520 I5 Mercer Street to SR520 Portage Bay - I5 Interchange Improvements

Major Public Project Construction Noise Variance - #6733975-NV

NOISE MONITORING - WEEKLY REPORT

Monday, February 13, 2023 to Sunday, February 19, 2023 10 pm to 7 am (weekdays)/ 9am (weekends)

The table below includes data gathered from noise monitoring equipment in the Project area

Sunday, February 19, 2023													
Site	Site limit (dBA)	10pm - 11pm	11pm - 12am	12am - 1am	1am - 2am	2am - 3am	3am - 4am	4am - 5am	5am - 6am	6am - 7am	7am - 8am	8am - 9am	
M1 - 624 Yale Ave N	1 Hr Leq	72	71.82	70.38	68.66	66.79	66.03	65.32	67.62	71.66	74.32	N/A	N/A
	1 Hr L1	82	76.10	75.1	73.5	70.5	69.7	67.1	70.7	75.7	78.2	N/A	N/A
M2 - 1547 Boylston Ave E	1 Hr Leq	74	75.82	75.20	73.74	71.79	71.28	70.79	74.18	77.69	78.99	N/A	N/A
	1 Hr L1	84	77.70	77.50	76.30	74.70	74.80	74.30	77.40	79.90	80.50	N/A	N/A
M4 - 3625 Federal Ave E	1 Hr Leq	70	61.36	59.99	57.43	56.57	53.43	52.63	56.81	61.20	62.40	N/A	N/A
	1 Hr L1	80	63.90	62.50	60.30	58.30	57.20	56.40	60.10	63.70	64.50	N/A	N/A
M5 - E Roanoke St & 10th Ave E	1 Hr Leq	71	67.81	66.89	66.12	65.99	66.14	65.39	65.86	67.08	68.21	N/A	N/A
	1 Hr L1	81	69.20	68.20	67.00	66.50	66.20	66.00	66.70	68.30	69.40	N/A	N/A
M6 - 3125 Eastlake Ave E	1 Hr Leq	66	75.25	66.92	61.16	59.21	59.05	59.05	62.04	77.21	79.08	N/A	N/A
	1 Hr L1	76	79.00	68.90	63.60	61.70	62.10	61.80	64.60	81.00	81.80	N/A	N/A
Mobile - 2411 Boylston Ave E	1 Hr Leq	71	71.8	71.7	68.2	66.1	65.8	66.5	69.5	72.7	73.7	N/A	N/A
	1 Hr L1	81	73.6	72.1	70.5	68.1	68.4	69.0	71.5	74.5	75.3	N/A	N/A

Notes recorded by the on-site Independent Noise Monitor

Work:
No work performed.

Public Comments:
None.

Exceedances:
Sites M1, M2, M6 & Mobile exceedances are not project related. Exceedances are caused by public traffic driving by the noise monitors.

Non-Compliance Events:
None.

Legend

N/A = Time Period not applicable to MPPCNV
 Leq = Leq means the equivalent sound level, which is the constant sound level in a given time period.
 L1 = L1 means the Sound level exceeded for 1 percent of the measurement duration (i.e., 36 seconds per hour)
 Red = Noise Level Exceedance (Project Related)
 Blue = Noise Level Exceedance (Not Project Related)
 ~ = No Data Available

SR520 I5 Mercer Street to SR520 Portage Bay - I5 Interchange Improvements

Major Public Project Construction Noise Variance - #6733975-NV

NOISE MONITORING - WEEKLY REPORT

Monday, February 13, 2023 to Sunday, February 19, 2023 10 p.m. to 7 a.m. (weekdays)/ 9a.m. (weekends)

Public Comment Log			
Date / Time	To/From	Issue	Resolution
		None	