



**SR520 I5 Mercer Street to SR520 Portage Bay - I5 Interchange Improvements  
 Major Public Projects Construction Noise Variance #6733975-NV**

**Noise Monitoring Weekly Report Summary for Monday, April 17, 2023 to Sunday, April 23, 2023**

**PUBLISHED April 26, 2023**

Monitoring times: Weekdays, 10 p.m. to 7 a.m.; weekends, 10 p.m. to 9 a.m.

**How to use this report:** This document summarizes the weekly nighttime noise data for the SR520 I5 Mercer Street to SR520 Portage Bay - I5 Interchange Improvements Project. In it, you'll find:

- Page 1 - Summary of noise levels recorded above the limits allowed under the Major Public Project Construction Noise Variance, for this week and throughout the project. This includes non-project-related noise exceedances
- Page 2 - Map of the project limits and locations of the five stationary monitor locations
- Pages 3 – 9 - Night-by-night noise recordings for each of the project noise monitors, along with a description of the work that night, comments received from the public regarding Project noise, and explanations for any noise limit exceedances and actions taken in response
- Page 10 - Log of public comments regarding nighttime noise issues and resolutions for the week

WSDOT is sharing this information as per the terms of the Major Public Project Construction Noise Variance (Permit #6733975).


**MPPCNV start date: Tuesday, August 23, 2022**

**MPPCNV days to date: 244**

<b>WEEKLY TOTALS</b>	
<b>Nights worked this week (under the MPPCNV)</b>	<b>4</b>
<b>Public nighttime noise issue comments to project</b>	<b>0</b>
<b>Project related exceedances this week</b>	<b>0</b>
<b>Other Project-related non-compliance events this week</b>	<b>0</b>
<b>Non-project-related noise exceedances this week</b>	<b>145</b>

<b>PROJECT TOTALS TO DATE</b>	
<b>Total Nights Worked</b>	<b>308</b>
<b>Total public noise issue comments to project</b>	<b>13</b>
<b>Total Project related exceedances</b>	<b>24</b>
<b>Total Other Project related non-compliance events</b>	<b>13</b>
<b>Total non-project related exceedances</b>	<b>9368</b>

# MPPCNV Construction Noise Monitoring Locations

 Monitor Location  
 Actual location may vary depending on construction work.  
 See MPPCNV Decision and Application

Site M1 

Site M2 


Site M4 

Site M5 

Site M6 

## MPPCNV Noise Monitoring Compliance Limits

Site	Leq	L1
M1	72	82
M2	74	84
M4	70	80
M5	71	81
M6	66	76



Sources: Esri, HERE, Garmin, USGS, Intermap, INCREMENT P, NRCan, Esri Japan, METI, Esri China (Hong Kong), Esri Korea, Esri (Thailand), NGCC, © OpenStreetMap contributors, and the GIS User Community

**SR520 I5 Mercer Street to SR520 Portage Bay - I5 Interchange Improvements  
Major Public Project Construction Noise Variance - #6733975-NV**

**NOISE MONITORING - WEEKLY REPORT**

Monday, April 17, 2023 to Sunday, April 23, 2023 10 pm to 7 am (weekdays)/ 9am (weekends)

The table below includes data gathered from noise monitoring equipment in the Project area

Monday, April 17, 2023													
Site	Site limit (dBA)	10pm - 11pm	11pm - 12am	12am - 1am	1am - 2am	2am - 3am	3am - 4am	4am - 5am	5am - 6am	6am - 7am	7am - 8am	8am - 9am	
M1 - 624 Yale Ave N	1 Hr Leq	72	74.05	70.56	69.05	69.57	69.80	68.11	68.16	72.27	74.33	N/A	N/A
	1 Hr L1	82	76.90	74.4	72.5	72.6	72.3	70.7	70.5	76.3	78.0	N/A	N/A
M2 - 1547 Boylston Ave E	1 Hr Leq	74	75.91	74.32	72.87	71.20	70.18	70.64	73.88	77.21	79.15	N/A	N/A
	1 Hr L1	84	78.10	76.70	75.90	74.60	73.60	74.20	77.30	79.40	80.60	N/A	N/A
M4 - 3625 Federal Ave E	1 Hr Leq	70	62.64	59.67	57.61	55.29	53.18	55.31	58.25	62.61	65.20	N/A	N/A
	1 Hr L1	80	65.10	62.40	60.90	58.90	56.90	58.20	61.10	65.30	66.80	N/A	N/A
M5 - E Roanoke St & 10th Ave E	1 Hr Leq	71	64.70	61.60	59.74	56.98	55.24	57.19	60.17	64.83	67.78	N/A	N/A
	1 Hr L1	81	67.10	64.10	62.30	60.10	57.90	59.70	63.00	67.30	69.90	N/A	N/A
M6 - 3125 Eastlake Ave E	1 Hr Leq	66	75.93	73.42	72.64	69.69	68.85	69.03	68.13	78.80	81.12	N/A	N/A
	1 Hr L1	76	79.50	77.60	76.10	73.90	72.30	72.20	70.00	82.00	83.40	N/A	N/A
Mobile - 2411 Boylston Ave E	1 Hr Leq	71	74.2	69.9	68.0	66.3	66.2	67.7	70.4	73.5	75.3	N/A	N/A
	1 Hr L1	81	73.7	71.8	70.2	68.9	68.5	70.4	72.6	75.4	77.0	N/A	N/A

**Notes recorded by the on-site Independent Noise Monitor**

Work:

Walsh, Transcon and Valley were on site between 10:30pm and 4:06 a.m. working on conveyance line, installing signal pole, installing loop wires, trenching, backfilling, and working on transformers for cabinet pad.

Public Comments:

None.

Exceedances:

Sites M1, M2, M6 & Mobile exceedances are not project related. Exceedances are caused by public traffic driving by the noise monitors.

Non-Compliance Events:

None.

Legend

N/A = Time Period not applicable to MPPCNV

Leq = Leq means the equivalent sound level, which is the constant sound level in a given time period.

L1 = L1 means the Sound level exceeded for 1 percent of the measurement duration (i.e., 36 seconds per hour)

Red = Noise Level Exceedance (Project Related)

Blue = Noise Level Exceedance (Not Project Related)

~ = No Data Available

**SR520 I5 Mercer Street to SR520 Portage Bay - I5 Interchange Improvements  
Major Public Project Construction Noise Variance - #6733975-NV**

**NOISE MONITORING - WEEKLY REPORT**

Monday, April 17, 2023 to Sunday, April 23, 2023 10 pm to 7 am (weekdays)/ 9am (weekends)

The table below includes data gathered from noise monitoring equipment in the Project area

Tuesday, April 18, 2023													
Site	Site limit (dBA)	10pm - 11pm	11pm - 12am	12am - 1am	1am - 2am	2am - 3am	3am - 4am	4am - 5am	5am - 6am	6am - 7am	7am - 8am	8am - 9am	
M1 - 624 Yale Ave N	1 Hr Leq	72	73.12	72.89	73.09	71.86	67.37	68.47	67.95	71.77	74.20	N/A	N/A
	1 Hr L1	82	76.70	76.20	77.80	75.40	71.30	71.20	70.70	75.40	77.90	N/A	N/A
M2 - 1547 Boylston Ave E	1 Hr Leq	74	76.51	75.73	72.58	70.90	70.67	70.90	74.54	77.52	79.03	N/A	N/A
	1 Hr L1	84	78.20	77.80	75.60	74.30	74.20	74.50	77.60	79.50	80.20	N/A	N/A
M4 - 3625 Federal Ave E	1 Hr Leq	70	61.94	61.35	57.09	54.08	53.07	53.26	57.89	61.89	64.35	N/A	N/A
	1 Hr L1	80	64.20	63.90	60.10	58.10	57.00	57.30	61.00	64.40	66.20	N/A	N/A
M5 - E Roanoke St & 10th Ave E	1 Hr Leq	71	64.11	63.55	59.14	57.26	55.28	55.67	60.34	63.58	66.70	N/A	N/A
	1 Hr L1	81	66.50	65.80	61.90	59.50	58.20	58.40	62.70	66.10	69.10	N/A	N/A
M6 - 3125 Eastlake Ave E	1 Hr Leq	66	76.29	76.18	71.54	70.02	68.89	68.03	67.59	79.18	80.81	N/A	N/A
	1 Hr L1	76	79.80	79.80	75.90	74.10	72.90	71.00	70.10	82.20	83.00	N/A	N/A
Mobile - 2411 Boylston Ave E	1 Hr Leq	71	70.8	69.6	67.0	65.7	64.8	65.7	68.5	71.9	74.0	N/A	N/A
	1 Hr L1	81	72.6	71.3	69.2	68.1	67.5	68.2	70.8	73.4	75.9	N/A	N/A

**Notes recorded by the on-site Independent Noise Monitor**

**Work:**  
Walsh, Evergreen Concrete Cutting and Valley were on site between 10:30pm and 3:54 a.m. working on saw-cutting, sump, wiring and lighting for signal pole, and wire pulling and transformer for cabinet pads.

**Public Comments:**  
None.

**Exceedances:**  
Sites M1, M2, M6 & Mobile exceedances are not project related. Exceedances are caused by public traffic driving by the noise monitors.

**Non-Compliance Events:**  
None.

**Legend**  
N/A = Time Period not applicable to MPPCNV  
Leq = Leq means the equivalent sound level, which is the constant sound level in a given time period.  
L1 = L1 means the Sound level exceeded for 1 percent of the measurement duration (i.e., 36 seconds per hour)  
Red = Noise Level Exceedance (Project Related)  
Blue = Noise Level Exceedance (Not Project Related)  
~ = No Data Available

**SR520 I5 Mercer Street to SR520 Portage Bay - I5 Interchange Improvements  
Major Public Project Construction Noise Variance - #6733975-NV**

**NOISE MONITORING - WEEKLY REPORT**

Monday, April 17, 2023 to Sunday, April 23, 2023 10 pm to 7 am (weekdays)/ 9am (weekends)

The table below includes data gathered from noise monitoring equipment in the Project area

Wednesday, April 19, 2023													
Site	Site limit (dBA)	10pm - 11pm	11pm - 12am	12am - 1am	1am - 2am	2am - 3am	3am - 4am	4am - 5am	5am - 6am	6am - 7am	7am - 8am	8am - 9am	
M1 - 624 Yale Ave N	1 Hr Leq	72	71.23	69.60	67.13	67.30	67.72	66.90	68.20	71.96	74.09	N/A	N/A
	1 Hr L1	82	74.60	73.40	71.10	70.10	71.10	69.30	70.70	75.60	77.40	N/A	N/A
M2 - 1547 Boylston Ave E	1 Hr Leq	74	76.52	75.54	73.47	72.29	71.36	71.90	74.52	77.67	79.09	N/A	N/A
	1 Hr L1	84	78.30	77.90	76.40	75.70	74.90	75.80	77.70	79.90	80.70	N/A	N/A
M4 - 3625 Federal Ave E	1 Hr Leq	70	62.00	59.61	56.12	54.45	54.58	54.84	57.58	61.80	64.11	N/A	N/A
	1 Hr L1	80	64.00	62.00	59.70	58.10	58.40	58.50	61.00	64.30	66.00	N/A	N/A
M5 - E Roanoke St & 10th Ave E	1 Hr Leq	71	64.12	75.55	58.49	56.31	56.25	57.02	59.66	63.82	66.67	N/A	N/A
	1 Hr L1	81	66.60	64.20	61.80	59.30	59.50	59.80	62.90	66.10	69.10	N/A	N/A
M6 - 3125 Eastlake Ave E	1 Hr Leq	66	71.80	65.10	61.22	60.49	60.37	64.66	63.71	78.74	81.09	N/A	N/A
	1 Hr L1	76	75.80	66.10	64.10	63.70	63.80	65.20	66.40	82.10	83.40	N/A	N/A
Mobile - 2411 Boylston Ave E	1 Hr Leq	71	71.2	74.4	68.0	68.2	66.0	68.0	68.7	71.8	73.7	N/A	N/A
	1 Hr L1	81	73.1	71.7	70.2	68.7	68.6	69.7	70.7	73.4	75.5	N/A	N/A

**Notes recorded by the on-site Independent Noise Monitor**

Work:

Walsh, Transcon and Valley were on site between 10:30pm and 3:28 a.m. working on conveyance line, compacting, trenching, installing conduits, wiring and lighting for signal pole, and wire pulling and transformer work for cabinet pads.

Public Comments:

None.

Exceedances:

Sites M1, M2, M5, M6 & Mobile exceedances are not project related. Exceedances are caused by public traffic driving by the noise monitors.

Non-Compliance Events:

None.

**Legend**

N/A = Time Period not applicable to MPPCNV

Leq = Leq means the equivalent sound level, which is the constant sound level in a given time period.

L1 = L1 means the Sound level exceeded for 1 percent of the measurement duration (i.e., 36 seconds per hour)

Red = Noise Level Exceedance (Project Related)

Blue = Noise Level Exceedance (Not Project Related)

~ = No Data Available

**SR520 I5 Mercer Street to SR520 Portage Bay - I5 Interchange Improvements  
Major Public Project Construction Noise Variance - #6733975-NV**

**NOISE MONITORING - WEEKLY REPORT**

Monday, April 17, 2023 to Sunday, April 23, 2023 10 pm to 7 am (weekdays)/ 9am (weekends)

The table below includes data gathered from noise monitoring equipment in the Project area

Site	Site limit (dBA)	Thursday, April 20, 2023											
		10pm - 11pm	11pm - 12am	12am - 1am	1am - 2am	2am - 3am	3am - 4am	4am - 5am	5am - 6am	6am - 7am	7am - 8am	8am - 9am	
M1 - 624 Yale Ave N	1 Hr Leq	72	69.60	74.56	79.00	68.02	67.17	69.10	71.48	73.56	N/A	N/A	
	1 Hr LI	82	73.20	72.50	73.90	70.90	69.40	71.90	75.30	77.10	N/A	N/A	
M2 - 1547 Boylston Ave E	1 Hr Leq	74	75.32	74.61	73.31	72.92	72.89	74.91	77.95	79.41	N/A	N/A	
	1 Hr LI	84	78.40	77.20	76.40	76.10	76.60	78.20	80.20	80.90	N/A	N/A	
M4 - 3625 Federal Ave E	1 Hr Leq	70	61.84	59.71	56.63	55.72	54.73	57.40	62.45	64.44	N/A	N/A	
	1 Hr LI	80	65.40	64.20	59.60	58.70	57.80	61.00	65.20	66.20	N/A	N/A	
M5 - E Roanoke St. & 10th Ave E	1 Hr Leq	71	63.21	72.62	58.70	57.71	57.07	59.36	63.59	66.44	N/A	N/A	
	1 Hr LI	81	68.20	66.00	61.30	60.30	59.20	62.50	66.10	68.90	N/A	N/A	
M6 - 3125 Eastlake Ave E	1 Hr Leq	66	65.17	62.12	60.61	62.11	61.43	63.25	78.63	80.77	N/A	N/A	
	1 Hr LI	76	66.40	64.50	63.20	64.80	64.40	65.90	82.10	83.20	N/A	N/A	
Mobile - 2411 Boylston Ave E	1 Hr Leq	71	72.1	77.2	69.4	68.6	69.0	70.6	73.3	75.2	N/A	N/A	
	1 Hr LI	81	74.4	72.6	71.5	71.3	71.5	72.8	75.0	76.7	N/A	N/A	

**Notes recorded by the on-site independent Noise Monitor**

**Work:**

Valley worked between 10:00pm and 3:30am on Mercer installing a stop light. Transcom worked between 10:00pm and 3:43am on the Mercer to I-5 Express Lanes on ramp excavating fill.

**Public Comments:**

None.

**Exceedances:**

Sites M1, M2, M5, M6 & Mobile exceedances are not project related. Exceedances are caused by public traffic driving by the noise monitors.

**Non-Compliance Events:**

None.

**Legend**

N/A = Time Period not applicable to MPPCNV

Leq = Leq means the equivalent sound level, which is the constant sound level in a given time period.

L1 = L1 means the Sound level exceeded for 1 percent of the measurement duration (i.e., 36 seconds per hour)

Red = Noise Level Exceedance (Project Related)

Blue = Noise Level Exceedance (Not Project Related)

~ = No Data Available

**SR520 I5 Mercer Street to SR520 Portage Bay - I5 Interchange Improvements  
Major Public Project Construction Noise Variance - #6733975-NV**

**NOISE MONITORING - WEEKLY REPORT**

Monday, April 17, 2023 to Sunday, April 23, 2023 10 pm to 7 am (weekdays)/ 9am (weekends)

The table below includes data gathered from noise monitoring equipment in the Project area

Friday, April 21, 2023													
Site	Site limit (dBA)	10pm - 11pm	11pm - 12am	12am - 1am	1am - 2am	2am - 3am	3am - 4am	4am - 5am	5am - 6am	6am - 7am	7am - 8am	8am - 9am	
M1 - 624 Yale Ave N	1 Hr Leq	72	72.57	73.03	71.25	69.52	68.12	66.47	65.95	67.89	70.46	72.15	72.93
	1 Hr L1	82	76.00	75.80	75.40	74.40	72.60	70.60	69.00	71.30	74.70	76.10	76.30
M2 - 1547 Boylston Ave E	1 Hr Leq	74	76.11	76.44	75.78	74.39	74.27	72.11	72.16	73.80	76.34	77.65	78.14
	1 Hr L1	84	77.60	78.00	77.80	76.90	76.50	75.40	75.50	76.80	78.70	79.50	79.60
M4 - 3625 Federal Ave E	1 Hr Leq	70	63.04	62.45	59.95	57.67	55.69	54.01	54.22	60.42	61.84	62.25	64.01
	1 Hr L1	80	65.10	64.70	62.30	60.90	59.20	57.60	58.10	63.70	64.20	64.90	66.20
M5 - E Roanoke St & 10th Ave E	1 Hr Leq	71	65.17	73.15	62.14	59.37	58.04	56.32	56.74	59.18	62.32	64.19	66.57
	1 Hr L1	81	68.00	66.70	64.20	62.40	61.10	59.20	60.10	62.50	65.00	67.20	69.50
M6 - 3125 Eastlake Ave E	1 Hr Leq	66	78.45	67.45	63.39	61.57	60.88	60.08	60.31	62.18	64.29	65.83	77.65
	1 Hr L1	76	80.6	66.8	65.2	64.1	63.6	63.0	63.3	64.8	66.4	67.8	80.9
Mobile - 2411 Boylston Ave E	1 Hr Leq	71	73.9	75.0	69.5	67.8	66.7	66.8	65.8	68.0	69.8	70.8	72.2
	1 Hr L1	81	73.5	72.7	72.0	69.8	68.8	67.7	68.1	70.2	71.5	72.6	74.1

**Notes recorded by the on-site Independent Noise Monitor**

Work:

No work performed.

Public Comments:

None.

Exceedances:

Sites M1, M2, M5, M6 & Mobile exceedances are not project related. Exceedances are caused by public traffic driving by the noise monitors.

Non-Compliance Events:

None.

**Legend**

N/A = Time Period not applicable to MPPCNV

Leq = Leq means the equivalent sound level, which is the constant sound level in a given time period.

L1 = L1 means the Sound level exceeded for 1 percent of the measurement duration (i.e., 36 seconds per hour)

Red = Noise Level Exceedance (Project Related)

Blue = Noise Level Exceedance (Not Project Related)

~ = No Data Available

**SR520 I5 Mercer Street to SR520 Portage Bay - I5 Interchange Improvements  
Major Public Project Construction Noise Variance - #6733975-NV**

**NOISE MONITORING - WEEKLY REPORT**

Monday, April 17, 2023 to Sunday, April 23, 2023 10 pm to 7 am (weekdays)/ 9am (weekends)

The table below includes data gathered from noise monitoring equipment in the Project area

Saturday, April 22, 2023													
Site	Site limit (dBA)	10pm - 11pm	11pm - 12am	12am - 1am	1am - 2am	2am - 3am	3am - 4am	4am - 5am	5am - 6am	6am - 7am	7am - 8am	8am - 9am	
M1 - 624 Yale Ave N	1 Hr Leq	72	75.27	74.63	72.44	69.98	68.97	66.22	66.04	67.81	70.09	71.16	72.22
	1 Hr L1	82	78.10	78.60	77.00	75.30	73.80	69.80	69.70	72.20	74.70	75.60	76.70
M2 - 1547 Boylston Ave E	1 Hr Leq	74	75.23	76.15	75.58	74.22	73.82	71.72	71.29	72.01	71.08	75.54	77.02
	1 Hr L1	84	76.60	77.60	77.40	76.50	76.40	74.90	74.60	75.00	74.00	77.80	79.10
M4 - 3625 Federal Ave E	1 Hr Leq	70	63.98	61.80	59.32	57.34	55.34	53.58	54.13	56.90	59.79	60.47	63.05
	1 Hr L1	80	65.30	64.00	61.80	60.10	58.70	57.30	57.70	60.00	62.80	63.00	65.20
M5 - E Roanoke St & 10th Ave E	1 Hr Leq	71	74.24	64.27	62.64	60.16	58.10	55.86	55.62	58.28	61.73	62.99	65.48
	1 Hr L1	81	68.50	66.80	65.00	62.60	60.90	59.10	58.90	61.20	64.70	65.70	68.00
M6 - 3125 Eastlake Ave E	1 Hr Leq	66	78.69	70.27	62.67	60.82	60.30	58.29	59.77	61.37	62.67	64.35	76.26
	1 Hr L1	76	81.50	75.20	64.70	63.00	62.60	61.20	62.60	63.40	64.60	66.00	79.50
Mobile - 2411 Boylston Ave E	1 Hr Leq	71	72.2	72.2	69.6	68.0	67.1	67.1	67.3	68.8	70.3	71.8	76.0
	1 Hr L1	81	74.0	72.8	71.3	70.0	69.0	68.9	69.7	70.9	72.2	73.9	75.6

**Notes recorded by the on-site Independent Noise Monitor**

Work:

No work performed.

Public Comments:

None

Exceedances:

Sites M1, M2, M5, M6 & Mobile exceedances are not project related. Exceedances are caused by public traffic driving by the noise monitors.

Non-Compliance Events:

None.

**Legend**

N/A = Time Period not applicable to MPPCNV

Leq = Leq means the equivalent sound level, which is the constant sound level in a given time period.

L1 = L1 means the Sound level exceeded for 1 percent of the measurement duration (i.e., 36 seconds per hour)

Red = Noise Level Exceedance (Project Related)

Blue = Noise Level Exceedance (Not Project Related)

~ = No Data Available



**SR520 I5 Mercer Street to SR520 Portage Bay - I5 Interchange Improvements**

**Major Public Project Construction Noise Variance - #6733975-NV**

**NOISE MONITORING - WEEKLY REPORT**

Monday, April 17, 2023 to Sunday, April 23, 2023 10 pm to 7 am (weekdays)/ 9am (weekends)

The table below includes data gathered from noise monitoring equipment in the Project area

Sunday, April 23, 2023												
Site	Site limit (dBA)	10pm - 11pm	11pm - 12am	12am - 1am	1am - 2am	2am - 3am	3am - 4am	4am - 5am	5am - 6am	6am - 7am	7am - 8am	8am - 9am
M1 - 624 Yale Ave N	1 Hr Leq	72	71.83	70.96	70.10	66.21	64.41	64.63	71.78	73.66	N/A	N/A
	1 Hr L1	82	75.70	75.6	75.1	70.0	66.7	66.7	70.9	77.2	N/A	N/A
M2 - 1547 Boylston Ave E	1 Hr Leq	74	75.35	74.64	73.65	71.64	71.40	71.98	74.68	77.89	79.51	N/A
	1 Hr L1	84	77.30	76.90	76.30	75.00	75.10	75.50	77.60	79.90	81.00	N/A
M4 - 3625 Federal Ave E	1 Hr Leq	70	61.61	60.42	56.60	54.23	52.66	54.27	56.85	63.06	64.48	N/A
	1 Hr L1	80	64.20	62.50	60.00	57.70	56.10	57.80	60.40	66.00	66.20	N/A
M5 - E Roanoke St & 10th Ave E	1 Hr Leq	71	63.37	61.62	58.95	55.83	55.02	55.50	58.39	63.04	67.05	N/A
	1 Hr L1	81	66.10	64.30	62.00	58.80	57.80	58.50	61.70	65.60	69.00	N/A
M6 - 3125 Eastlake Ave E	1 Hr Leq	66	75.74	71.00	61.17	59.85	59.17	60.00	62.74	78.97	80.88	N/A
	1 Hr L1	76	79.40	76.10	63.40	62.50	62.50	63.30	65.30	82.20	83.30	N/A
Mobile - 2411 Boylston Ave E	1 Hr Leq	71	71.7	70.3	69.0	67.7	66.9	69.0	70.9	74.0	75.5	N/A
	1 Hr L1	81	73.6	72.4	71.4	70.2	69.8	71.6	73.0	75.8	76.9	N/A

**Notes recorded by the on-site Independent Noise Monitor**

**Work:**  
No work performed.

**Public Comments:**  
None.

**Exceedances:**  
Sites M1, M2, M6 & Mobile exceedances are not project related. Exceedances are caused by public traffic driving by the noise monitors.

**Non-Compliance Events:**  
None.  
Site Mobile did not record data for the day.

**Legend**

N/A = Time Period not applicable to MPPCNV  
 Leq = Leq means the equivalent sound level, which is the constant sound level in a given time period.  
 L1 = L1 means the Sound level exceeded for 1 percent of the measurement duration (i.e., 36 seconds per hour)  
 Red = Noise Level Exceedance (Project Related)  
 Blue = Noise Level Exceedance (Not Project Related)  
 ~ = No Data Available

