



SR 520 Montlake Project

Noise Monitoring Weekly Report Summary for Monday, January 23, 2023 to Sunday, January 29, 2023

PUBLISHED February 1, 2023

Monitoring times: Weekdays, 10 p.m. to 7 a.m.; weekends, 10 p.m. to 9 a.m.

How to use this report: This document summarizes the weekly nighttime noise data for the SR 520 Montlake Project. In it, you'll find:

- Page 1 - Summary of noise levels recorded above the limits allowed under the Major Public Project Construction Noise Variance, for this week and throughout the project. This includes non -project-related noise exceedances
- Page 2 - Map of the project limits and locations of the seven stationary monitor locations
- Pages 3 – 9 - Night -by-night noise recordings for each of the project noise monitors, along with a description of the work that night, comments received from the public regarding Project noise, and explanations for any noise limit exceedances and actions taken in response
- Page 10 - Log of public comments regarding nighttime noise issues and resolutions for the week

WSDOT is sharing this information as per the terms of the Major Public Project Construction Noise Variance (Permit #3030792).

MPPCNV start date: Friday, August 16, 2019


MPPCNV days to date: 1263

WEEKLY TOTALS	
Nights worked this week (under the MPPCNV)	4
Project related non-compliance this week	0
Nighttime noise issue comments to the project	0
Non-project-related noise exceedances this week	41

PROJECT TOTALS TO DATE	
Total Nights Worked (under the MPPCNV)	668
Total Project related non-compliance	119
Total noise issue comments to the project	127
Total non-project related exceedances	4107

Noise Monitoring Locations: the map below shows the work limits of the SR 520 Montlake Project and the locations of the seven stationary noise monitoring sites

EXHIBIT 5. CONSTRUCTION AREA AND NOISE MEASUREMENT LOCATIONS



SR 520 Montlake Project
Major Public Project Construction Noise Variance
NOISE MONITORING - WEEKLY REPORT
Monday, January 23, 2023 to Sunday, January 29, 2023 10 pm to 7 am (weekdays) / 9am (weekends)

The table below includes data gathered from noise monitoring equipment located at seven stationary and three portable locations throughout the Montlake Project area

Monday, January 23, 2023												
Site	Site limit*	10pm - 11pm	11pm - 12am	12am - 1am	1am - 2am	2am - 3am	3am - 4am	4am - 5am	5am - 6am	6am - 7am	7am - 8am	8am - 9am
Site 1 - 2449 E. Lk WA Blvd	67	55.4	51.7	51.0	51.4	51.4	49.2	51.0	57.2	57.9	N/A	N/A
Site 2 - 2015 E. Roanoke St	78	58.8	56.7	54.0	53.7	54.6	59.4	57.5	59.9	61.0	N/A	N/A
Site 3A - Canterbury Shores	62	49.4	47.4	46.5	46.1	48.0	46.5	47.2	50.3	50.1	N/A	N/A
Site 4A - 2110 E. Hamlin St	66	57.0	55.0	51.7	51.5	56.9	58.7	56.5	60.0	61.2	N/A	N/A
Site 5 - 2565 22nd Av E.	65	57.4	55.6	52.2	51.8	53.3	56.2	56.1	58.1	59.4	N/A	N/A
Site 6 - 2160 E. Hamlin St	63	55.9	51.6	49.2	46.8	51.3	47.2	49.3	55.9	57.2	N/A	N/A
Site 7 - 2209 E. Lake Wa Blvd	66	53.9	52.8	51.6	49.3	51.3	52.7	51.0	56.2	57.0	N/A	N/A
Site 8 - Portable Between Sites 4 and 6	63	56.3	54.2	51.0	49.1	56.7	52.1	52.8	58.2	58.5	N/A	N/A
Site 9 - Portable Between Sites 1 and 7	66	59.3	58.9	57.3	54.9	56.7	67.4	58.4	62.8	64.3	N/A	N/A
Site 10 - Portable Between Sites 1 and 7	66	59.4	56.5	53.5	54	53.8	53.4	56.2	61.2	63.1	N/A	N/A

*Hourly-Average Leq (dBA)

Notes recorded by the on-site Independent Noise Monitor

Work:

Graham worked between 10:00pm and 4:35am installing false decking under the lid on the Montlake lid. Elcon worked between 10:00pm and 3:30am on installing lighting on DXEI ramp and merging lanes, 5 workers on site. Graham worked between 4:20am and 7:00am pouring concrete on the RSUP tunnel.

Public Comments:

No public comments received related to nighttime noise.

Exceedances:

Site 9 exceedance is due to public traffic. (Non work related).

Non-Compliance:

Legend

Leq = Leq means the equivalent sound level, which is the constant sound level in a given time period.

N/A = Time Period not applicable to MPPCNV

Red = Noise Level Exceedance, project related

Blue = Noise level exceedance, not project related

~ = No Data Available

= No contract work . Portable monitors are not being used (not needed).

SR 520 Montlake Project
Major Public Project Construction Noise Variance
NOISE MONITORING - WEEKLY REPORT
Monday, January 23, 2023 to Sunday, January 29, 2023 10 pm to 7 am (weekdays) / 9am (weekends)

The table below includes data gathered from noise monitoring equipment located at seven stationary and three portable locations throughout the Montlake Project area

Tuesday, January 24, 2023												
Site	Site limit*	10pm - 11pm	11pm - 12am	12am - 1am	1am - 2am	2am - 3am	3am - 4am	4am - 5am	5am - 6am	6am - 7am	7am - 8am	8am - 9am
Site 1 -2449 E. Lk WA Blvd	67	56.5	53.2	49.0	50.5	50.6	50.0	50.8	57.2	60.1	N/A	N/A
Site 2 - 2015 E. Roanoke St	78	63.0	58.2	54.4	54.6	52.0	57.9	56.6	61.0	63.3	N/A	N/A
Site 3A - Canterbury Shores	62	48.2	47.3	46.6	46.0	45.9	46.3	46.9	49.8	52.7	N/A	N/A
Site 4A - 2110 E. Hamlin St	66	58.3	61.5	53.3	50.4	48.6	51.9	54.9	58.8	60.8	N/A	N/A
Site 5 - 2565 22nd Av E.	65	61.0	56.8	53.1	53.5	50.1	56.4	54.4	58.9	61.9	N/A	N/A
Site 6 - 2160 E. Hamlin St	63	52.2	51.9	48.6	47.3	45.0	46.3	48.1	50.9	54.8	N/A	N/A
Site 7 - 2209 E. Lake Wa Blvd	66	62.1	55.8	49.7	49.0	46.6	48.8	51.1	56.0	59.0	N/A	N/A
Site 8 - Portable Between Sites 4 and 6	63	54.3	54.5	51.1	49.1	47.7	49.2	51.0	54.3	58.1	N/A	N/A
Site 9 - Portable Between Sites 1 and 7	66	77.4	69.1	57.4	56.0	53.7	56.8	60.2	63.8	66.7	N/A	N/A
Site 10 - Portable Between Sites 1 and 7	66	64.6	59.1	54.0	52.5	51.8	53.4	56.2	61.6	64.6	N/A	N/A

*Hourly-Average Leq (dBA)

Notes recorded by the on-site Independent Noise Monitor

Work:

Graham worked between 10:00pm and 4:45am installing false decking under the lid on the Montlake lid. Elcon worked between 10:00pm and 3:30am on installing lighting on DXEI ramp and merging lanes, 5 workers on site. Graham worked between installing drainage on Pier 2 10:00pm and 11:00pm.

Public Comments:

No public comments received related to nighttime noise.

Exceedances:

Site 9 exceedances are due to public traffic. **(Non work related)**.

Non-Compliance:

Legend

Leq = Leq means the equivalent sound level, which is the constant sound level in a given time period.

N/A = Time Period not applicable to MPPCNV

Red = Noise Level Exceedance, project related

Blue = Noise level exceedance, not project related

~ = No Data Available

= No contract work . Portable monitors are not being used (not needed).

SR 520 Montlake Project
Major Public Project Construction Noise Variance
NOISE MONITORING - WEEKLY REPORT
Monday, January 23, 2023 to Sunday, January 29, 2023 10 pm to 7 am (weekdays) / 9am (weekends)

The table below includes data gathered from noise monitoring equipment located at seven stationary and three portable locations throughout the Montlake Project area

Wednesday, January 25, 2023												
Site	Site limit*	10pm - 11pm	11pm - 12am	12am - 1am	1am - 2am	2am - 3am	3am - 4am	4am - 5am	5am - 6am	6am - 7am	7am - 8am	8am - 9am
Site 1 - 2449 E. Lk WA Blvd	67	57.5	55.8	52.7	48.7	46.4	49.3	52.5	56.8	58.8	N/A	N/A
Site 2 - 2015 E. Roanoke St	78	61	57.7	55.5	54.6	53.9	53.4	55.7	59.5	62.5	N/A	N/A
Site 3A - Canterbury Shores	62	50.4	48.5	47.7	47.9	47	47.5	47.8	51.2	52.5	N/A	N/A
Site 4A - 2110 E. Hamlin St	66	58.1	54.7	54.7	50.2	50.6	50.7	53.8	66.1	60	N/A	N/A
Site 5 - 2565 22nd Av E.	65	59.1	56.1	53.5	52.6	52.4	51.2	53.5	57.6	60.9	N/A	N/A
Site 6 - 2160 E. Hamlin St	63	52	51.2	48.4	46.9	45.7	44.7	46.3	58	52.7	N/A	N/A
Site 7 - 2209 E. Lake Wa Blvd	66	55.8	56.7	50.7	48.5	47.2	48.3	50.8	54.3	56.9	N/A	N/A
Site 8 - Portable Between Sites 4 and 6	63	55.2	53.2	51	48.6	49.7	47.8	50.9	53.5	55.5	N/A	N/A
Site 9 - Portable Between Sites 1 and 7	66	61.2	64.4	56.8	55	53.4	55.2	57.6	61.3	63.7	N/A	N/A
Site 10 - Portable Between Sites 1 and 7	66	63.4	62.3	59.6	55.3	51.9	55.7	57.8	63.5	65.8	N/A	N/A

*Hourly-Average Leq (dBA)

Notes recorded by the on-site Independent Noise Monitor

Work:

Graham worked between 10:00pm and 4:52am installing false decking under the lid on the Montlake lid. Elcon worked between 10:00pm and 3:40am on installing lighting on DXEI ramp and merging lanes, 6 workers on site. Graham worked between installing drainage on Pier 2 10:00pm and 1:10am.

Public Comments:

No public comments received related to nighttime noise.

Exceedances:

Site 4 exceedance is due to public traffic. **(Non work related).**

Non-Compliance:

Legend

Leq = Leq means the equivalent sound level, which is the constant sound level in a given time period.

N/A = Time Period not applicable to MPPCNV

Red = Noise Level Exceedance, project related

Blue = Noise level exceedance, not project related

~ = No Data Available

= No contract work . Portable monitors are not being used (not needed).

SR 520 Montlake Project
Major Public Project Construction Noise Variance
NOISE MONITORING - WEEKLY REPORT
Monday, January 23, 2023 to Sunday, January 29, 2023 10 pm to 7 am (weekdays) / 9am (weekends)

The table below includes data gathered from noise monitoring equipment located at seven stationary and three portable locations throughout the Montlake Project area

Thursday, January 26, 2023												
Site	Site limit*	10pm - 11pm	11pm - 12am	12am - 1am	1am - 2am	2am - 3am	3am - 4am	4am - 5am	5am - 6am	6am - 7am	7am - 8am	8am - 9am
Site 1 -2449 E. Lk WA Blvd	67	55.4	53.6	53	50.6	54.5	53.8	53.5	57.5	60.8	N/A	N/A
Site 2 - 2015 E. Roanoke St	78	60.9	59.6	60.1	56.4	59.6	55.3	55.3	60.2	64.7	N/A	N/A
Site 3A - Canterbury Shores	62	48.6	50.2	47.6	49.9	54.4	51.4	48.3	51.4	55	N/A	N/A
Site 4A - 2110 E. Hamlin St	66	60.5	57.2	55.6	54.8	59.8	54.8	55.4	59.2	61.7	N/A	N/A
Site 5 - 2565 22nd Av E.	65	59.9	58.7	58.9	56.2	58.5	55.1	54	58.6	63.2	N/A	N/A
Site 6 - 2160 E. Hamlin St	63	55.6	54.1	51.5	48.5	51.9	49.8	51	51.8	53.7	N/A	N/A
Site 7 - 2209 E. Lake Wa Blvd	66	59.7	55.4	52.7	53.1	54.6	51.6	51.1	56.6	60.7	N/A	N/A
Site 8 - Portable Between Sites 4 and 6	63	57.3	55.3	53.1	51	54.4	51.3	52.9	54.6	56.8	N/A	N/A
Site 9 - Portable Between Sites 1 and 7	66	71.4	63.5	60.4	60	67.4	59.3	59.5	64.5	69	N/A	N/A
Site 10 - Portable Between Sites 1 and 7	66	63.9	60.4	58.8	57.3	58.7	58.7	58.4	64.4	69.4	N/A	N/A

*Hourly-Average Leq (dBA)

Notes recorded by the on-site Independent Noise Monitor

Work:

Graham worked between 10:00pm and 2:35am installing false decking under the lid on the Montlake lid. Elcon worked between 10:00pm and 3:30am on installing lighting on DXEI ramp and merging lanes, 6 workers on site. Graham worked between installing drainage on Pier 2 10:00pm and 12:40am.

Public Comments:

No public comments received related to nighttime noise.

Exceedances:

Sites 9 & 10 exceedances are due to public traffic. (Non work related).

Non-Compliance:

Legend

Leq = Leq means the equivalent sound level, which is the constant sound level in a given time period.

N/A = Time Period not applicable to MPPCNV

Red = Noise Level Exceedance, project related

Blue = Noise level exceedance, not project related

~ = No Data Available

= No contract work . Portable monitors are not being used (not needed).

SR 520 Montlake Project
Major Public Project Construction Noise Variance
NOISE MONITORING - WEEKLY REPORT
Monday, January 23, 2023 to Sunday, January 29, 2023 10 pm to 7 am (weekdays) / 9am (weekends)

The table below includes data gathered from noise monitoring equipment located at seven stationary and three portable locations throughout the Montlake Project area

Friday, January 27, 2023												
Site	Site limit*	10pm - 11pm	11pm - 12am	12am - 1am	1am - 2am	2am - 3am	3am - 4am	4am - 5am	5am - 6am	6am - 7am	7am - 8am	8am - 9am
Site 1 - 2449 E. Lk WA Blvd	67	58.2	57.3	54.0	52.4	52.4	50.8	48.8	53.9	54.8	57.1	60.6
Site 2 - 2015 E. Roanoke St	78	60.8	59.8	57.1	56.3	55.5	54.5	53.7	56.6	58.7	60.4	62.6
Site 3A - Canterbury Shores	62	~	~	~	~	~	~	~	~	~	~	~
Site 4A - 2110 E. Hamlin St	66	~	~	~	~	~	~	~	~	~	~	~
Site 5 - 2565 22nd Av E.	65	65.6	64.6	63.0	62.5	62.4	60.7	62.0	64.7	64.1	64.7	68.0
Site 6 - 2160 E. Hamlin St	63	55.4	56.9	51.0	48.8	48.0	46.2	45.7	52.3	54.0	53.3	53.7
Site 7 - 2209 E. Lake Wa Blvd	66	63.0	61.8	62.1	61.2	59.6	58.7	57.6	62.7	63.2	63.5	64.8
Site 8 - Portable Between Sites 4 and 6	63	58.1	58.8	53.7	52.3	51.2	49.5	50.1	55.2	57.7	56.0	56.3
Site 9 - Portable Between Sites 1 and 7	66	62.7	60.9	58.4	58.9	57.6	56.8	55.4	60.6	62.3	62.3	64.2
Site 10 - Portable Between Sites 1 and 7	66	75.5	74.1	72.7	70.7	68.5	63.2	65.5	73.2	74.3	75.1	76.5

*Hourly-Average Leq (dBA)

Notes recorded by the on-site Independent Noise Monitor

Work:

No nighttime construction work performed.

Public Comments:

No public comments received related to nighttime noise.

Exceedances:

Sites 5 & 10 exceedances are due to public traffic. (Non work related).

Non-Compliance:

Legend

Leq = Leq means the equivalent sound level, which is the constant sound level in a given time period.

N/A = Time Period not applicable to MPPCNV

Red = Noise Level Exceedance, project related

Blue = Noise level exceedance, not project related

~ = No Data Available

= No contract work . Portable monitors are not being used (not needed).

SR 520 Montlake Project
Major Public Project Construction Noise Variance
NOISE MONITORING - WEEKLY REPORT
Monday, January 23, 2023 to Sunday, January 29, 2023 10 pm to 7 am (weekdays) / 9am (weekends)

The table below includes data gathered from noise monitoring equipment located at seven stationary and three portable locations throughout the Montlake Project area

Saturday, January 28, 2023												
Site	Site limit*	10pm - 11pm	11pm - 12am	12am - 1am	1am - 2am	2am - 3am	3am - 4am	4am - 5am	5am - 6am	6am - 7am	7am - 8am	8am - 9am
Site 1 - 2449 E. Lk WA Blvd	67	60.8	58	56.5	53.5	51.8	50	51.7	51	54.5	56	58.2
Site 2 - 2015 E. Roanoke St	78	62.3	61.4	59.5	58.3	56.8	54.5	55.3	55	60.2	60.6	66.3
Site 3A - Canterbury Shores	62	~	~	~	~	~	~	~	~	~	~	~
Site 4A - 2110 E. Hamlin St	66	~	~	~	~	~	~	~	~	~	~	~
Site 5 - 2565 22nd Av E.	65	65.6	65.0	63.5	62.3	60.9	59.7	60.2	61.0	66.1	65.4	72.6
Site 6 - 2160 E. Hamlin St	63	60.8	59.0	55.8	53.4	51.8	49.1	47.2	49.2	49.9	54.3	50.4
Site 7 - 2209 E. Lake Wa Blvd	66	63.3	61.9	60.6	59.5	58.9	56.9	57.3	59.3	61.4	61.0	65.3
Site 8 - Portable Between Sites 4 and 6	63	61.1	59.7	58.1	55.7	53.5	51.0	48.7	51.1	53.5	56.5	54.5
Site 9 - Portable Between Sites 1 and 7	66	62.5	60.8	59.1	57.9	57.0	54.6	65.4	55.9	64.7	60.4	72.2
Site 10 - Portable Between Sites 1 and 7	66	75.6	74.1	73.1	71.0	65.8	66.0	61.6	70.7	73.0	73.4	76.1

*Hourly-Average Leq (dBA)

Notes recorded by the on-site Independent Noise Monitor

Work:

No nighttime construction work performed.

Public Comments:

No public comments received related to nighttime noise.

Exceedances:

Sites 5, 9 & 10 exceedances are due to public traffic. **(Non work related).**

Non-Compliance:

Legend

Leq = Leq means the equivalent sound level, which is the constant sound level in a given time period.

N/A = Time Period not applicable to MPPCNV

Red = Noise Level Exceedance, project related

Blue = Noise level exceedance, not project related

~ = No Data Available

= No contract work . Portable monitors are not being used (not needed).

SR 520 Montlake Project
Major Public Project Construction Noise Variance
NOISE MONITORING - WEEKLY REPORT
Monday, January 23, 2023 to Sunday, January 29, 2023 10 pm to 7 am (weekdays) / 9am (weekends)

The table below includes data gathered from noise monitoring equipment located at seven stationary and three portable locations throughout the Montlake Project area

Sunday, January 29, 2023												
Site	Site limit*	10pm - 11pm	11pm - 12am	12am - 1am	1am - 2am	2am - 3am	3am - 4am	4am - 5am	5am - 6am	6am - 7am	7am - 8am	8am - 9am
Site 1 -2449 E. Lk WA Blvd	67	55.7	52.2	50.9	49.5	49.5	52.3	53.7	57.6	60.5	N/A	N/A
Site 2 - 2015 E. Roanoke St	78	59.4	57.3	56.1	55.2	53.2	53.3	56.2	59.5	62.6	N/A	N/A
Site 3A - Canterbury Shores	62	~	~	~	~	~	~	~	~	~	N/A	N/A
Site 4A - 2110 E. Hamlin St	66	~	~	~	~	~	~	~	~	~	N/A	N/A
Site 5 - 2565 22nd Av E.	65	64.3	61.7	62.3	61.7	59.5	61.7	61.8	64.2	66.7	N/A	N/A
Site 6 - 2160 E. Hamlin St	63	56.4	54.0	51.3	49.8	46.9	48.9	51.0	53.6	55.6	N/A	N/A
Site 7 - 2209 E. Lake Wa Blvd	66	61.3	58.4	57.4	58.6	57.1	58.0	60.1	62.6	65.1	N/A	N/A
Site 8 - Portable Between Sites 4 and 6	63	58.0	55.4	53.0	51.1	48.9	51.3	53.6	57.3	58.3	N/A	N/A
Site 9 - Portable Between Sites 1 and 7	66	59.4	56.6	56.4	55.2	61.8	54.1	59.8	61.4	64.9	N/A	N/A
Site 10 - Portable Between Sites 1 and 7	66	73.7	70.8	65.8	64.8	57.4	63.2	69.3	75.8	76.8	N/A	N/A

*Hourly-Average Leq (dBA)

Notes recorded by the on-site Independent Noise Monitor

Work:

No nighttime construction work performed.

Public Comments:

No public comments received related to nighttime noise.

Exceedances:

Sites 5 & 10 exceedances are due to public traffic. **(Non work related).**

Non-Compliance:

Legend

Leq = Leq means the equivalent sound level, which is the constant sound level in a given time period.

N/A = Time Period not applicable to MPPCNV

Red = Noise Level Exceedance, project related

Blue = Noise level exceedance, not project related

~ = No Data Available

= No contract work . Portable monitors are not being used (not needed).

SR 520 Montlake Project
Major Public Project Construction Noise Variance
NOISE MONITORING - WEEKLY REPORT

Monday, January 23, 2023 to Sunday, January 29, 2023

10 p.m. to 7 a.m. (weekdays)/9a.m. (weekends)

Public Comment Log			
Date / Time	To/From	Issue	Resolution