

## SR 520 Montlake Project

Noise Monitoring Weekly Report Summary for **Monday, January 30, 2023** to **Sunday, February 5, 2023**

PUBLISHED February 8, 2023

Monitoring times: Weekdays, 10 p.m. to 7 a.m.; weekends, 10 p.m. to 9 a.m.

**How to use this report:** This document summarizes the weekly nighttime noise data for the SR 520 Montlake Project. In it, you'll find:

- Page 1 - Summary of noise levels recorded above the limits allowed under the Major Public Project Construction Noise Variance, for this week and throughout the project. This includes non -project-related noise exceedances
- Page 2 - Map of the project limits and locations of the seven stationary monitor locations
- Pages 3 – 9 - Night -by-night noise recordings for each of the project noise monitors, along with a description of the work that night, comments received from the public regarding Project noise, and explanations for any noise limit exceedances and actions taken in response
- Page 10 - Log of public comments regarding nighttime noise issues and resolutions for the week

WSDOT is sharing this information as per the terms of the Major Public Project Construction Noise Variance (Permit #3030792).

MPPCNV start date: **Friday, August 16, 2019**


MPPCNV days to date: **1270**

<b>WEEKLY TOTALS</b>	
Nights worked this week (under the MPPCNV)	<b>4</b>
Project related non-compliance this week	<b>0</b>
Nighttime noise issue comments to the project	<b>0</b>
Non-project-related noise exceedances this week	<b>5</b>

<b>PROJECT TOTALS TO DATE</b>	
Total Nights Worked (under the MPPCNV)	<b>672</b>
Total Project related non-compliance	<b>119</b>
Total noise issue comments to the project	<b>127</b>
Total non-project related exceedances	<b>4084</b>

**Noise Monitoring Locations:** the map below shows the work limits of the SR 520 Montlake Project and the locations of the seven stationary noise monitoring sites

**EXHIBIT 5. CONSTRUCTION AREA AND NOISE MEASUREMENT LOCATIONS**



**SR 520 Montlake Project**  
**Major Public Project Construction Noise Variance**  
**NOISE MONITORING - WEEKLY REPORT**

Monday, January 30, 2023 to Sunday, February 5, 2023 10 pm to 7 am (weekdays) / 9am (weekends)

The table below includes data gathered from noise monitoring equipment located at seven stationary and three portable locations throughout the Montlake Project area

<b>Monday, January 30, 2023</b>												
Site	Site limit*	10pm - 11pm	11pm - 12am	12am - 1am	1am - 2am	2am - 3am	3am - 4am	4am - 5am	5am - 6am	6am - 7am	7am - 8am	8am - 9am
Site 1 - 2449 E. Lk WA Blvd	67	55.3	53.7	51.6	49.4	49.5	50.5	53.3	57.3	59.6	N/A	N/A
Site 2 - 2015 E. Roanoke St	78	58.3	55.8	52.2	51.1	52.1	54.3	56.8	59.4	61.5	N/A	N/A
Site 3A - Canterbury Shores	62	46.5	45.8	45.4	44.4	45.1	45.4	45.0	48.4	50.5	N/A	N/A
Site 4A - 2110 E. Hamlin St	66	58.8	54.5	51.6	49.5	49.4	50.0	55.8	58.5	59.9	N/A	N/A
Site 5 - 2565 22nd Av E.	65	56.8	54.5	51.1	49.7	50.4	52.3	54.6	57.4	60.0	N/A	N/A
Site 6 - 2160 E. Hamlin St	63	51.6	54.3	50.5	48.0	45.1	48.2	47.9	51.5	55.8	N/A	N/A
Site 7 - 2209 E. Lake Wa Blvd	66	53.0	52.0	48.5	46.9	47.9	50.4	52.2	56.0	57.4	N/A	N/A
Site 8 - Portable Between Sites 4 and 6	63	56.0	55.2	50.9	49.7	48.3	49.7	52.1	55.6	57.9	N/A	N/A
Site 9 - Portable Between Sites 1 and 7	66	58.8	56.5	54.3	52.2	53.6	55.6	60.2	63.2	63.8	N/A	N/A
Site 10 - Portable Between Sites 1 and 7	66	61.3	58.6	56.5	53.9	56.3	54.8	60.1	63.6	66.4	N/A	N/A

\*Hourly-Average Leq (dBA)

**Notes recorded by the on-site Independent Noise Monitor**

**Work:**

Elcon worked between 10:00pm and 3:30am working on lighting under the lid of EB Pier 2, 3 workers on site. Graham worked between 10:00pm and 2:33am installing drainage at the right median of EB SR 520 near Pier 2 East, 4 workers on site. Graham also worked between 2:36am and 6:33am installing concrete forms at the right median of EB SR 520 near Pier 2 East, 4 workers on site, 5 workers on site.

**Public Comments:**

No public comments received related to nighttime noise.

**Exceedances:**

Site 10 exceedance is due to public traffic. **(Non work related).**

**Non-Compliance:**

**Legend**

Leq = Leq means the equivalent sound level, which is the constant sound level in a given time period.

N/A = Time Period not applicable to MPPCNV

Red = Noise Level Exceedance, project related

Blue = Noise level exceedance, not project related

~ = No Data Available

# = No contract work . Portable monitors are not being used (not needed).

**SR 520 Montlake Project**  
**Major Public Project Construction Noise Variance**  
**NOISE MONITORING - WEEKLY REPORT**  
**Monday, January 30, 2023 to Sunday, February 5, 2023 10 pm to 7 am (weekdays) / 9am (weekends)**

The table below includes data gathered from noise monitoring equipment located at seven stationary and three portable locations throughout the Montlake Project area

<b>Tuesday, January 31, 2023</b>												
Site	Site limit*	10pm - 11pm	11pm - 12am	12am - 1am	1am - 2am	2am - 3am	3am - 4am	4am - 5am	5am - 6am	6am - 7am	7am - 8am	8am - 9am
Site 1 -2449 E. Lk WA Blvd	67	58.6	56.2	57.1	57.0	54.5	51.6	54.3	56.9	59.6	N/A	N/A
Site 2 - 2015 E. Roanoke St	78	58.4	56.1	53.8	51.9	51.4	56.3	54.8	59.6	61.6	N/A	N/A
Site 3A - Canterbury Shores	62	47.4	47.2	45.1	44.2	44.5	44.3	45.5	47.2	49.5	N/A	N/A
Site 4A - 2110 E. Hamlin St	66	56.8	55.4	52.2	50.3	53.2	60.5	54.8	59.1	59.5	N/A	N/A
Site 5 - 2565 22nd Av E.	65	57.3	55.0	52.5	50.5	49.9	54.8	52.9	57.8	59.8	N/A	N/A
Site 6 - 2160 E. Hamlin St	63	56.3	54.4	51.9	49.2	48.4	48.6	51.6	52.9	53.1	N/A	N/A
Site 7 - 2209 E. Lake Wa Blvd	66	54.0	51.5	49.3	47.1	49.8	52.7	52.0	55.2	57.5	N/A	N/A
Site 8 - Portable Between Sites 4 and 6	63	56.4	55.8	52.4	49.9	48.8	51.7	53.3	55.4	55.7	N/A	N/A
Site 9 - Portable Between Sites 1 and 7	66	59.5	57.6	55.3	53.4	55.8	60.3	60.2	62.9	63.8	N/A	N/A
Site 10 - Portable Between Sites 1 and 7	66	62.4	59.3	58.4	56.8	63.9	55.4	59.7	63.9	66.4	N/A	N/A

\*Hourly-Average Leq (dBA)

**Notes recorded by the on-site Independent Noise Monitor**

**Work:**

Elcon worked between 10:00pm and 3:30am working on lighting under the lid of EB Pier 2, 3 workers on site. Graham worked between 10:00pm and 2:33am installing drainage at the right median of EB SR 520 near Pier 2 East, 4 workers on site. Graham also worked between 2:36am and 6:33am installing concrete forms at the right median of EB SR 520 near Pier 2 East, 4 workers on site, 5 workers on site.

**Public Comments:**

No public comments received related to nighttime noise.

**Exceedances:**

Site 10 exceedance is due to public traffic. **(Non work related).**

**Non-Compliance:**

**Legend**

Leq = Leq means the equivalent sound level, which is the constant sound level in a given time period.

N/A = Time Period not applicable to MPPCNV

Red = Noise Level Exceedance, project related

Blue = Noise level exceedance, not project related

~ = No Data Available

# = No contract work . Portable monitors are not being used (not needed).

**SR 520 Montlake Project**  
**Major Public Project Construction Noise Variance**  
**NOISE MONITORING - WEEKLY REPORT**  
Monday, January 30, 2023 to Sunday, February 5, 2023 10 pm to 7 am (weekdays) / 9am (weekends)

The table below includes data gathered from noise monitoring equipment located at seven stationary and three portable locations throughout the Montlake Project area

<b>Wednesday, February 1, 2023</b>												
Site	Site limit*	10pm - 11pm	11pm - 12am	12am - 1am	1am - 2am	2am - 3am	3am - 4am	4am - 5am	5am - 6am	6am - 7am	7am - 8am	8am - 9am
Site 1 - 2449 E. Lk WA Blvd	67	58.2	58.8	53	50.6	49.7	50.2	53.8	58.4	60.5	N/A	N/A
Site 2 - 2015 E. Roanoke St	78	62.3	57.4	55.2	53.2	52	52.8	59	60.4	62.9	N/A	N/A
Site 3A - Canterbury Shores	62	49.1	45.6	46.3	43.9	44.7	45	46.9	51.7	51.4	N/A	N/A
Site 4A - 2110 E. Hamlin St	66	~	~	~	~	~	~	~	~	~	N/A	N/A
Site 5 - 2565 22nd Av E.	65	59.5	55.7	53.7	51.5	50.7	51	57.4	59.7	61.2	N/A	N/A
Site 6 - 2160 E. Hamlin St	63	56.5	54.9	52	51.2	49.7	49	52.9	56.4	56.6	N/A	N/A
Site 7 - 2209 E. Lake Wa Blvd	66	55.3	52.7	51.4	48.9	47.9	49.9	53.9	56.5	58.3	N/A	N/A
Site 8 - Portable Between Sites 4 and 6	63	57.5	56.3	54.5	52.2	50.8	50.3	54.1	58	58.3	N/A	N/A
Site 9 - Portable Between Sites 1 and 7	66	60.9	57.7	56.2	53.8	52.9	56.3	61.2	63.4	64.7	N/A	N/A
Site 10 - Portable Between Sites 1 and 7	66	62.7	60.4	58.2	54.3	54.6	56.1	59	64.5	66.9	N/A	N/A

\*Hourly-Average Leq (dBA)

**Notes recorded by the on-site Independent Noise Monitor**

**Work:**

Elcon worked between 10:00pm and 3:30am working on lighting under the lid of EB Pier 2, 3 workers on site. Graham worked between 10:00pm and 12:20am installing drainage at the right median of EB SR 520 near Pier 2 East, 4 workers on site.

**Public Comments:**

No public comments received related to nighttime noise.

**Exceedances:**

Site 10 exceedance is due to public traffic. **(Non work related).**

**Non-Compliance:**

**Legend**

Leq = Leq means the equivalent sound level, which is the constant sound level in a given time period.

N/A = Time Period not applicable to MPPCNV

Red = Noise Level Exceedance, project related

Blue = Noise level exceedance, not project related

~ = No Data Available

# = No contract work . Portable monitors are not being used (not needed).

**SR 520 Montlake Project**  
**Major Public Project Construction Noise Variance**  
**NOISE MONITORING - WEEKLY REPORT**  
**Monday, January 30, 2023 to Sunday, February 5, 2023**      **10 pm to 7 am (weekdays) / 9am (weekends)**

The table below includes data gathered from noise monitoring equipment located at seven stationary and three portable locations throughout the Montlake Project area

<b>Thursday, February 2, 2023</b>													
Site	Site limit*	10pm - 11pm	11pm - 12am	12am - 1am	1am - 2am	2am - 3am	3am - 4am	4am - 5am	5am - 6am	6am - 7am	7am - 8am	8am - 9am	
Site 1 - 2449 E. Lk WA Blvd	67	59.2	56.9	55.2	55	49.8	53	51.5	56.1	58.9	N/A	N/A	
Site 2 - 2015 E. Roanoke St	78	62.8	63.4	62.6	59.8	60.7	62.1	62.3	62.2	62.2	N/A	N/A	
Site 3A - Canterbury Shores	62	52.1	48.5	48.3	47.9	46.7	45.6	48.4	53	52.9	N/A	N/A	
Site 4A - 2110 E. Hamlin St	66	~	~	~	~	~	~	~	~	~	N/A	N/A	
Site 5 - 2565 2nd Av E.	65	61.1	61.3	60.2	57.4	58.5	59.1	59.8	60.6	60.8	N/A	N/A	
Site 6 - 2160 E. Hamlin St	63	58.1	55.2	53.5	49.8	47.7	51.3	50.1	53.7	56	N/A	N/A	
Site 7 - 2209 E. Lake Wa Blvd	66	56.8	54.5	52.5	49.9	50.7	51.7	52.8	55.5	57.2	N/A	N/A	
Site 8 - Portable Between Sites 4 and 6	63	60.5	58.8	55.3	51.5	50.4	52.5	52.2	55.3	57.5	N/A	N/A	
Site 9 - Portable Between Sites 1 and 7	66	62	61.6	60.2	58.2	59.9	60.2	61.9	63.7	65	N/A	N/A	
Site 10 - Portable Between Sites 1 and 7	66	63.2	60.6	57.1	55.6	55.4	57.7	57.8	62.9	65.6	N/A	N/A	

\*Hourly-Average Leq (dBA)

**Notes recorded by the on-site Independent Noise Monitor**

Work:

Elcon worked between 10:00pm and 3:30am working on lighting under the lid of EB Pier 2, 3 workers on site. Graham worked between 10:00pm and 1:45am installing drainage at South Pier 1 on the Montlake deck lid, 4 workers on site. Graham also worked between 11:00pm and 5:15am carrying out a diaphragm pour at South Pier 2.

**Public Comments:**

A nearby resident at 2449 E. Lake Washington Blvd left a voicemail on the hotline last night at 11:45 PM complaining of noise from our drainage work in the south treatment area: "Hello it's 11:45 PM on February 1 and I just like to know how long work's gonna be going on out in front of our house. There's an excavator and dump trucks all kinds of stuff going on an activity out in front. It's kind of loud and it's difficult to sleep. I appreciate a call. Thank you very much bye."

**Exceedances:**

No Exceedance

**Non-Compliance:**

**Legend**

Leq = Leq means the equivalent sound level, which is the constant sound level in a given time period.

N/A = Time Period not applicable to MPPCNV

Red = Noise Level Exceedance, project related

Blue = Noise level exceedance, not project related

~ = No Data Available

# = No contract work . Portable monitors are not being used (not needed).

**SR 520 Montlake Project**  
**Major Public Project Construction Noise Variance**  
**NOISE MONITORING - WEEKLY REPORT**  
Monday, January 30, 2023 to Sunday, February 5, 2023 10 pm to 7 am (weekdays) / 9am (weekends)

The table below includes data gathered from noise monitoring equipment located at seven stationary and three portable locations throughout the Montlake Project area

<b>Friday, February 3, 2023</b>												
Site	Site limit*	10pm - 11pm	11pm - 12am	12am - 1am	1am - 2am	2am - 3am	3am - 4am	4am - 5am	5am - 6am	6am - 7am	7am - 8am	8am - 9am
Site 1 - 2449 E. Lk WA Blvd	67	57.1	54.1	53.4	51.8	49.9	50.0	47.0	52.8	56.4	58.1	59.4
Site 2 - 2015 E. Roanoke St	78	60.2	58.8	58.0	56.1	53.2	53.4	54.0	55.0	59.3	60.8	61.9
Site 3A - Canterbury Shores	62	50.3	48.9	46.4	46.5	43.7	44.6	43.4	45.8	49.7	55.3	57.3
Site 4A - 2110 E. Hamlin St	66	60.4	59.9	56.1	55.0	54.0	53.4	51.5	55.7	59.1	58.7	61.2
Site 5 - 2565 22nd Av E.	65	59.1	57.6	57.1	54.2	51.6	53.9	53.4	54.1	58.0	59.7	60.7
Site 6 - 2160 E. Hamlin St	63	57.8	56.9	53.9	55.1	50.8	51.3	48.5	52.0	57.3	56.2	60.1
Site 7 - 2209 E. Lake Wa Blvd	66	56.2	54.4	52.1	50.8	47.8	48.8	53.0	50.8	55.3	56.1	57.9
Site 8 - Portable Between Sites 4 and 6	63	59.1	58.2	55.0	55.4	51.5	53.1	50.4	53.9	58.6	57.5	61.1
Site 9 - Portable Between Sites 1 and 7	66	63.4	61.7	59.3	57.3	55.0	55.1	63.0	58.6	62.5	62.5	64.0
Site 10 - Portable Between Sites 1 and 7	66	64.2	61.0	59.3	56.4	54.0	53.7	53.5	58.5	62.6	63.5	66.0

\*Hourly-Average Leq (dBA)

**Notes recorded by the on-site Independent Noise Monitor**

**Work:**

No nighttime construction work performed.

**Public Comments:**

No public comments received related to nighttime noise.

**Exceedances:**

Site 10 exceedance is due to public traffic. **(Non work related).**

**Non-Compliance:**

**Legend**

Leq = Leq means the equivalent sound level, which is the constant sound level in a given time period.

N/A = Time Period not applicable to MPPCNV

Red = Noise Level Exceedance, project related

Blue = Noise level exceedance, not project related

~ = No Data Available

# = No contract work . Portable monitors are not being used (not needed).

**SR 520 Montlake Project**  
**Major Public Project Construction Noise Variance**  
**NOISE MONITORING - WEEKLY REPORT**  
Monday, January 30, 2023 to Sunday, February 5, 2023 10 pm to 7 am (weekdays) / 9am (weekends)

The table below includes data gathered from noise monitoring equipment located at seven stationary and three portable locations throughout the Montlake Project area

<b>Saturday, February 4, 2023</b>												
Site	Site limit*	10pm - 11pm	11pm - 12am	12am - 1am	1am - 2am	2am - 3am	3am - 4am	4am - 5am	5am - 6am	6am - 7am	7am - 8am	8am - 9am
Site 1 -2449 E. Lk WA Blvd	67	61.5	58.1	55.7	53	50.8	51.3	48.1	50.4	54.6	55.5	58.1
Site 2 - 2015 E. Roanoke St	78	61.6	60.2	58.4	58.2	56.3	54.5	54.2	56.4	59.1	60.4	61.8
Site 3A - Canterbury Shores	62	54.0	54.7	57.3	54.8	48.8	45.1	44.3	46.2	47.9	48.7	51.1
Site 4A - 2110 E. Hamlin St	66	59.9	54.8	56.5	52.7	50.3	51.0	54.2	56.8	58.7	59.8	60.5
Site 5 - 2565 22nd Av E.	65	60.8	58.4	57.0	55.2	54.8	53.2	53.1	55.2	57.8	59.4	60.5
Site 6 - 2160 E. Hamlin St	63	56.6	57.9	54.6	53.2	49.2	46.3	45.7	47.8	51.6	56.0	56.1
Site 7 - 2209 E. Lake Wa Blvd	66	58.8	56.7	54.3	52.2	50.0	47.4	48.2	49.9	53.3	55.4	56.7
Site 8 - Portable Between Sites 4 and 6	63	59.0	57.5	56.7	54.8	53.3	50.2	49.7	51.6	55.6	57.8	58.0
Site 9 - Portable Between Sites 1 and 7	66	64.7	61.4	59.7	57.6	56.5	54.9	55.9	57.8	60.3	60.9	63.4
Site 10 - Portable Between Sites 1 and 7	66	73.3	62.9	60.6	57.9	55.2	54.4	54.4	57.0	60.3	61.5	64.8

\*Hourly-Average Leq (dBA)

**Notes recorded by the on-site Independent Noise Monitor**

**Work:**

No nighttime construction work performed.

**Public Comments:**

No public comments received related to nighttime noise.

**Exceedances:**

Sites 9 exceedance is due to public traffic. **(Non work related).**

**Non-Compliance:**

**Legend**

Leq = Leq means the equivalent sound level, which is the constant sound level in a given time period.

N/A = Time Period not applicable to MPPCNV

Red = Noise Level Exceedance, project related

Blue = Noise level exceedance, not project related

~ = No Data Available

# = No contract work . Portable monitors are not being used (not needed).



**SR 520 Montlake Project**  
**Major Public Project Construction Noise Variance**  
**NOISE MONITORING - WEEKLY REPORT**  
**Monday, January 30, 2023 to Sunday, February 5, 2023 10 pm to 7 am (weekdays) / 9am (weekends)**

The table below includes data gathered from noise monitoring equipment located at seven stationary and three portable locations throughout the Montlake Project area

<b>Sunday, February 5, 2023</b>												
Site	Site limit*	10pm - 11pm	11pm - 12am	12am - 1am	1am - 2am	2am - 3am	3am - 4am	4am - 5am	5am - 6am	6am - 7am	7am - 8am	8am - 9am
Site 1 -2449 E. Lk WA Blvd	67	53.1	51.1	50.0	48.2	43.5	47.9	51.2	55.5	57.7	N/A	N/A
Site 2 - 2015 E. Roanoke St	78	57.6	56.3	52.6	50.6	53.5	51.2	55.1	58.8	60.8	N/A	N/A
Site 3A - Canterbury Shores	62	46.1	44.8	44.2	43.2	41.3	41.9	45.0	46.2	50.3	N/A	N/A
Site 4A - 2110 E. Hamlin St	66	57.7	56.0	52.8	50.3	49.6	50.9	55.6	59.6	61.9	N/A	N/A
Site 5 - 2565 22nd Av E.	65	56.6	55.5	51.6	49.5	53.0	50.2	53.7	57.2	59.6	N/A	N/A
Site 6 - 2160 E. Hamlin St	63	55.8	54.2	50.5	47.4	45.9	49.1	52.8	56.2	58.8	N/A	N/A
Site 7 - 2209 E. Lake Wa Blvd	66	54.2	50.9	49.0	45.4	47.6	47.0	51.9	54.4	57.2	N/A	N/A
Site 8 - Portable Between Sites 4 and 6	63	57.0	55.9	51.8	48.0	47.7	50.0	53.0	56.2	58.5	N/A	N/A
Site 9 - Portable Between Sites 1 and 7	66	61.3	57.8	56.1	52.7	55.4	54.2	61.3	62.9	64.3	N/A	N/A
Site 10 - Portable Between Sites 1 and 7	66	58.5	55.0	54.0	52.0	45.5	54.5	57.1	63.0	65.9	N/A	N/A

\*Hourly-Average Leq (dBA)

**Notes recorded by the on-site Independent Noise Monitor**

**Work:**

No nighttime construction work performed.

**Public Comments:**

No public comments received related to nighttime noise.

**Exceedances:**

No Exceedances

**Non-Compliance:**

**Legend**

Leq = Leq means the equivalent sound level, which is the constant sound level in a given time period.

N/A = Time Period not applicable to MPPCNV

Red = Noise Level Exceedance, project related

Blue = Noise level exceedance, not project related

~ = No Data Available

# = No contract work . Portable monitors are not being used (not needed).

**SR 520 Montlake Project**  
**Major Public Project Construction Noise Variance**  
**NOISE MONITORING - WEEKLY REPORT**

Monday, January 30, 2023 to Sunday, February 5, 2023

10 p.m. to 7 a.m. (weekdays)/9a.m. (weekends)

<b>Public Comment Log</b>			
<b>Date / Time</b>	<b>To/From</b>	<b>Issue</b>	<b>Resolution</b>
11:45 p.m. 2/2/2023	From: Nearby resident To: Project Hotline	A nearby resident at 2449 E. Lake Washington Blvd left a voicemail on the hotline last night at 11:45 PM complaining of noise from our drainage work in the south treatment area: "Hello it's 11:45 PM on February 1 and I just like to know how long work's gonna be going on out in front of our house. There's an excavator and dump trucks all kinds of stuff going on an activity out in front. It's kind of loud and it's difficult to sleep. I appreciate a call. Thank you very much bye."	Bob returned the residence call at 11:56 PM and left a voicemail letting him know he'd investigate the noise situation. After contacting Gary Stensland, Bob texted the resident letting him know that the noise inspector informed the crew there had been a noise complaint, that our monitors didn't show any exceedances, and that the work would continue until 2 AM. Bob subsequently learned that the work had shut down around 11:40 PM.