



SR 520 Montlake Project

Noise Monitoring Weekly Report Summary for

Monday, June 27, 2022

to

Sunday, July 3, 2022

PUBLISHED July 6th, 2022

Monitoring times: Weekdays, 10 p.m. to 7 a.m.; weekends, 10 p.m. to 9 a.m.

How to use this report: This document summarizes the weekly nighttime noise data for the SR 520 Montlake Project. In it, you'll find:

- Page 1 - Summary of noise levels recorded above the limits allowed under the Major Public Project Construction Noise Variance, for this week and throughout the project. This includes non -project-related noise exceedances
- Page 2 - Map of the project limits and locations of the seven stationary monitor locations
- Pages 3 – 9 - Night-by-night noise recordings for each of the project noise monitors, along with a description of the work that night, comments received from the public regarding Project noise, and explanations for any noise limit exceedances and actions taken in response
- Page 10 - Log of public comments regarding nighttime noise issues and resolutions for the week

WSDOT is sharing this information as per the terms of the Major Public Project Construction Noise Variance (Permit #3030792).

MPPCNV start date: Friday, August 16, 2019


MPPCNV days to date: 1053

WEEKLY TOTALS	
Nights worked this week (under the MPPCNV)	6
Project related non-compliance this week	0
Nighttime noise issue comments to the project	1
Non-project-related noise exceedances this week	2

PROJECT TOTALS TO DATE	
Total Nights Worked (under the MPPCNV)	533
Total Project related non-compliance	115
Total noise issue comments to the project	122
Total non-project related exceedances	3804

Noise Monitoring Locations: the map below shows the work limits of the SR 520 Montlake Project and the locations of the seven stationary noise monitoring sites

EXHIBIT 5. CONSTRUCTION AREA AND NOISE MEASUREMENT LOCATIONS



SR 520 Montlake Project
Major Public Project Construction Noise Variance
NOISE MONITORING - WEEKLY REPORT

Monday, June 27, 2022 to Sunday, July 3, 2022 10 pm to 7 am (weekdays) / 9 am (weekends)

The table below includes data gathered from noise monitoring equipment located at seven stationary and three portable locations throughout the Montlake Project area

Monday, June 27, 2022												
Site	Site limit*	10pm - 11pm	11pm - 12am	12am - 1am	1am - 2am	2am - 3am	3am - 4am	4am - 5am	5am - 6am	6am - 7am	7am - 8am	8am - 9am
Site 1 - 2449 E. Lk WA Blvd	67	54.4	50.0	50.3	50.2	46.9	46.5	49.6	53.1	59.0	N/A	N/A
Site 2 - 2015 E. Roanoke St	78	60.3	58.1	53.1	58.5	50.1	50.5	54.6	60.3	61.5	N/A	N/A
Site 3A - Canterbury Shores	62	49.3	46.4	49.0	54.5	54.1	53.9	54.0	52.6	58.4	N/A	N/A
Site 4A - 2110 E. Hamlin St	66	58.9	56.4	53.0	51.9	48.8	48.7	54.6	58.3	61.2	N/A	N/A
Site 5 - 2565 22nd Av E.	65	59.9	57.7	52.0	57.6	48.1	49.1	53.6	61.3	60.4	N/A	N/A
Site 6 - 2160 E. Hamlin St	63	55.5	51.7	52.6	50.4	45.4	47.7	53.1	54.7	58.2	N/A	N/A
Site 7 - 2209 E. Lake Wa Blvd	66	55.3	51.6	51.4	54.4	45.7	45.7	52.9	53.0	57.2	N/A	N/A
Site 8 - Portable Between Sites 4 and 6	63	57.1	53.7	51.5	50.8	46.7	48.9	51.7	55.3	58.8	N/A	N/A
Site 9 - Portable Between Sites 1 and 7	66	63.9	58.8	57.2	64.3	51.0	52.0	57.5	60.0	62.1	N/A	N/A
Site 10 - Portable Between Sites 1 and 7	66	57	52.8	55	53	51.8	51.1	51.7	55.9	62.1	N/A	N/A
*Hourly-Average Leq (dBA)												
Notes recorded by the on-site Independent Noise Monitor												
Work: Graham worked between 10:00pm and 4:00am on installing drainage on pier 1 west and worked between 10:00pm and 4:20am on Pier 2 backfilling. Elcon worked between 10:00pm and 3:20am pulling wires, 6 workers on site. PSC worked between 10:00pm and 1:40am, on pinning barrier on site. American Bridge worked between 4:30am and 7:00am on a concrete pour.												
Public Comments: No public comments received related to nighttime noise.												
Exceedances: No Exceedances												
Non-Compliance: None.												

Legend

Leq = Leq means the equivalent sound level, which is the constant sound level in a given time period.

N/A = Time Period not applicable to MPPCNV

Red = Noise Level Exceedance, project related

Blue = Noise level exceedance, not project related

~ = No Data Available

= No contract work . Portable monitors are not being used (not needed).

SR 520 Montlake Project
Major Public Project Construction Noise Variance
NOISE MONITORING - WEEKLY REPORT
Monday, June 27, 2022 to Sunday, July 3, 2022 10 pm to 7 am (weekdays) / 9 am (weekends)

The table below includes data gathered from noise monitoring equipment located at seven stationary and three portable locations throughout the Montlake Project area

Tuesday, June 28, 2022												
Site	Site limit*	10pm - 11pm	11pm - 12am	12am - 1am	1am - 2am	2am - 3am	3am - 4am	4am - 5am	5am - 6am	6am - 7am	7am - 8am	8am - 9am
Site 1 - 2449 E. Lk WA Blvd	67	53.6	52.6	49.4	46.3	46.7	46.4	49.5	56.9	60.1	N/A	N/A
Site 2 - 2015 E. Roanoke St	78	60.0	58.1	54.8	53.4	53.6	51.9	54.9	59.9	62.9	N/A	N/A
Site 3A - Canterbury Shores	62	51.8	49.7	47.4	45.3	44.6	44.0	45.8	50.5	56.3	N/A	N/A
Site 4A - 2110 E. Hamlin St	66	59.7	58.0	54.3	52.2	56.4	50.7	54.5	58.3	60.4	N/A	N/A
Site 5 - 2565 22nd Av E.	65	59.0	57.2	53.6	52.3	51.3	50.9	53.9	58.9	61.3	N/A	N/A
Site 6 - 2160 E. Hamlin St	63	57.3	55.8	57.5	48.5	47.9	48.1	51.7	55.8	56.1	N/A	N/A
Site 7 - 2209 E. Lake Wa Blvd	66	53.5	51.8	49.2	46.9	46.6	45.5	48.4	53.1	55.0	N/A	N/A
Site 8 - Portable Between Sites 4 and 6	63	57.8	56.3	52.1	49.7	50.0	48.2	50.8	56.8	57.2	N/A	N/A
Site 9 - Portable Between Sites 1 and 7	66	60.2	58.6	55.4	54.6	55.2	52.9	56.1	59.8	62.2	N/A	N/A
Site 10 - Portable Between Sites 1 and 7	66	55.8	55.4	52.6	49.3	49.8	50.7	51.5	59.5	64.5	N/A	N/A

*Hourly-Average Leq (dBA)

Notes recorded by the on-site Independent Noise Monitor

Work:

Graham worked between 10:00pm and 4:30am on installing drainage on pier 1 west and worked between 10:00pm and 3:50am on Pier 2 backfilling. Elcon worked between 10:00pm and 3:10am pulling wires, 5 workers on site. American Bridge worked between 4:30am and 7:00am on a concrete pour.

Public Comments:

No public comments received related to nighttime noise.

Exceedances:

No Exceedances

Non-Compliance:

None.

Legend

Leq = Leq means the equivalent sound level, which is the constant sound level in a given time period.

N/A = Time Period not applicable to MPPCNV

Red = Noise Level Exceedance, project related

Blue = Noise level exceedance, not project related

~ = No Data Available

= No contract work . Portable monitors are not being used (not needed).

SR 520 Montlake Project
Major Public Project Construction Noise Variance
NOISE MONITORING - WEEKLY REPORT

Monday, June 27, 2022 to Sunday, July 3, 2022 10 pm to 7 am (weekdays) / 9am (weekends)

The table below includes data gathered from noise monitoring equipment located at seven stationary and three portable locations throughout the Montlake Project area

Wednesday, June 29, 2022												
Site	Site limit*	10pm - 11pm	11pm - 12am	12am - 1am	1am - 2am	2am - 3am	3am - 4am	4am - 5am	5am - 6am	6am - 7am	7am - 8am	8am - 9am
Site 1 - 2449 E. Lk WA Blvd	67	56.3	54.4	50.6	50.6	49.9	49	47.7	52.2	58.7	N/A	N/A
Site 2 - 2015 E. Roanoke St	78	61.2	60.3	56.6	55.6	54.7	54.4	56.4	60.4	63.8	N/A	N/A
Site 3A - Canterbury Shores	62	51.6	51.2	50.3	54.9	54.8	54.7	55.3	54.9	61.1	N/A	N/A
Site 4A - 2110 E. Hamlin St	66	59.9	56.1	51.7	51.1	50.3	51	54	58.1	59.6	N/A	N/A
Site 5 - 2565 22nd Av E.	65	60	59.7	54.9	54.2	53.4	54	55.2	60.4	63.1	N/A	N/A
Site 6 - 2160 E. Hamlin St	63	59.5	52.9	50.3	48.1	47.8	45.3	54.2	56.8	54.8	N/A	N/A
Site 7 - 2209 E. Lake Wa Blvd	66	54.8	53.1	50.4	48.1	47.5	47.8	51.2	56.3	57.6	N/A	N/A
Site 8 - Portable Between Sites 4 and 6	63	57.7	55.1	50.6	50.9	50.2	48.5	52.5	57.6	56.7	N/A	N/A
Site 9 - Portable Between Sites 1 and 7	66	62.1	58.3	54.5	54.2	54	55.1	58	61	62.5	N/A	N/A
Site 10 - Portable Between Sites 1 and 7	66	58	56.4	53.1	52.5	51.9	51.2	53.5	60.4	63.4	N/A	N/A

*Hourly-Average Leq (dBA)

Notes recorded by the on-site Independent Noise Monitor

Work:

Graham worked between 10:00pm and 2:15am on installing drainage on pier 1 west and worked between 10:00pm and 4:10am on Pier 2 backfilling. Elcon worked between 10:00pm and 3:26am pulling wires, 6 workers on site. American Bridge worked between 4:30am and 7:00am on a concrete pour.

Public Comments:

No public comments received related to nighttime noise.

Exceedances:

No Exceedances

Non-Compliance:

None

Site 4 was removed from the site

Legend

Leq = Leq means the equivalent sound level, which is the constant sound level in a given time period.

N/A = Time Period not applicable to MPPCNV

Red = Noise Level Exceedance, project related

Blue = Noise level exceedance, not project related

~ = No Data Available

= No contract work . Portable monitors are not being used (not needed).

SR 520 Montlake Project
Major Public Project Construction Noise Variance
NOISE MONITORING - WEEKLY REPORT

Monday, June 27, 2022 to Sunday, July 3, 2022 10 pm to 7 am (weekdays) / 9am (weekends)

The table below includes data gathered from noise monitoring equipment located at seven stationary and three portable locations throughout the Montlake Project area

Thursday, June 30, 2022												
Site	Site limit*	10pm - 11pm	11pm - 12am	12am - 1am	1am - 2am	2am - 3am	3am - 4am	4am - 5am	5am - 6am	6am - 7am	7am - 8am	8am - 9am
Site 1 - 2449 E. Lk WA Blvd	67	55.3	54.3	51.2	49.4	47.4	48.3	50.5	54.8	56.8	N/A	N/A
Site 2 - 2015 E. Roanoke St	78	62.6	59.3	55.5	52.7	50.8	53.3	56.9	61.7	61.2	N/A	N/A
Site 3A - Canterbury Shores	62	51.9	48.9	46.4	45.5	44.3	42.4	44.2	47.0	50.2	N/A	N/A
Site 4A - 2110 E. Hamlin St	66	57.3	62.7	54.8	53.2	50.4	48.5	49.0	54.1	58.9	N/A	N/A
Site 5 - 2565 22nd Av E.	65	61.1	58.1	54.4	51.3	49.0	51.3	55.0	58.3	59.8	N/A	N/A
Site 6 - 2160 E. Hamlin St	63	50.4	50.8	49.1	48.6	47.9	47.2	52.3	54.1	51.9	N/A	N/A
Site 7 - 2209 E. Lake Wa Blvd	66	56.7	53.2	50.1	48.1	46.7	46.9	53.0	54.3	56.5	N/A	N/A
Site 8 - Portable Between Sites 4 and 6	63	54.3	52.3	51.1	49.3	48.3	48.4	50.5	55.1	53.4	N/A	N/A
Site 9 - Portable Between Sites 1 and 7	66	68.3	58.4	54.8	52.6	50.3	52.5	55.8	59.2	62.9	N/A	N/A
Site 10 - Portable Between Sites 1 and 7	66	58.8	56.6	54.2	53.0	51.2	52.3	54.1	57.1	60.5	N/A	N/A

*Hourly-Average Leq (dBA)

Notes recorded by the on-site Independent Noise Monitor

Work:

Graham worked between 10:00pm and 4:50am on installing drainage on pier 1 west and worked between 10:00pm and 4:40am on Pier 2 backfilling. Elcon worked between 10:00pm and 3:30am pulling wires, 6 workers on site.

Public Comments:

At 1:41am, a nearby resident emailed the project the following "Pounding and scrapping excessive noise for 1:30 in the morning."

Exceedances:

Sites 9 exceedance is due to public traffic. **(Non work related).**

Non-Compliance:

None

Legend

Leq = Leq means the equivalent sound level, which is the constant sound level in a given time period.

N/A = Time Period not applicable to MPPCNV

Red = Noise Level Exceedance, project related

Blue = Noise level exceedance, not project related

~ = No Data Available

= No contract work . Portable monitors are not being used (not needed).

SR 520 Montlake Project
Major Public Project Construction Noise Variance
NOISE MONITORING - WEEKLY REPORT

Monday, June 27, 2022 to Sunday, July 3, 2022 10 pm to 7 am (weekdays) / 9am (weekends)

The table below includes data gathered from noise monitoring equipment located at seven stationary and three portable locations throughout the Montlake Project area

Friday, July 1, 2022												
Site	Site limit*	10pm - 11pm	11pm - 12am	12am - 1am	1am - 2am	2am - 3am	3am - 4am	4am - 5am	5am - 6am	6am - 7am	7am - 8am	8am - 9am
Site 1 - 2449 E. Lk WA Blvd	67	58.3	57.7	60.1	59.5	57.4	67.5	68.4	48.9	51.8	59.9	64.6
Site 2 - 2015 E. Roanoke St	78	60.4	65.4	58.3	55.5	53.4	51.2	51.0	54.0	57.5	58.8	60.6
Site 3A - Canterbury Shores	62	54.0	52.3	51.8	51.1	54.5	54.5	54.0	54.1	51.5	47.7	50.1
Site 4A - 2110 E. Hamlin St	66	56.1	60.0	61.2	53.4	50.7	49.0	50.0	52.3	56.3	56.3	58.7
Site 5 - 2565 22nd Av E.	65	59.1	62.4	57.4	54.0	51.8	49.4	49.3	52.3	55.5	57.6	59.5
Site 6 - 2160 E. Hamlin St	63	51.1	53.1	56.7	49.1	47.6	51.6	50.0	52.0	50.2	51.2	55.0
Site 7 - 2209 E. Lake Wa Blvd	66	54.3	56.4	59.9	49.3	48.5	46.6	46.2	49.9	50.6	53.3	55.7
Site 8 - Portable Between Sites 4 and 6	63	54.8	54.3	60.9	53.1	50.0	48.7	48.4	52.0	52.4	53.2	56.7
Site 9 - Portable Between Sites 1 and 7	66	60.6	58.6	64.4	59.3	54.3	52.2	50.5	51.0	53.4	56.4	58.4
Site 10 - Portable Between Sites 1 and 7	66	60.1	59.2	60.0	58.1	55.3	66.2	74.7	51.9	55.4	61.1	63.3

*Hourly-Average Leq (dBA)

Notes recorded by the on-site Independent Noise Monitor

Work:

Graham worked between 10:00pm and 9:00am. On installing drainage and preparing the road for paving on Lake Washington Blvd.

Public Comments:

No public comments received related to nighttime noise.

Exceedances:

Sites 1 & 10 exceedances are due to construction activities (**work related**) and are covered under TNV #6903443-NV.

Non-Compliance:

None

Legend

Leq = Leq means the equivalent sound level, which is the constant sound level in a given time period.

N/A = Time Period not applicable to MPPCNV

Red = Noise Level Exceedance, project related

Blue = Noise level exceedance, not project related

~ = No Data Available

= No contract work . Portable monitors are not being used (not needed).

SR 520 Montlake Project
Major Public Project Construction Noise Variance
NOISE MONITORING - WEEKLY REPORT
Monday, June 27, 2022 to Sunday, July 3, 2022 10 pm to 7 am (weekdays) / 9am (weekends)

The table below includes data gathered from noise monitoring equipment located at seven stationary and three portable locations throughout the Montlake Project area

Saturday, July 2, 2022												
Site	Site limit*	10pm - 11pm	11pm - 12am	12am - 1am	1am - 2am	2am - 3am	3am - 4am	4am - 5am	5am - 6am	6am - 7am	7am - 8am	8am - 9am
Site 1 - 2449 E. Lk WA Blvd	67	59.4	61.5	60	61.2	55.3	59.8	54.3	55.6	52.3	59.6	55.3
Site 2 - 2015 E. Roanoke St	78	60.1	59.4	62.1	59.1	58.4	49.8	49	52.8	55.4	56.7	59.0
Site 3A - Canterbury Shores	62	50.1	48.8	49.0	54.1	54.2	53.9	54.0	51.8	45.0	46.0	47.9
Site 4A - 2110 E. Hamlin St	66	58.1	58.4	61.0	53.6	60.9	49.0	49.2	52.8	56.0	55.8	57.1
Site 5 - 2565 22nd Av E.	65	59.0	58.1	62.9	60.6	58.4	48.3	47.8	51.9	54.6	55.7	58.5
Site 6 - 2160 E. Hamlin St	63	53.8	52.9	50.7	47.5	49.9	46.1	48.2	54.4	50.5	52.1	52.5
Site 7 - 2209 E. Lake Wa Blvd	66	53.0	51.8	57.5	55.3	55.6	43.5	43.8	48.0	49.5	52.1	53.5
Site 8 - Portable Between Sites 4 and 6	63	56.3	54.3	54.9	50.6	53.5	47.4	47.6	50.9	51.6	53.2	54.9
Site 9 - Portable Between Sites 1 and 7	66	60.0	59.3	69.0	62.3	64.2	49.1	49.5	53.4	56.6	59.6	61.8
Site 10 - Portable Between Sites 1 and 7	66	67.5	59.7	58.8	60.8	55.6	60.0	56.0	59.4	53.2	60.0	57.6

*Hourly-Average Leq (dBA)

Notes recorded by the on-site Independent Noise Monitor

Work:

Graham worked between 10:00pm and 7:10am on preparing the road for paving and paving on Lake Washington Blvd. Lakeside Industries worked between 8:00am and 9:00am on paving Lake Washington Blvd.

Public Comments:

No public comments received related to nighttime noise.

Exceedances:

Sites 10 exceedance is due to construction activities (**work related**) and are covered under TNV #6903443-NV.

Non-Compliance:

None

Legend

Leq = Leq means the equivalent sound level, which is the constant sound level in a given time period.

N/A = Time Period not applicable to MPPCNV

Red = Noise Level Exceedance, project related

Blue = Noise level exceedance, not project related

~ = No Data Available

= No contract work . Portable monitors are not being used (not needed).

SR 520 Montlake Project
Major Public Project Construction Noise Variance
NOISE MONITORING - WEEKLY REPORT
Monday, June 27, 2022 to Sunday, July 3, 2022 10 pm to 7 am (weekdays) / 9am (weekends)

The table below includes data gathered from noise monitoring equipment located at seven stationary and three portable locations throughout the Montlake Project area

Sunday, July 3, 2022												
Site	Site limit*	10pm - 11pm	11pm - 12am	12am - 1am	1am - 2am	2am - 3am	3am - 4am	4am - 5am	5am - 6am	6am - 7am	7am - 8am	8am - 9am
Site 1 - 2449 E. Lk WA Blvd	67	55.2	52.6	51.5	51.5	48.8	47.0	44.1	47.8	49.4	N/A	N/A
Site 2 - 2015 E. Roanoke St	78	58.3	57.6	56.4	53.8	52.3	53.6	52.4	54.1	57.2	N/A	N/A
Site 3A - Canterbury Shores	62	46.9	46.5	45.1	42.4	40.7	41.8	41.1	43.5	45.7	N/A	N/A
Site 4A - 2110 E. Hamlin St	66	57.1	55.7	54.3	51.7	50.5	50.5	52.3	53.3	57.2	N/A	N/A
Site 5 - 2565 22nd Av E.	65	57.2	56.3	54.9	51.8	51.8	50.4	52.5	51.7	53.4	N/A	N/A
Site 6 - 2160 E. Hamlin St	63	53.6	52.6	53.4	53.4	52.4	51.0	49.2	51.8	53.7	N/A	N/A
Site 7 - 2209 E. Lake Wa Blvd	66	54.4	51.8	51.5	48.7	47.2	49.9	47.3	49.8	51.8	N/A	N/A
Site 8 - Portable Between Sites 4 and 6	63	55.8	54.8	54.5	52.4	51.3	50.1	51.9	52.9	54.5	N/A	N/A
Site 9 - Portable Between Sites 1 and 7	66	60.2	58.6	58.4	54.4	52.4	54.9	54.3	54.6	59.8	N/A	N/A
Site 10 - Portable Between Sites 1 and 7	66	60.5	58.1	56.9	54.2	50.6	47.8	52.2	55.1	57.4	N/A	N/A

*Hourly-Average Leq (dBA)

Notes recorded by the on-site Independent Noise Monitor

Work:

No nighttime construction work performed.

Public Comments:

No public comments received related to nighttime noise.

Exceedances:

No Exceedances

Non-Compliance:

None

Legend

Leq = Leq means the equivalent sound level, which is the constant sound level in a given time period.

N/A = Time Period not applicable to MPPCNV

Red = Noise Level Exceedance, project related

Blue = Noise level exceedance, not project related

~ = No Data Available

= No contract work . Portable monitors are not being used (not needed).

SR 520 Montlake Project
Major Public Project Construction Noise Variance
NOISE MONITORING - WEEKLY REPORT

Monday, June 27, 2022 to Sunday, July 3, 2022

10 p.m. to 7 a.m. (weekdays)/9a.m. (weekends)

Public Comment Log			
Date / Time	To/From	Issue	Resolution
1:41 a.m. 07/01/2022	From: Nearby resident To: Project Email	At 1:41am, a nearby resident emailed the project the following “Pounding and scrapping excessive noise for 1:30 in the morning.”	Bob Derry called the resident the following morning informing them of the work going on at the time. Bob was thanked and the resident informed him that they just wanted to have it documented