

## SR 520 Montlake Project

### Noise Monitoring Weekly Report Summary for **Monday, December 9, 2019** to **Sunday, December 15, 2019**

**PUBLISHED DECEMBER 18, 2019**

Monitoring times: Weekdays, 10 p.m. to 7 a.m.; weekends, 10 p.m. to 9 a.m.

**How to use this report:** This document summarizes the weekly nighttime noise data for the SR 520 Montlake Project. In it, you'll find:

- Page 1 - Summary of noise levels recorded above the limits allowed under the Major Public Project Construction Noise Variance, for this week and throughout the project. This includes non-project-related noise exceedances
- Page 2 - Map of the project limits and locations of the seven stationary monitor locations
- Pages 3 – 9 - Night-by-night noise recordings for each of the project noise monitors, along with a description of the work that night, comments received from the public regarding Project noise, and explanations for any noise limit exceedances and actions taken in response
- Page 10 - Log of public comments regarding nighttime noise issues and resolutions for the week

WSDOT is sharing this information as per the terms of the Major Public Project Construction Noise Variance (Permit #3030792).

**MPPCNV start date:** **Friday, August 16, 2019**

**MPPCNV days to date:** **122**

#### WEEKLY TOTALS


Nights worked this week (under the MPPCNV)	1
Project related non-compliance this week	0
Nighttime noise issue comments to the project	1
Non-project-related noise exceedances this week	49

#### PROJECT TOTALS TO DATE

Total Nights Worked (under the MPPCNV)	41
Total Project related non-compliance	8
Total noise issue comments to the project	20
Total non-project related exceedances	690

**Noise Monitoring Locations:** the map below shows the work limits of the SR 520 Montlake Project and the locations of the seven stationary noise monitoring sites

**EXHIBIT 5. CONSTRUCTION AREA AND NOISE MEASUREMENT LOCATIONS**



**SR 520 Montlake Project**  
**Major Public Project Construction Noise Variance**  
**NOISE MONITORING - WEEKLY REPORT**

Monday, December 9, 2019      to      Sunday, December 15, 2019      10 pm to 7 am (weekdays) / 9am (weekends)

The table below includes data gathered from noise monitoring equipment located at seven stationary and three portable locations throughout the Montlake Project area

Monday, December 9, 2019												
Site	Site limit*	10pm - 11pm	11pm - 12am	12am - 1am	1am - 2am	2am - 3am	3am - 4am	4am - 5am	5am - 6am	6am - 7am	7am - 8am	8am - 9am
Site 1 - 2449 E. Lk WA Blvd	67	55.9	53.6	49.7	47.8	47.2	48.0	51.1	55.4	59.9	N/A	N/A
Site 2 - 2015 E. Roanoke St	78	60.5	59.2	55.4	53.9	54.6	53.2	56.3	60.9	63.5	N/A	N/A
Site 3 - 3810 E. McGilvra St	62	48.1	46.4	45.6	45.3	45.3	45.7	46.1	47.6	49.4	N/A	N/A
Site 4 - 2800 Montlake Blvd E	66	65.8	64.1	62.0	61.3	58.6	58.8	64.3	67.5	70.2	N/A	N/A
Site 5 - 2565 22nd Av E.	65	58.3	56.4	53.1	51.4	56.0	50.8	53.7	58.3	61.0	N/A	N/A
Site 6 - 2160 E. Hamlin St	63	52.5	50.1	47.8	47.8	47.0	48.2	51.9	53.8	56.5	N/A	N/A
Site 7 - 2209 E. Lake Wa Blvd	66	55.0	53.0	48.5	47.0	45.8	46.4	50.5	55.1	59.0	N/A	N/A
Site 8 - Portable Between Sites 4 and 6	63	54.5	51.9	48.6	47.9	46.7	48.2	51.0	54.3	57.1	N/A	N/A
Site 9 - Portable Between Sites 1 and 7	66	63.6	60.1	56.0	53.3	51.4	51.0	58.1	62.6	67.7	N/A	N/A
Site 10 - Portable Between Sites 1 and 7	66	59.6	57.3	52.9	51.6	50.2	50.6	55.4	59.8	64.0	N/A	N/A

\*Hourly-Average Leq (dBA)

**Notes recorded by the on-site Independent Noise Monitor**

**Work:**

No night time construction work performed.

**Public Comments:**

8:32pm - December 10th - a call to the hotline was received from a resident near site #7 about the work crew began working with chain saws at the Information Center/54" receiving pit area at 6:30 a.m. the morning of 12/9.  
Resident also said that Graham trucks were blocking North Street's exit to Montlake Blvd. The caller did not need a follow-up. **See Public Notice Log for additional details.**

**Exceedances:**

Not project related. Exceedances are caused by public traffic driving by the noise monitors.

**Non-Compliance:**

None

**Legend**

Leq = Leq means the equivalent sound level, which is the constant sound level in a given time period.

N/A = Time Period not applicable to MPPCNV

Red = Noise Level Exceedance, project related

Blue = Noise level exceedance, not project related

~ = No Data Available

# = No contract work . Portable monitors are not being used (not needed).

**SR 520 Montlake Project**  
**Major Public Project Construction Noise Variance**  
**NOISE MONITORING - WEEKLY REPORT**

Monday, December 9, 2019      to      Sunday, December 15, 2019      10 pm to 7 am (weekdays) / 9am (weekends)

The table below includes data gathered from noise monitoring equipment located at seven stationary and three portable locations throughout the Montlake Project area

Tuesday, December 10, 2019												
Site	Site limit*	10pm - 11pm	11pm - 12am	12am - 1am	1am - 2am	2am - 3am	3am - 4am	4am - 5am	5am - 6am	6am - 7am	7am - 8am	8am - 9am
Site 1 - 2449 E. Lk WA Blvd	67	56.3	53.0	51.0	48.5	49.4	48.8	52.2	56.0	60.4	N/A	N/A
Site 2 - 2015 E. Roanoke St	78	60.7	59.0	57.3	54.1	53.6	54.1	58.0	60.8	64.5	N/A	N/A
Site 3 - 3810 E. McGilvra St	62	47.6	46.3	46.0	45.3	45.5	45.4	46.3	48.6	50.3	N/A	N/A
Site 4 - 2800 Montlake Blvd E	66	67.0	66.3	62.5	59.8	59.5	60.6	64.8	68.1	70.1	N/A	N/A
Site 5 - 2565 22nd Av E.	65	58.3	56.4	55.0	51.4	50.3	50.9	55.3	58.1	61.9	N/A	N/A
Site 6 - 2160 E. Hamlin St	63	55.2	53.6	51.8	49.4	48.3	47.4	51.5	55.2	56.7	N/A	N/A
Site 7 - 2209 E. Lake Wa Blvd	66	56.0	53.1	51.3	48.0	47.5	47.3	51.6	55.6	59.9	N/A	N/A
Site 8 - Portable Between Sites 4 and 6	63	54.9	53.7	50.9	47.4	48.0	46.7	51.9	55.6	65.1	N/A	N/A
Site 9 - Portable Between Sites 1 and 7	66	65.2	60.9	56.8	54.2	54.5	54.0	58.2	63.1	68.2	N/A	N/A
Site 10 - Portable Between Sites 1 and 7	66	60.9	58.0	55.8	52.5	52.2	51.8	56.7	60.4	64.9	N/A	N/A
*Hourly-Average Leq (dBA)												
<b>Notes recorded by the on-site Independent Noise Monitor</b>												
<b>Work:</b> No night time construction work performed.												
<b>Public Comments:</b> No public comments received related to nighttime noise.												
<b>Exceedances:</b> Not project related. Exceedances are caused by public traffic driving by the noise monitors.												
<b>Non-Compliance:</b> None												

**Legend**

Leq = Leq means the equivalent sound level, which is the constant sound level in a given time period.

N/A = Time Period not applicable to MPPCNV

Red = Noise Level Exceedance, project related

Blue = Noise level exceedance, not project related

~ = No Data Available

**SR 520 Montlake Project**  
**Major Public Project Construction Noise Variance**  
**NOISE MONITORING - WEEKLY REPORT**

Monday, December 9, 2019      to      Sunday, December 15, 2019      10 pm to 7 am (weekdays) / 9am (weekends)

The table below includes data gathered from noise monitoring equipment located at seven stationary and three portable locations throughout the Montlake Project area

Wednesday, December 11, 2019												
Site	Site limit*	10pm - 11pm	11pm - 12am	12am - 1am	1am - 2am	2am - 3am	3am - 4am	4am - 5am	5am - 6am	6am - 7am	7am - 8am	8am - 9am
Site 1 - 2449 E. Lk WA Blvd	67	60.1	55.3	52.6	51.6	49.8	50.9	51.9	57.2	59.8	N/A	N/A
Site 2 - 2015 E. Roanoke St	78	63.1	60.3	57.9	56.2	54.9	56.9	59.3	62.2	65.7	N/A	N/A
Site 3 - 3810 E. McGilvra St	62	51.9	49.2	48.4	47.6	46.6	46.2	46.6	49.6	50.3	N/A	N/A
Site 4 - 2800 Montlake Blvd E	66	69.0	66.8	65.2	61.5	60.0	61.3	64.7	68.7	74.1	N/A	N/A
Site 5 - 2565 22nd Av E.	65	61.2	58.5	55.6	54.0	52.2	53.7	56.2	59.6	62.5	N/A	N/A
Site 6 - 2160 E. Hamlin St	63	58.5	56.9	54.8	53.4	51.1	51.1	53.6	62.4	60.6	N/A	N/A
Site 7 - 2209 E. Lake Wa Blvd	66	58.6	55.6	52.6	50.6	48.9	50.3	51.8	57.1	60.1	N/A	N/A
Site 8 - Portable Between Sites 4 and 6	63	59.2	56.8	54.2	52.9	49.8	50.7	53.0	57.7	60.5	N/A	N/A
Site 9 - Portable Between Sites 1 and 7	66	67.2	62.9	59.6	55.5	53.1	58.3	57.5	64.8	68.0	N/A	N/A
Site 10 - Portable Between Sites 1 and 7	66	64.1	60.8	57.9	55.7	54.0	56.0	57.1	62.6	66.5	N/A	N/A
*Hourly-Average Leq (dBA)												

**Notes recorded by the on-site Independent Noise Monitor**

**Work:**

No night time construction work performed.

**Public Comments:**

No public comments received related to nighttime noise.

**Exceedances:**

Not project related. Exceedances are caused by public traffic driving by the noise monitors.

**Non-Compliance:**

None

**Legend**

Leq = Leq means the equivalent sound level, which is the constant sound level in a given time period.

N/A = Time Period not applicable to MPPCNV

Red = Noise Level Exceedance, project related

Blue = Noise level exceedance, not project related

~ = No Data Available

**SR 520 Montlake Project**  
**Major Public Project Construction Noise Variance**  
**NOISE MONITORING - WEEKLY REPORT**

Monday, December 9, 2019      to      Sunday, December 15, 2019      10 pm to 7 am (weekdays) / 9am (weekends)

The table below includes data gathered from noise monitoring equipment located at seven stationary and three portable locations throughout the Montlake Project area

Thursday, December 12, 2019												
Site	Site limit*	10pm - 11pm	11pm - 12am	12am - 1am	1am - 2am	2am - 3am	3am - 4am	4am - 5am	5am - 6am	6am - 7am	7am - 8am	8am - 9am
Site 1 - 2449 E. Lk WA Blvd	67	57.5	55.4	51.7	49.5	50.0	49.0	50.9	55.7	59.0	N/A	N/A
Site 2 - 2015 E. Roanoke St	78	62.6	60.8	57.9	55.2	54.2	54.1	56.5	60.8	63.6	N/A	N/A
Site 3 - 3810 E. McGilvra St	62	49.5	49.4	47.0	45.9	46.2	45.5	46.2	48.1	49.3	N/A	N/A
Site 4 - 2800 Montlake Blvd E	66	67.7	66.1	63.3	60.0	59.4	59.3	64.8	68.1	70.3	N/A	N/A
Site 5 - 2565 22nd Av E.	65	60.6	58.5	55.3	52.6	52.0	51.8	53.9	58.4	61.2	N/A	N/A
Site 6 - 2160 E. Hamlin St	63	57.8	56.3	53.2	50.1	51.1	49.7	52.5	55.9	57.4	N/A	N/A
Site 7 - 2209 E. Lake Wa Blvd	66	56.9	54.9	51.8	49.3	48.7	47.8	50.7	55.5	58.5	N/A	N/A
Site 8 - Portable Between Sites 4 and 6	63	57.9	55.6	52.4	49.3	50.4	47.8	51.4	55.8	57.8	N/A	N/A
Site 9 - Portable Between Sites 1 and 7	66	65.6	63.8	58.1	54.8	53.7	53.7	56.6	63.4	67.1	N/A	N/A
Site 10 - Portable Between Sites 1 and 7	66	62.3	60.2	56.7	53.6	52.9	52.6	55.5	60.5	63.6	N/A	N/A
*Hourly-Average Leq (dBA)												
<b>Notes recorded by the on-site Independent Noise Monitor</b>												
<b>Work:</b> No night time construction work performed.												
<b>Public Comments:</b> No public comments received related to nighttime noise.												
<b>Exceedances:</b> Not project related. Exceedances are caused by public traffic driving by the noise monitors.												
<b>Non-Compliance:</b> None												

**Legend**

Leq = Leq means the equivalent sound level, which is the constant sound level in a given time period.

N/A = Time Period not applicable to MPPCNV

Red = Noise Level Exceedance, project related

Blue = Noise level exceedance, not project related

~ = No Data Available

**SR 520 Montlake Project**  
**Major Public Project Construction Noise Variance**  
**NOISE MONITORING - WEEKLY REPORT**

Monday, December 9, 2019      to      Sunday, December 15, 2019      10 pm to 7 am (weekdays) / 9am (weekends)

The table below includes data gathered from noise monitoring equipment located at seven stationary and three portable locations throughout the Montlake Project area

Friday, December 13, 2019												
Site	Site limit*	10pm - 11pm	11pm - 12am	12am - 1am	1am - 2am	2am - 3am	3am - 4am	4am - 5am	5am - 6am	6am - 7am	7am - 8am	8am - 9am
Site 1 - 2449 E. Lk WA Blvd	67	58.8	56.8	54.8	54.6	53.1	50.6	49.4	52.0	55.5	58.5	61.4
Site 2 - 2015 E. Roanoke St	78	64.0	71.4	63.2	59.5	59.9	57.3	56.5	57.7	60.2	61.0	63.1
Site 3 - 3810 E. McGilvra St	62	51.0	48.8	49.4	51.2	49.2	47.2	46.0	46.5	47.2	47.9	51.7
Site 4 - 2800 Montlake Blvd E	66	67.7	72.5	68.5	65.5	63.8	60.2	61.2	63.9	67.2	67.4	70.9
Site 5 - 2565 22nd Av E.	65	62.5	71.2	57.7	58.2	58.2	53.6	53.5	54.6	57.3	58.6	60.7
Site 6 - 2160 E. Hamlin St	63	53.2	54.0	51.9	51.1	52.2	47.4	47.5	50.5	52.4	55.3	59.6
Site 7 - 2209 E. Lake Wa Blvd	66	58.2	57.8	54.5	54.2	53.6	48.8	49.7	52.3	57.5	59.8	61.4
Site 8 - Portable Between Sites 4 and 6	63	55.2	57.3	53.2	52.8	53.9	47.9	48.4	51.3	53.8	55.6	59.3
Site 9 - Portable Between Sites 1 and 7	66	67.1	65.3	62.3	61.4	59.1	58.3	55.9	60.4	64.4	65.6	69.3
Site 10 - Portable Between Sites 1 and 7	66	62.9	62.2	59.7	59.6	57.9	53.6	54.3	57.5	61.1	62.9	66.1

\*Hourly-Average Leq (dBA)

**Notes recorded by the on-site Independent Noise Monitor**

**Work:**

- Graham hauling embankment in the median between Montlake Blvd and 24th Ave, Graham CSBC Placement/soft spot remediation, American Bridge setting up for superstructure for trestle install on the old WABS, American Bridge setting up for pcps removal/demo on the old WABS,

- Work started at 6:40am

**Public Comments:**

No public comments received related to nighttime noise.

**Exceedances:**

Site(s) #4, #5, #9, & #10 are not project related. Exceedances are caused by public traffic driving by the noise monitors.

**Non-Compliance:**

None

**Legend**

Leq = Leq means the equivalent sound level, which is the constant sound level in a given time period.

N/A = Time Period not applicable to MPPCNV

Red = Noise Level Exceedance, project related

Blue = Noise level exceedance, not project related

~ = No Data Available

**SR 520 Montlake Project**  
**Major Public Project Construction Noise Variance**  
**NOISE MONITORING - WEEKLY REPORT**

Monday, December 9, 2019      to      Sunday, December 15, 2019      10 pm to 7 am (weekdays) / 9am (weekends)

The table below includes data gathered from noise monitoring equipment located at seven stationary and three portable locations throughout the Montlake Project area

Saturday, December 14, 2019												
Site	Site limit*	10pm - 11pm	11pm - 12am	12am - 1am	1am - 2am	2am - 3am	3am - 4am	4am - 5am	5am - 6am	6am - 7am	7am - 8am	8am - 9am
Site 1 - 2449 E. Lk WA Blvd	67	59.7	58.1	58.5	54.9	52.8	49.4	47.9	50.5	55.0	55.6	58.6
Site 2 - 2015 E. Roanoke St	78	63.5	62.7	63.3	61.6	58.4	56.1	55.9	57.1	60.0	61.1	62.7
Site 3 - 3810 E. McGilvra St	62	50.7	49.2	54.7	54.4	48.7	47.3	46.5	46.6	49.1	48.5	51.0
Site 4 - 2800 Montlake Blvd E	66	68.3	69.1	68.9	65.8	62.9	59.1	59.9	62.4	67.3	66.5	72.1
Site 5 - 2565 22nd Av E.	65	61.0	61.6	61.6	59.6	55.5	53.3	53.4	54.4	57.6	58.6	60.5
Site 6 - 2160 E. Hamlin St	63	55.3	54.8	52.9	53.3	51.6	47.7	47.8	49.6	55.3	58.1	57.5
Site 7 - 2209 E. Lake Wa Blvd	66	59.2	58.3	58.1	55.4	52.8	48.8	47.9	50.3	54.6	56.0	58.1
Site 8 - Portable Between Sites 4 and 6	63	56.8	56.0	56.1	53.9	52.1	48.2	48.1	50.3	56.1	54.4	58.2
Site 9 - Portable Between Sites 1 and 7	66	68.6	66.5	67.6	62.8	59.9	55.5	51.8	58.0	62.0	64.6	67.7
Site 10 - Portable Between Sites 1 and 7	66	64.4	63.0	64.0	60.8	58.1	53.7	52.3	55.4	59.5	61.5	63.3

\*Hourly-Average Leq (dBA)

**Notes recorded by the on-site Independent Noise Monitor**

**Work:**

No night time construction work performed.

**Public Comments:**

No public comments received related to nighttime noise.

**Exceedances:**

Not project related. Exceedances are caused by public traffic driving by the noise monitors.

**Non-Compliance:**

None

**Legend**

Leq = Leq means the equivalent sound level, which is the constant sound level in a given time period.

N/A = Time Period not applicable to MPPCNV

Red = Noise Level Exceedance, project related

Blue = Noise level exceedance, not project related

~ = No Data Available



**SR 520 Montlake Project**  
**Major Public Project Construction Noise Variance**  
**NOISE MONITORING - WEEKLY REPORT**

Monday, December 9, 2019      to      Sunday, December 15, 2019      10 pm to 7 am (weekdays) / 9am (weekends)

The table below includes data gathered from noise monitoring equipment located at seven stationary and three portable locations throughout the Montlake Project area

Sunday, December 15, 2019												
Site	Site limit*	10pm - 11pm	11pm - 12am	12am - 1am	1am - 2am	2am - 3am	3am - 4am	4am - 5am	5am - 6am	6am - 7am	7am - 8am	8am - 9am
Site 1 - 2449 E. Lk WA Blvd	67	57.6	53.6	52.0	50.6	48.0	48.0	53.2	56.2	60.3	N/A	N/A
Site 2 - 2015 E. Roanoke St	78	64.5	58.6	56.3	70.7	52.0	56.1	57.5	62.8	64.5	N/A	N/A
Site 3 - 3810 E. McGilvra St	62	49.9	47.0	46.6	46.0	45.9	45.5	46.8	48.3	50.6	N/A	N/A
Site 4 - 2800 Montlake Blvd E	66	71.1	64.0	62.4	67.9	59.4	61.6	64.5	67.9	70.9	N/A	N/A
Site 5 - 2565 22nd Av E.	65	61.0	56.0	54.0	68.4	49.2	53.9	54.6	59.9	61.9	N/A	N/A
Site 6 - 2160 E. Hamlin St	63	58.4	55.4	61.1	60.3	48.8	47.9	51.8	53.4	57.4	N/A	N/A
Site 7 - 2209 E. Lake Wa Blvd	66	57.7	53.6	53.3	55.1	46.8	48.6	53.3	56.3	59.8	N/A	N/A
Site 8 - Portable Between Sites 4 and 6	63	58.8	53.5	56.3	53.2	47.6	47.2	51.4	54.3	59.0	N/A	N/A
Site 9 - Portable Between Sites 1 and 7	66	64.2	60.9	57.6	56.3	51.4	52.8	61.4	63.7	68.2	N/A	N/A
Site 10 - Portable Between Sites 1 and 7	66	63.6	58.5	57.0	56.7	51.1	52.5	58.6	60.9	65.0	N/A	N/A

\*Hourly-Average Leq (dBA)

**Notes recorded by the on-site Independent Noise Monitor**

**Work:**

No night time construction work performed.

**Public Comments:**

No public comments received related to nighttime noise.

**Exceedances:**

Not project related. Exceedances are caused by public traffic driving by the noise monitors.

**Non-Compliance:**

None

**Legend**

Leq = Leq means the equivalent sound level, which is the constant sound level in a given time period.

N/A = Time Period not applicable to MPPCNV

Red = Noise Level Exceedance, project related

Blue = Noise level exceedance, not project related

~ = No Data Available

**SR 520 Montlake to Lake Washington I/C and Bridge Replacement Project**  
**Major Public Project Construction Noise Variance**  
**NOISE MONITORING - WEEKLY REPORT**  
**Monday, December 9, 2019 to Sunday, December 15, 2019**      **10 p.m. to 7 a.m. (weekdays) / 9a.m. (weekends)**

[illegible]