

## SR 520 Montlake Project

**Noise Monitoring Weekly Report Summary for Monday, June 21, 2021 to Sunday, June 27, 2021**

**PUBLISHED JULY 1, 2021**

Monitoring times: Weekdays, 10 p.m. to 7 a.m.; weekends, 10 p.m. to 9 a.m.

**How to use this report:** This document summarizes the weekly nighttime noise data for the SR 520 Montlake Project. In it, you'll find:

- Page 1 - Summary of noise levels recorded above the limits allowed under the Major Public Project Construction Noise Variance, for this week and throughout the project. This includes non-project-related noise exceedances
- Page 2 - Map of the project limits and locations of the seven stationary monitor locations
- Pages 3 – 9 - Night-by-night noise recordings for each of the project noise monitors, along with a description of the work that night, comments received from the public regarding Project noise, and explanations for any noise limit exceedances and actions taken in response
- Page 10 - Log of public comments regarding nighttime noise issues and resolutions for the week

WSDOT is sharing this information as per the terms of the Major Public Project Construction Noise Variance (Permit #3030792).

**MPPCNV start date: Friday, August 16, 2019**

**MPPCNV days to date: 682**


**There were 19 MPPCNV noise exceedance but are not counted under the non-compliance due to the work being performed under TNV #6844500-NV.**

<b>WEEKLY TOTALS</b>	
<b>Nights worked this week (under the MPPCNV)</b>	<b>7</b>
<b>Project related non-compliance this week</b>	<b>3</b>
<b>Nighttime noise issue comments to the project</b>	<b>1</b>
<b>Non-project-related noise exceedances this week</b>	<b>23</b>

<b>PROJECT TOTALS TO DATE</b>	
<b>Total Nights Worked (under the MPPCNV)</b>	<b>291</b>
<b>Total Project related non-compliance</b>	<b>63</b>
<b>Total noise issue comments to the project</b>	<b>60</b>
<b>Total non-project related exceedances</b>	<b>2715</b>

**Noise Monitoring Locations:** the map below shows the work limits of the SR 520 Montlake Project and the locations of the seven stationary noise monitoring sites

**EXHIBIT 5. CONSTRUCTION AREA AND NOISE MEASUREMENT LOCATIONS**



**SR 520 Montlake Project**  
**Major Public Project Construction Noise Variance**  
**NOISE MONITORING - WEEKLY REPORT**  
Monday, June 21, 2021 to Sunday, June 27, 2021 10 pm to 7 am (weekdays) / 9am (weekends)

The table below includes data gathered from noise monitoring equipment located at seven stationary and three portable locations throughout the Montlake Project area

<b>Monday, June 21, 2021</b>												
Site	Site limit*	10pm - 11pm	11pm - 12am	12am - 1am	1am - 2am	2am - 3am	3am - 4am	4am - 5am	5am - 6am	6am - 7am	7am - 8am	8am - 9am
Site 1 - 2449 E. Lk WA Blvd	67	54.6	53.4	50.7	48.5	45.7	46.9	51.7	56.3	58.1	N/A	N/A
Site 2 - 2015 E. Roanoke St	78	60.2	58.3	59.0	53.9	53.8	54.2	57.9	60.6	62.0	N/A	N/A
Site 3A - 3810 E. McGilvra St	62	50.2	46.8	44.7	43.4	41.4	42.1	47.6	50.2	50.8	N/A	N/A
Site 4 - 2800 Montlake Blvd E	66	64.4	62.8	63.3	58.1	57.3	57.4	62.6	66.8	69.5	N/A	N/A
Site 5 - 2565 22nd Av E.	65	58.3	56.4	55.3	52.1	51.5	52.3	54.9	58.7	60.3	N/A	N/A
Site 6 - 2160 E. Hamlin St	63	48.6	50.6	50.4	48.9	42.1	44.5	50.8	53.2	54.3	N/A	N/A
Site 7 - 2209 E. Lake Wa Blvd	66	51.9	52.5	52.0	49.7	52.5	51.7	51.5	52.7	55.5	N/A	N/A
Site 8 - Portable Between Sites 4 and 6	63	55.9	51.3	50.8	49.7	47.6	47.5	50.3	52.5	55.7	N/A	N/A
Site 9 - Portable Between Sites 1 and 7	66	61.3	58.2	57.4	53.4	51.5	52.7	56.7	61.2	64.7	N/A	N/A
Site 10 - Portable Between Sites 1 and 7	66	61.7	59.8	57.1	55.2	51.6	53.1	57.6	62.8	66.1	N/A	N/A

\*Hourly-Average Leq (dBA)

**Notes recorded by the on-site Independent Noise Monitor**

**Work:**

Design-Builder worked between 10:00pm and 7:00am to work on the Montlake lid stripping forms, installing underlid lighting and set up for day work to install rebar at the Montlake lid and assemble rebar cages.

**Public Comments:**

No public comments received related to nighttime noise.

**Exceedances:**

Site(s) 4 and 10 are not project related. Exceedances are caused by public traffic driving by the noise monitors.

**Non-Compliance:**

None.

**Legend**

Leq = Leq means the equivalent sound level, which is the constant sound level in a given time period.

N/A = Time Period not applicable to MPPCNV

Red = Noise Level Exceedance, project related

Blue = Noise level exceedance, not project related

~ = No Data Available

# = No contract work . Portable monitors are not being used (not needed).

**SR 520 Montlake Project**  
**Major Public Project Construction Noise Variance**  
**NOISE MONITORING - WEEKLY REPORT**  
Monday, June 21, 2021 to Sunday, June 27, 2021 10 pm to 7 am (weekdays) / 9am (weekends)

The table below includes data gathered from noise monitoring equipment located at seven stationary and three portable locations throughout the Montlake Project area

<b>Tuesday, June 22, 2021</b>												
Site	Site limit*	10pm - 11pm	11pm - 12am	12am - 1am	1am - 2am	2am - 3am	3am - 4am	4am - 5am	5am - 6am	6am - 7am	7am - 8am	8am - 9am
Site 1 - 2449 E. Lk WA Blvd	67	56.3	53.0	49.6	47.2	45.2	45.0	49.9	55.8	58.1	N/A	N/A
Site 2 - 2015 E. Roanoke St	78	60.6	58.8	57.1	54.7	53.2	53.8	56.6	60.7	62.3	N/A	N/A
Site 3A - 3810 E. McGilvra St	62	50.0	47.0	46.0	51.5	51.6	51.7	51.4	50.3	53.7	N/A	N/A
Site 4 - 2800 Montlake Blvd E	66	65.5	62.9	62.0	58.8	56.8	59.4	63.7	67.5	69.4	N/A	N/A
Site 5 - 2565 22nd Av E.	65	58.7	57.1	55.1	52.6	50.6	51.4	54.4	58.9	60.7	N/A	N/A
Site 6 - 2160 E. Hamlin St	63	53.6	51.3	47.6	45.5	43.4	44.5	51.6	55.7	54.1	N/A	N/A
Site 7 - 2209 E. Lake Wa Blvd	66	55.1	53.7	52.8	50.3	52.6	51.5	53.8	53.5	57.2	N/A	N/A
Site 8 - Portable Between Sites 4 and 6	63	54.9	53.3	50.0	48.7	47.5	47.4	50.5	54.6	55.7	N/A	N/A
Site 9 - Portable Between Sites 1 and 7	66	62.1	58.6	55.2	52.9	52.0	50.5	67.0	63.1	65.3	N/A	N/A
Site 10 - Portable Between Sites 1 and 7	66	63.7	59.6	56.1	53.5	51.8	52.2	57.5	63.6	65.7	N/A	N/A

\*Hourly-Average Leq (dBA)

**Notes recorded by the on-site Independent Noise Monitor**

**Work:**

Design-Builder worked between 10:00pm and 7:00am to work on the Montlake lid stripping forms, installing underlid lighting and set up for day work to install rebar at the Montlake lid and assemble rebar cages.

**Public Comments:**

No public comments received related to nighttime noise.

**Exceedances:**

Site(s) 4 and 9 are not project related. Exceedances are caused by public traffic driving by the noise monitors.

**Non-Compliance:**

None.

**Legend**

Leq = Leq means the equivalent sound level, which is the constant sound level in a given time period.

N/A = Time Period not applicable to MPPCNV

Red = Noise Level Exceedance, project related

Blue = Noise level exceedance, not project related

~ = No Data Available

# = No contract work . Portable monitors are not being used (not needed).

**SR 520 Montlake Project**  
**Major Public Project Construction Noise Variance**  
**NOISE MONITORING - WEEKLY REPORT**  
Monday, June 21, 2021 to Sunday, June 27, 2021 10 pm to 7 am (weekdays) / 9am (weekends)

The table below includes data gathered from noise monitoring equipment located at seven stationary and three portable locations throughout the Montlake Project area

<b>Wednesday, June 23, 2021</b>												
Site	Site limit*	10pm - 11pm	11pm - 12am	12am - 1am	1am - 2am	2am - 3am	3am - 4am	4am - 5am	5am - 6am	6am - 7am	7am - 8am	8am - 9am
Site 1 - 2449 E. Lk WA Blvd	67	55.3	52.2	51.8	46.9	47.4	54.0	52.1	55.6	59.9	N/A	N/A
Site 2 - 2015 E. Roanoke St	78	65.1	63.1	57.6	54.9	53.5	55.1	58.1	61.6	63.2	N/A	N/A
Site 3A - 3810 E. McGilvra St	62	48.6	45.2	44.2	39.3	40.2	41.0	45.1	51.4	52.4	N/A	N/A
Site 4 - 2800 Montlake Blvd E	66	67.9	69.8	61.7	59.0	57.2	58.3	63.4	67.5	69.6	N/A	N/A
Site 5 - 2565 22nd Av E.	65	63.8	59.6	55.7	52.6	51.1	52.9	55.8	59.5	61.2	N/A	N/A
Site 6 - 2160 E. Hamlin St	63	50.7	50.7	49.5	43.3	42.9	49.0	50.2	53.8	52.9	N/A	N/A
Site 7 - 2209 E. Lake Wa Blvd	66	61.7	69.5	49.4	45.0	45.3	54.0	51.1	52.7	57.4	N/A	N/A
Site 8 - Portable Between Sites 4 and 6	63	57.8	53.1	52.3	47.3	47.7	51.7	50.3	53.6	54.6	N/A	N/A
Site 9 - Portable Between Sites 1 and 7	66	73.1	73.6	57.8	52.0	52.8	65.9	58.8	63.0	65.9	N/A	N/A
Site 10 - Portable Between Sites 1 and 7	66	62.9	59.6	58.1	54.3	53.9	65.2	59.1	62.9	66.9	N/A	N/A

\*Hourly-Average Leq (dBA)

**Notes recorded by the on-site Independent Noise Monitor**

**Work:**

Design-Builder worked between 10:00pm and 7:00am to work on the Montlake lid stripping forms, installing underlid lighting and set up for day work to install rebar at the Montlake lid and assemble rebar cages.

**Public Comments:**

No public comments received related to nighttime noise.

**Exceedances:**

Site(s) 4, 7, 9 and 10 are not project related. Exceedances are caused by public traffic driving by the noise monitors.

**Non-Compliance:**

- 6:30am - Waste Management equipment was observed with a tonal backup alarm. Gary Stensland with PBS was notified. Design-Builder was notified of the backup alarm.

**Legend**

Leq = Leq means the equivalent sound level, which is the constant sound level in a given time period.

N/A = Time Period not applicable to MPPCNV

Red = Noise Level Exceedance, project related

Blue = Noise level exceedance, not project related

~ = No Data Available

# = No contract work . Portable monitors are not being used (not needed).

**SR 520 Montlake Project**  
**Major Public Project Construction Noise Variance**  
**NOISE MONITORING - WEEKLY REPORT**  
**Monday, June 21, 2021 to Sunday, June 27, 2021 10 pm to 7 am (weekdays) / 9am (weekends)**

The table below includes data gathered from noise monitoring equipment located at seven stationary and three portable locations throughout the Montlake Project area

<b>Thursday, June 24, 2021</b>												
Site	Site limit*	10pm - 11pm	11pm - 12am	12am - 1am	1am - 2am	2am - 3am	3am - 4am	4am - 5am	5am - 6am	6am - 7am	7am - 8am	8am - 9am
Site 1 - 2449 E. Lk WA Blvd	67	53.8	52.2	50.2	48.7	48.0	56.1	53.3	57.7	59.5	N/A	N/A
Site 2 - 2015 E. Roanoke St	78	60.2	58.4	57.0	55.2	54.6	54.4	58.6	61.0	62.5	N/A	N/A
Site 3A - 3810 E. McGilvra St	62	49.0	45.6	44.9	51.3	51.6	51.7	51.6	51.8	52.7	N/A	N/A
Site 4 - 2800 Montlake Blvd E	66	64.7	63.1	62.9	59.5	57.5	58.7	62.6	67.5	69.4	N/A	N/A
Site 5 - 2565 22nd Av E.	65	58.3	56.7	55.2	53.3	52.7	52.5	56.8	59.3	60.8	N/A	N/A
Site 6 - 2160 E. Hamlin St	63	47.9	45.7	44.6	45.2	42.6	50.7	52.7	56.4	54.2	N/A	N/A
Site 7 - 2209 E. Lake Wa Blvd	66	51.7	50.2	48.9	47.0	46.7	47.0	51.3	54.9	60.6	N/A	N/A
Site 8 - Portable Between Sites 4 and 6	63	50.3	48.5	48.9	48.0	47.0	47.9	51.2	57.4	67.0	N/A	N/A
Site 9 - Portable Between Sites 1 and 7	66	60.0	59.6	57.7	55.3	54.8	55.5	60.9	62.7	65.6	N/A	N/A
Site 10 - Portable Between Sites 1 and 7	66	62.6	61.4	58.9	57.0	56.3	61.0	60.3	63.3	65.9	N/A	N/A

\*Hourly-Average Leq (dBA)

**Notes recorded by the on-site Independent Noise Monitor**

**Work:**

Design-Builder worked between 10:00pm and 7:00am to work on the Montlake lid stripping forms, installing underlid lighting and set up for day work to install rebar at the Montlake lid and assemble rebar cages.

**Public Comments:**

6:53 a.m April 28th - A text message to the hotline was received from a resident that lives on E Hamlin Street to report "that the folks using the high pressure air to clean or blow stuff outside our bedroom window are very noisy the past few mornings...". **The text message required a follow-up. See Public Notice Log for additional details.**

**Exceedances:**

Site(s) 4 are not project related. Exceedances are caused by public traffic driving by the noise monitors.

Site 8 is project related. The Design-Builder was using compressed air to clean the north side of the Montlake lid. This will be consider a project exceedance/non-compliance towards the MPPCNV.

**Non-Compliance:**

None

**Legend**

Leq = Leq means the equivalent sound level, which is the constant sound level in a given time period.

N/A = Time Period not applicable to MPPCNV

Red = Noise Level Exceedance, project related

Blue = Noise level exceedance, not project related

~ = No Data Available

# = No contract work . Portable monitors are not being used (not needed).

**SR 520 Montlake Project**  
**Major Public Project Construction Noise Variance**  
**NOISE MONITORING - WEEKLY REPORT**  
**Monday, June 21, 2021 to Sunday, June 27, 2021 10 pm to 7 am (weekdays) / 9am (weekends)**

The table below includes data gathered from noise monitoring equipment located at seven stationary and three portable locations throughout the Montlake Project area

<b>Friday, June 25, 2021</b>												
Site	Site limit*	10pm - 11pm	11pm - 12am	12am - 1am	1am - 2am	2am - 3am	3am - 4am	4am - 5am	5am - 6am	6am - 7am	7am - 8am	8am - 9am
Site 1 - 2449 E. Lk WA Blvd	67	60.7	56.8	57.0	57.1	54.0	51.7	55.5	60.7	55.0	54.9	55.8
Site 2 - 2015 E. Roanoke St	78	62.5	61.1	58.9	57.4	54.9	53.6	54.8	57.1	59.3	60.6	61.3
Site 3A - 3810 E. McGilvra St	62	52.3	50.7	48.5	45.0	43.6	44.0	44.9	47.2	48.3	50.2	52.7
Site 4 - 2800 Montlake Blvd E	66	65.9	65.4	63.4	60.5	59.0	57.0	58.5	63.3	65.5	65.8	66.5
Site 5 - 2565 22nd Av E.	65	61.0	59.5	57.3	55.8	53.3	52.3	53.4	55.4	57.5	58.9	59.8
Site 6 - 2160 E. Hamlin St	63	55.9	55.6	53.6	52.7	50.9	51.3	51.0	52.0	48.9	51.5	54.2
Site 7 - 2209 E. Lake Wa Blvd	66	60.1	52.7	51.6	49.6	46.6	47.5	50.1	50.5	49.9	52.2	53.4
Site 8 - Portable Between Sites 4 and 6	63	57.7	59.3	53.6	51.9	50.7	50.8	53.5	52.4	51.7	53.5	53.7
Site 9 - Portable Between Sites 1 and 7	66	69.8	64.0	69.2	63.1	62.1	64.8	65.8	70.5	64.4	60.6	60.2
Site 10 - Portable Between Sites 1 and 7	66	70.8	65.0	65.3	67.0	68.5	58.6	68.1	71.3	64.4	62.5	62.3

\*Hourly-Average Leq (dBA)

**Notes recorded by the on-site Independent Noise Monitor**

**Work:**

Design-Builder worked between 10:00pm and 9:00am to install drainage in the middle of Lake Washington Blvd, work covered under TNV #6844500-NV and set up for day work to install rebar at the Montlake lid and old WABS.

**Public Comments:**

No public comments received related to nighttime noise.

**Exceedances:**

Site(s) 4 exceedances are not project related. Exceedances are caused by public traffic driving by the noise monitors.  
 Site 9 and 10 exceedances are project related. Work covered under TNV #6844500-NV.

**Non-Compliance:**

None.

**Legend**

Leq = Leq means the equivalent sound level, which is the constant sound level in a given time period.

N/A = Time Period not applicable to MPPCNV

Red = Noise Level Exceedance, project related

Blue = Noise level exceedance, not project related

~ = No Data Available

# = No contract work . Portable monitors are not being used (not needed).

**SR 520 Montlake Project**  
**Major Public Project Construction Noise Variance**  
**NOISE MONITORING - WEEKLY REPORT**  
Monday, June 21, 2021 to Sunday, June 27, 2021 10 pm to 7 am (weekdays) / 9am (weekends)

The table below includes data gathered from noise monitoring equipment located at seven stationary and three portable locations throughout the Montlake Project area

<b>Saturday, June 26, 2021</b>												
Site	Site limit*	10pm - 11pm	11pm - 12am	12am - 1am	1am - 2am	2am - 3am	3am - 4am	4am - 5am	5am - 6am	6am - 7am	7am - 8am	8am - 9am
Site 1 - 2449 E. Lk WA Blvd	67	57.7	55.5	55.3	52.1	52.7	47.3	48.9	52.3	56.9	55.1	54.1
Site 2 - 2015 E. Roanoke St	78	61.9	60.2	58.6	59.8	56.1	54.4	54.0	56.0	57.7	59.6	61.2
Site 3A - 3810 E. McGilvra St	62	53.1	51.5	48.7	52.4	51.8	51.8	51.0	45.0	47.6	47.7	51.0
Site 4 - 2800 Montlake Blvd E	66	67.5	63.4	62.8	66.0	60.0	58.1	66.2	60.7	64.2	64.7	65.9
Site 5 - 2565 22nd Av E.	65	60.3	58.5	57.0	57.1	54.3	53.1	52.6	54.2	56.0	57.8	59.6
Site 6 - 2160 E. Hamlin St	63	56.0	55.0	55.9	51.5	46.9	47.8	50.9	52.5	52.3	50.3	53.2
Site 7 - 2209 E. Lake Wa Blvd	66	54.8	52.9	51.7	49.6	48.7	46.1	48.6	47.1	48.7	49.0	51.7
Site 8 - Portable Between Sites 4 and 6	63	55.8	55.0	54.5	51.6	48.9	48.7	51.3	50.9	51.0	51.6	52.0
Site 9 - Portable Between Sites 1 and 7	66	73.4	69.6	66.7	63.5	65.5	64.6	59.5	65.3	64.0	67.3	69.3
Site 10 - Portable Between Sites 1 and 7	66	64.7	59.5	63.4	59.8	62.1	49.2	57.6	55.7	61.3	57.0	61.9

\*Hourly-Average Leq (dBA)

**Notes recorded by the on-site Independent Noise Monitor**

**Work:**

Design-Builder worked between 10:00pm and 9:00am to install drainage in the middle of Lake Washington Blvd, work covered under TNV #6844500-NV.

**Public Comments:**

No public comments received related to nighttime noise.

**Exceedances:**

Site(s) 4 exceedances are not project related. Exceedances are caused by public traffic driving by the noise monitors.

Site 9 exceedances are project related. Work covered under TNV #6844500-NV.

**Non-Compliance:**

None.

**Legend**

Leq = Leq means the equivalent sound level, which is the constant sound level in a given time period.

N/A = Time Period not applicable to MPPCNV

Red = Noise Level Exceedance, project related

Blue = Noise level exceedance, not project related

~ = No Data Available

# = No contract work . Portable monitors are not being used (not needed).



**SR 520 Montlake Project**  
**Major Public Project Construction Noise Variance**  
**NOISE MONITORING - WEEKLY REPORT**  
Monday, June 21, 2021 to Sunday, June 27, 2021 10 pm to 7 am (weekdays) / 9am (weekends)

The table below includes data gathered from noise monitoring equipment located at seven stationary and three portable locations throughout the Montlake Project area

<b>Sunday, June 27, 2021</b>												
Site	Site limit*	10pm - 11pm	11pm - 12am	12am - 1am	1am - 2am	2am - 3am	3am - 4am	4am - 5am	5am - 6am	6am - 7am	7am - 8am	8am - 9am
Site 1 - 2449 E. Lk WA Blvd	67	57.8	57.5	61.1	57.0	56.5	56.2	57.0	58.5	61.3	N/A	N/A
Site 2 - 2015 E. Roanoke St	78	61.4	59.3	62.5	56.1	55.7	54.2	58.1	61.1	61.4	N/A	N/A
Site 3A - 3810 E. McGilvra St	62	52.2	49.1	47.5	51.6	51.5	51.8	51.9	49.6	51.8	N/A	N/A
Site 4 - 2800 Montlake Blvd E	66	64.6	62.5	67.8	58.5	58.4	60.7	62.9	66.6	67.2	N/A	N/A
Site 5 - 2565 22nd Av E.	65	59.7	57.5	59.9	54.6	54.1	52.7	56.3	58.9	59.4	N/A	N/A
Site 6 - 2160 E. Hamlin St	63	52.5	51.4	50.2	48.9	48.5	49.9	54.4	55.5	54.5	N/A	N/A
Site 7 - 2209 E. Lake Wa Blvd	66	57.1	57.7	61.0	56.9	50.8	47.7	52.8	54.3	56.3	N/A	N/A
Site 8 - Portable Between Sites 4 and 6	63	53.6	53.0	52.0	50.0	49.5	50.5	53.1	55.3	54.5	N/A	N/A
Site 9 - Portable Between Sites 1 and 7	66	73.7	73.0	70.6	69.7	62.3	55.7	57.2	62.2	64.6	N/A	N/A
Site 10 - Portable Between Sites 1 and 7	66	66.7	63.2	73.0	58.1	62.0	56.4	57.1	63.0	65.7	N/A	N/A

\*Hourly-Average Leq (dBA)

**Notes recorded by the on-site Independent Noise Monitor**

**Work:**

Design-Builder worked between 10:00pm and 3:30am to complete the installation of drainage in the middle of Lake Washington Blvd, work covered under TNV #6844500-NV. Also to install hangers under the Montlake lid.

**Public Comments:**

No public comments received related to nighttime noise.

**Exceedances:**

Site(s) 4 exceedances are not project related. Exceedances are caused by public traffic driving by the noise monitors.

Site 9 and 10 exceedances are project related. Work covered under TNV #6844500-NV.

**Non-Compliance:**

- 12:16am sweeper started sweeping Lake Washington Blvd. Non-Compliance towards the TNV.

**Legend**

Leq = Leq means the equivalent sound level, which is the constant sound level in a given time period.

N/A = Time Period not applicable to MPPCNV

Red = Noise Level Exceedance, project related

Blue = Noise level exceedance, not project related

~ = No Data Available

# = No contract work . Portable monitors are not being used (not needed).

**SR 520 Montlake Project**  
**Major Public Project Construction Noise Variance**  
**NOISE MONITORING - WEEKLY REPORT**

Monday, June 21, 2021 to Sunday, June 27, 2021

10 p.m. to 7 a.m. (weekdays)/9a.m. (weekends)

<b>Public Comment Log</b>			
<b>Date / Time</b>	<b>To/From</b>	<b>Issue</b>	<b>Resolution</b>
6/25/2021 - 6:53 a.m	To: Project Hotline From: Resident near site #8	<b>During the MPPCNV Monitoring:</b> Resident sent a message to report "that the folks using the high pressure air to clean or blow stuff outside our bedroom window are very noisy the past few mornings. The disruption is about 6:30 AM and due to the excessive heat all windows are open. Can't they at least wait until 7:00?!? I'm unsure what work hours status is as it constantly changes but wanted to share. We're closing our windows up now while the morning temps are a nice 65."	Cheryl Webster (Senior Administrative Assistant) "replied by text at 8:06 a.m.- Sorry for the disturbances. I have sent your message to the construction manager who will communicate with the construction team."