

## SR 520 Montlake Project

**Noise Monitoring Weekly Report Summary for Monday, July 26, 2021 to Sunday, August 1, 2021**

**PUBLISHED AUGUST 4, 2021**

Monitoring times: Weekdays, 10 p.m. to 7 a.m.; weekends, 10 p.m. to 9 a.m.

**How to use this report:** This document summarizes the weekly nighttime noise data for the SR 520 Montlake Project. In it, you'll find:

- Page 1 - Summary of noise levels recorded above the limits allowed under the Major Public Project Construction Noise Variance, for this week and throughout the project. This includes non-project-related noise exceedances
- Page 2 - Map of the project limits and locations of the seven stationary monitor locations
- Pages 3 – 9 - Night-by-night noise recordings for each of the project noise monitors, along with a description of the work that night, comments received from the public regarding Project noise, and explanations for any noise limit exceedances and actions taken in response
- Page 10 - Log of public comments regarding nighttime noise issues and resolutions for the week

WSDOT is sharing this information as per the terms of the Major Public Project Construction Noise Variance (Permit #3030792).

**MPPCNV start date: Friday, August 16, 2019**

**MPPCNV days to date: 717**

**There were 19 MPPCNV noise exceedance but are not counted under the non-compliance due to the work being performed under TNV #6849963-NV.**


**There was 1 MPPCNV exceedance from Seattle City Light (non-compliance) which is counted towards the non-compliance count**

<b>WEEKLY TOTALS</b>	
<b>Nights worked this week (under the MPPCNV)</b>	<b>7</b>
<b>Project related non-compliance this week</b>	<b>1</b>
<b>Nighttime noise issue comments to the project</b>	<b>1</b>
<b>Non-project-related noise exceedances this week</b>	<b>21</b>

<b>PROJECT TOTALS TO DATE</b>	
<b>Total Nights Worked (under the MPPCNV)</b>	<b>322</b>
<b>Total Project related non-compliance</b>	<b>66</b>
<b>Total noise issue comments to the project</b>	<b>63</b>
<b>Total non-project related exceedances</b>	<b>2828</b>

**Noise Monitoring Locations:** the map below shows the work limits of the SR 520 Montlake Project and the locations of the seven stationary noise monitoring sites

**EXHIBIT 5. CONSTRUCTION AREA AND NOISE MEASUREMENT LOCATIONS**



**SR 520 Montlake Project**  
**Major Public Project Construction Noise Variance**  
**NOISE MONITORING - WEEKLY REPORT**  
**Monday, July 26, 2021 to Sunday, August 1, 2021 10 pm to 7 am (weekdays) / 9am (weekends)**

The table below includes data gathered from noise monitoring equipment located at seven stationary and three portable locations throughout the Montlake Project area

<b>Monday, July 26, 2021</b>												
Site	Site limit*	10pm - 11pm	11pm - 12am	12am - 1am	1am - 2am	2am - 3am	3am - 4am	4am - 5am	5am - 6am	6am - 7am	7am - 8am	8am - 9am
Site 1 - 2449 E. Lk WA Blvd	67	55.5	53.0	51.3	50.4	50.0	50.6	52.0	56.7	58.9	N/A	N/A
Site 2 - 2015 E. Roanoke St	78	58.8	59.2	55.6	54.8	54.2	53.6	55.7	59.6	71.5	N/A	N/A
Site 3A - 3810 E. McGilvra St	62	52.5	48.2	48.4	48.8	45.5	48.0	45.8	50.4	52.6	N/A	N/A
Site 4 - 2800 Montlake Blvd E	66	64.4	70.2	60.0	57.9	57.0	57.6	62.7	66.7	71.3	N/A	N/A
Site 5 - 2565 22nd Av E.	65	57.0	56.3	53.3	52.7	51.9	51.1	52.9	57.0	61.0	N/A	N/A
Site 6 - 2160 E. Hamlin St	63	51.6	49.5	48.5	45.4	44.6	46.3	46.1	49.9	51.5	N/A	N/A
Site 7 - 2209 E. Lake Wa Blvd	66	52.7	50.6	47.3	45.7	44.2	45.3	47.3	53.1	57.8	N/A	N/A
Site 8 - Portable Between Sites 4 and 6	63	52.3	51.4	49.2	47.7	46.6	51.8	49.0	51.7	54.4	N/A	N/A
Site 9 - Portable Between Sites 1 and 7	66	60.1	56.6	53.0	52.7	50.7	52.0	55.3	61.1	64.5	N/A	N/A
Site 10 - Portable Between Sites 1 and 7	66	63.0	59.7	54.8	54.7	53.2	53.8	57.1	63.5	66.0	N/A	N/A

\*Hourly-Average Leq (dBA)

**Notes recorded by the on-site Independent Noise Monitor**

**Work:**

Design-Builder worked between 10:30 PM and 7:00 AM installing the under-lid light brackets

**Public Comments:**

No public comments received related to nighttime noise.

**Exceedances:**

Site(s) 4 and 10 are not project related. Exceedances are caused by public traffic driving by the noise monitors.

**Non-Compliance:**

None.

**Legend**

Leq = Leq means the equivalent sound level, which is the constant sound level in a given time period.

N/A = Time Period not applicable to MPPCNV

Red = Noise Level Exceedance, project related

Blue = Noise level exceedance, not project related

~ = No Data Available

# = No contract work . Portable monitors are not being used (not needed).

**SR 520 Montlake Project**  
**Major Public Project Construction Noise Variance**  
**NOISE MONITORING - WEEKLY REPORT**  
Monday, July 26, 2021 to Sunday, August 1, 2021 10 pm to 7 am (weekdays) / 9am (weekends)

The table below includes data gathered from noise monitoring equipment located at seven stationary and three portable locations throughout the Montlake Project area

<b>Tuesday, July 27, 2021</b>												
Site	Site limit*	10pm - 11pm	11pm - 12am	12am - 1am	1am - 2am	2am - 3am	3am - 4am	4am - 5am	5am - 6am	6am - 7am	7am - 8am	8am - 9am
Site 1 - 2449 E. Lk WA Blvd	67	56.7	54.9	52.9	51.2	50.3	51.1	53.2	57.9	59.1	N/A	N/A
Site 2 - 2015 E. Roanoke St	78	58.8	57.4	55.1	53.5	53.3	53.7	57.2	60.4	65.2	N/A	N/A
Site 3A - 3810 E. McGilvra St	62	51.2	51.5	51.4	52.3	52.1	52.4	52.2	51.0	52.8	N/A	N/A
Site 4 - 2800 Montlake Blvd E	66	64.1	62.4	59.8	60.1	58.3	59.2	63.4	68.0	69.0	N/A	N/A
Site 5 - 2565 22nd Av E.	65	57.0	55.5	53.4	51.8	51.6	52.0	54.9	58.2	63.0	N/A	N/A
Site 6 - 2160 E. Hamlin St	63	51.2	49.6	48.8	47.9	45.4	46.6	47.8	53.7	51.3	N/A	N/A
Site 7 - 2209 E. Lake Wa Blvd	66	54.2	52.3	50.6	51.3	51.1	47.2	49.3	54.3	56.6	N/A	N/A
Site 8 - Portable Between Sites 4 and 6	63	53.9	53.1	52.4	51.0	49.7	49.0	50.4	55.7	53.6	N/A	N/A
Site 9 - Portable Between Sites 1 and 7	66	64.5	59.3	58.1	55.1	54.1	56.9	57.4	62.3	65.9	N/A	N/A
Site 10 - Portable Between Sites 1 and 7	66	64.0	61.0	59.4	56.8	54.8	55.2	58.0	64.8	66.2	N/A	N/A

\*Hourly-Average Leq (dBA)

**Notes recorded by the on-site Independent Noise Monitor**

**Work:**

Design-Builder worked between 10:30 PM to 7:00 AM installing the Precast Panels on the Montlake Tunnel, Elcon is installing the under-deck brackets on the EB Right Lane, Ness Crane is installing the precast panels on the tunnel for Graham, Novito is performing traffic control for both areas of work, Precast Panels. The TNV # is 6849627-NV

**Public Comments:**

No public comments received related to nighttime noise.

**Exceedances:**

Site(s) 4 and 10 are not project related. Exceedances are caused by public traffic driving by the noise monitors.

**Non-Compliance:**

None

**Legend**

Leq = Leq means the equivalent sound level, which is the constant sound level in a given time period.

N/A = Time Period not applicable to MPPCNV

Red = Noise Level Exceedance, project related

Blue = Noise level exceedance, not project related

~ = No Data Available

# = No contract work . Portable monitors are not being used (not needed).

**SR 520 Montlake Project**  
**Major Public Project Construction Noise Variance**  
**NOISE MONITORING - WEEKLY REPORT**  
Monday, July 26, 2021 to Sunday, August 1, 2021 10 pm to 7 am (weekdays) / 9am (weekends)

The table below includes data gathered from noise monitoring equipment located at seven stationary and three portable locations throughout the Montlake Project area

<b>Wednesday, July 28, 2021</b>												
Site	Site limit*	10pm - 11pm	11pm - 12am	12am - 1am	1am - 2am	2am - 3am	3am - 4am	4am - 5am	5am - 6am	6am - 7am	7am - 8am	8am - 9am
Site 1 - 2449 E. Lk WA Blvd	67	57.0	55.6	52.9	52.3	52.9	51.4	53.2	57.6	58.7	N/A	N/A
Site 2 - 2015 E. Roanoke St	78	58.6	57.1	54.8	53.3	54.8	54.2	57.4	60.8	64.2	N/A	N/A
Site 3A - 3810 E. McGilvra St	62	52.7	51.6	47.8	48.5	43.2	43.1	48.1	52.4	53.8	N/A	N/A
Site 4 - 2800 Montlake Blvd E	66	65.2	62.7	60.3	57.6	58.6	58.1	63.5	67.3	69.1	N/A	N/A
Site 5 - 2565 22nd Av E.	65	56.9	55.2	53.3	51.6	53.0	52.3	55.1	58.5	62.1	N/A	N/A
Site 6 - 2160 E. Hamlin St	63	53.6	51.1	48.4	51.8	50.0	45.6	47.6	51.6	52.1	N/A	N/A
Site 7 - 2209 E. Lake Wa Blvd	66	54.2	51.9	49.5	49.9	51.4	48.4	49.2	53.5	57.2	N/A	N/A
Site 8 - Portable Between Sites 4 and 6	63	54.3	51.5	50.0	51.9	51.1	48.8	49.8	53.6	54.6	N/A	N/A
Site 9 - Portable Between Sites 1 and 7	66	61.3	58.5	56.4	53.8	56.3	55.8	56.3	62.6	67.5	N/A	N/A
Site 10 - Portable Between Sites 1 and 7	66	63.6	60.8	58.4	55.6	57.5	56.8	57.6	64.1	66.8	N/A	N/A

\*Hourly-Average Leq (dBA)

**Notes recorded by the on-site Independent Noise Monitor**

**Work:**

Design-Builder worked between 10:30 PM to 7:00 AM installing the concrete forms on the Montlake Tunnel, Elcon is installing the under-deck brackets and conduits on the EB Right Lane, Novito is performing traffic control for the Elcon work. TNV #6849627-NV

**Public Comments:**

**10:16 p.m July 28th** - A resident that lives on E Hamlin Street called to complain about noise in the alley outside her bedroom window. She said that a utility pole was being installed. The call required a follow-up. **See Public Notice Log for additional details.**

**Exceedances:**

Site(s) 4, 9 and 10 are not project related. Exceedances are caused by public traffic driving by the noise monitors.

**Non-Compliance:**

None

**Legend**

Leq = Leq means the equivalent sound level, which is the constant sound level in a given time period.

N/A = Time Period not applicable to MPPCNV

Red = Noise Level Exceedance, project related

Blue = Noise level exceedance, not project related

~ = No Data Available

# = No contract work . Portable monitors are not being used (not needed).

**SR 520 Montlake Project**  
**Major Public Project Construction Noise Variance**  
**NOISE MONITORING - WEEKLY REPORT**  
**Monday, July 26, 2021 to Sunday, August 1, 2021 10 pm to 7 am (weekdays) / 9am (weekends)**

The table below includes data gathered from noise monitoring equipment located at seven stationary and three portable locations throughout the Montlake Project area

<b>Thursday, July 29, 2021</b>												
Site	Site limit*	10pm - 11pm	11pm - 12am	12am - 1am	1am - 2am	2am - 3am	3am - 4am	4am - 5am	5am - 6am	6am - 7am	7am - 8am	8am - 9am
Site 1 - 2449 E. Lk WA Blvd	67	59.8	57.5	55.7	51.7	49.7	50.0	51.7	56.3	58.7	N/A	N/A
Site 2 - 2015 E. Roanoke St	78	58.6	56.8	55.0	53.7	54.4	54.7	56.8	60.5	63.1	N/A	N/A
Site 3A - 3810 E. McGilvra St	62	53.4	50.0	47.9	52.4	52.3	52.4	52.3	51.7	53.8	N/A	N/A
Site 4 - 2800 Montlake Blvd E	66	64.8	64.0	60.1	57.6	57.8	58.3	62.2	67.4	69.0	N/A	N/A
Site 5 - 2565 22nd Av E.	65	57.0	55.1	53.5	52.1	52.7	52.7	54.9	58.3	61.0	N/A	N/A
Site 6 - 2160 E. Hamlin St	63	52.8	51.1	47.8	48.5	43.9	42.3	46.0	49.7	51.4	N/A	N/A
Site 7 - 2209 E. Lake Wa Blvd	66	54.5	51.8	49.5	48.4	46.6	47.1	48.9	53.3	56.5	N/A	N/A
Site 8 - Portable Between Sites 4 and 6	63	54.9	51.7	49.8	49.8	47.5	47.2	48.7	52.0	53.5	N/A	N/A
Site 9 - Portable Between Sites 1 and 7	66	61.4	58.4	55.7	55.8	52.5	53.3	57.7	62.6	65.1	N/A	N/A
Site 10 - Portable Between Sites 1 and 7	66	64.2	61.2	56.9	56.4	53.5	55.3	56.6	63.6	66.8	N/A	N/A

\*Hourly-Average Leq (dBA)

**Notes recorded by the on-site Independent Noise Monitor**

**Work:**

Design-Builder worked between 10:00 PM to 7:00 AM Graham working on the RSub tunnel (work is covered under TNV #6849627), Elcon is installing the under-deck hangers and conduits on the EB Right Lane, Novito is performing traffic control for the Elcon work. The TNV # is 6849627-NV expires at midnight.

**Public Comments:**

No public comments received related to nighttime noise.

**Exceedances:**

Site(s) 4 and 10 are not project related. Exceedances are caused by public traffic driving by the noise monitors.

**Non-Compliance:**

**Legend**

Leq = Leq means the equivalent sound level, which is the constant sound level in a given time period.

N/A = Time Period not applicable to MPPCNV

Red = Noise Level Exceedance, project related

Blue = Noise level exceedance, not project related

~ = No Data Available

# = No contract work . Portable monitors are not being used (not needed).

**SR 520 Montlake Project**  
**Major Public Project Construction Noise Variance**  
**NOISE MONITORING - WEEKLY REPORT**  
Monday, July 26, 2021 to Sunday, August 1, 2021 10 pm to 7 am (weekdays) / 9am (weekends)

The table below includes data gathered from noise monitoring equipment located at seven stationary and three portable locations throughout the Montlake Project area

<b>Friday, July 30, 2021</b>												
Site	Site limit*	10pm - 11pm	11pm - 12am	12am - 1am	1am - 2am	2am - 3am	3am - 4am	4am - 5am	5am - 6am	6am - 7am	7am - 8am	8am - 9am
Site 1 - 2449 E. Lk WA Blvd	67	58.8	56.0	55.5	52.8	51.5	53.7	50.8	53.1	53.1	55.1	59.2
Site 2 - 2015 E. Roanoke St	78	62.7	59.3	57.5	55.4	54.6	53.7	55.1	56.6	58.7	61.4	62.6
Site 3A - 3810 E. McGilvra St	62	51.5	50.3	49.0	46.7	48.8	44.7	43.9	45.8	51.0	51.5	55.8
Site 4 - 2800 Montlake Blvd E	66	66.1	66.0	61.5	62.5	64.9	64.9	59.4	61.7	65.5	65.0	67.4
Site 5 - 2565 22nd Av E.	65	62.3	57.5	55.9	53.8	52.8	53.8	55.8	54.7	56.7	60.3	61.5
Site 6 - 2160 E. Hamlin St	63	51.2	52.4	54.9	52.7	52.3	47.8	46.1	48.0	49.9	52.9	62.6
Site 7 - 2209 E. Lake Wa Blvd	66	62.3	64.1	63.7	60.1	58.8	68.0	68.4	70.4	67.7	65.7	62.1
Site 8 - Portable Between Sites 4 and 6	63	52.4	54.4	68.4	54.1	54.0	48.8	48.9	50.9	53.2	54.7	58.0
Site 9 - Portable Between Sites 1 and 7	66	66.2	65.9	63.2	57.8	59.5	64.0	62.8	63.1	61.8	62.9	62.7
Site 10 - Portable Between Sites 1 and 7	66	67.2	63.0	60.1	57.8	53.9	62.9	58.1	62.5	59.0	60.5	60.5

\*Hourly-Average Leq (dBA)

**Notes recorded by the on-site Independent Noise Monitor**

**Work:**

Design-Builder worked between 10:00 PM to 9:00 AM Graham is excavating Lk. WA Blvd. to expose and replace utilities, AAR Testing is on site, Novito is performing traffic control for the Graham work on Lk WA Blvd (full closure), SPD is on site for traffic control. The TNV # is 6849963-NV expires at midnight 8/02/2021

**Public Comments:**

No public comments received related to nighttime noise.

**Exceedances:**

Site(s) 4 exceedances are not project related. Exceedances are caused by public traffic driving by the noise monitors.  
Site 8 exceedance is from Seattle City Light installing poles and running wires. Exceedance is project related towards the MPPCNV.  
Site 7, 9 and 10 exceedances are project related. Work covered under TNV #6849963-NV.

**Non-Compliance:**

None

**Legend**

Leq = Leq means the equivalent sound level, which is the constant sound level in a given time period.

N/A = Time Period not applicable to MPPCNV

Red = Noise Level Exceedance, project related

Blue = Noise level exceedance, not project related

~ = No Data Available

# = No contract work . Portable monitors are not being used (not needed).

**SR 520 Montlake Project**  
**Major Public Project Construction Noise Variance**  
**NOISE MONITORING - WEEKLY REPORT**  
Monday, July 26, 2021 to Sunday, August 1, 2021 10 pm to 7 am (weekdays) / 9am (weekends)

The table below includes data gathered from noise monitoring equipment located at seven stationary and three portable locations throughout the Montlake Project area

<b>Saturday, July 31, 2021</b>												
Site	Site limit*	10pm - 11pm	11pm - 12am	12am - 1am	1am - 2am	2am - 3am	3am - 4am	4am - 5am	5am - 6am	6am - 7am	7am - 8am	8am - 9am
Site 1 - 2449 E. Lk WA Blvd	67	58.5	57.7	54.5	54.4	52.7	54.0	53.0	53.9	54.8	55.0	56.1
Site 2 - 2015 E. Roanoke St	78	60.5	59.5	59.3	57.8	55.0	57.0	57.3	57.2	60.5	60.3	62.0
Site 3A - 3810 E. McGilvra St	62	50.9	50.1	49.5	52.8	52.4	52.2	51.4	45.2	47.9	53.7	50.4
Site 4 - 2800 Montlake Blvd E	66	64.6	62.8	64.5	59.9	58.7	58.3	58.2	60.5	64.4	64.4	67.5
Site 5 - 2565 22nd Av E.	65	58.9	57.7	57.4	55.7	52.9	54.9	54.6	55.1	58.1	58.5	60.3
Site 6 - 2160 E. Hamlin St	63	51.2	49.8	47.6	49.8	48.5	48.1	46.1	47.9	50.2	52.4	52.9
Site 7 - 2209 E. Lake Wa Blvd	66	66.5	67.2	64.1	70.6	63.9	66.8	70.4	66.5	66.4	65.6	63.9
Site 8 - Portable Between Sites 4 and 6	63	52.9	51.3	50.4	51.8	50.6	50.9	49.2	51.2	51.6	53.3	55.9
Site 9 - Portable Between Sites 1 and 7	66	61.7	61.1	60.4	60.2	56.7	60.6	60.2	59.9	60.0	59.7	60.2
Site 10 - Portable Between Sites 1 and 7	66	61.3	62.2	60.8	59.7	52.9	60.6	59.1	59.9	61.3	61.1	61.2

\*Hourly-Average Leq (dBA)

**Notes recorded by the on-site Independent Noise Monitor**

**Work:**

Design-Builder worked between 10:00 PM to 9:00 AM Graham is excavating Lk. WA Blvd. to expose and replace utilities, AAR Testing is on site, Novito is performing traffic control for the Graham work on Lk WA Blvd (full closure), the TNV # is 6849963-NV expires at midnight 8/02/2021

**Public Comments:**

No public comments received related to nighttime noise.

**Exceedances:**

Site(s) 4 exceedances are not project related. Exceedances are caused by public event near the noise monitors.

Site 7 exceedances are project related. Work covered under TNV #6849963-NV.

**Non-Compliance:**

None

**Legend**

Leq = Leq means the equivalent sound level, which is the constant sound level in a given time period.

N/A = Time Period not applicable to MPPCNV

Red = Noise Level Exceedance, project related

Blue = Noise level exceedance, not project related

~ = No Data Available

# = No contract work . Portable monitors are not being used (not needed).



**SR 520 Montlake Project**  
**Major Public Project Construction Noise Variance**  
**NOISE MONITORING - WEEKLY REPORT**

Monday, July 26, 2021 to Sunday, August 1, 2021 10 pm to 7 am (weekdays) / 9am (weekends)

The table below includes data gathered from noise monitoring equipment located at seven stationary and three portable locations throughout the Montlake Project area

<b>Sunday, August 1, 2021</b>												
Site	Site limit*	10pm - 11pm	11pm - 12am	12am - 1am	1am - 2am	2am - 3am	3am - 4am	4am - 5am	5am - 6am	6am - 7am	7am - 8am	8am - 9am
Site 1 - 2449 E. Lk WA Blvd	67	59.5	57.8	55.0	52.8	54.2	49.5	50.5	55.7	58.3	N/A	N/A
Site 2 - 2015 E. Roanoke St	78	60.1	58.1	56.8	53.8	53.8	52.1	56.1	59.7	64.3	N/A	N/A
Site 3A - 3810 E. McGilvra St	62	50.3	49.0	48.3	52.5	52.4	52.5	52.3	51.6	53.0	N/A	N/A
Site 4 - 2800 Montlake Blvd E	66	63.9	61.6	60.6	58.1	56.9	57.9	62.5	66.5	69.1	N/A	N/A
Site 5 - 2565 22nd Av E.	65	58.4	56.5	55.0	52.3	52.3	50.3	53.8	57.2	62.0	N/A	N/A
Site 6 - 2160 E. Hamlin St	63	51.2	50.5	53.9	53.7	52.3	40.9	43.6	49.1	50.8	N/A	N/A
Site 7 - 2209 E. Lake Wa Blvd	66	65.3	66.2	63.9	55.4	57.1	43.7	45.9	51.6	55.5	N/A	N/A
Site 8 - Portable Between Sites 4 and 6	63	52.2	51.1	49.8	47.5	47.9	43.8	46.0	51.0	52.8	N/A	N/A
Site 9 - Portable Between Sites 1 and 7	66	69.3	72.0	65.3	61.2	64.9	57.8	53.1	59.8	64.2	N/A	N/A
Site 10 - Portable Between Sites 1 and 7	66	67.2	66.9	63.6	63.5	67.2	54.0	54.5	61.8	66.8	N/A	N/A

\*Hourly-Average Leq (dBA)

**Notes recorded by the on-site Independent Noise Monitor**

**Work:**

Design-Builder worked between 10:00 PM to 4:00 AM Lakeside Paving is on site paving 3 areas along Lk WA Blvd. and WB SR520, Pro-Vac is on site to rinse and sweep the roadway, (Lk WA Blvd.), Novito is performing traffic control for the Lakeside Paving work on Lk WA Blvd (full closure), the TNV # is 6849963-NV expires at midnight 8/02 /2021

**Public Comments:**

No public comments received related to nighttime noise.

**Exceedances:**

Site(s) 4 exceedances are not project related. Exceedances are caused by public traffic driving by the noise monitors.

Site 7, 9 and 10 exceedances before 4:00 a.m are project related. Work covered under TNV #6849963-NV.

**Non-Compliance:**

None

**Legend**

Leq = Leq means the equivalent sound level, which is the constant sound level in a given time period.

N/A = Time Period not applicable to MPPCNV

Red = Noise Level Exceedance, project related

Blue = Noise level exceedance, not project related

~ = No Data Available

# = No contract work . Portable monitors are not being used (not needed).

**SR 520 Montlake Project**  
**Major Public Project Construction Noise Variance**  
**NOISE MONITORING - WEEKLY REPORT**

Monday, July 26, 2021 to Sunday, August 1, 2021

10 p.m. to 7 a.m. (weekdays)/9a.m. (weekends)

<b>Public Comment Log</b>			
<b>Date / Time</b>	<b>To/From</b>	<b>Issue</b>	<b>Resolution</b>
07/28/2021 - 7:04 p.m	To: Project Hotline From: Resident near site #8	<b>Outside the MPPCNV Monitoring:</b> Resident "sent a text message to Cheryl and Bob saying: It's now 7:01 PM. It's 80 plus degrees outside on a perfect summer evening. We're just sat down with family and friends and eating outside. However, the vacuum just started up and dust is everywhere and the noise is unbearable. All day long there's no work in the area. And now they choose to start? So frustrating because it's mind boggling to think of a reason for the timing. Please help us... Thanks, Cheryl. They've been quiet for about 15 minutes"	Cheryl (Senior Administrative Assistant) replied to the resident "Sorry just seeing your message now. Let me see if I can find out what is happening... Let me know if it starts up again. There were no further messages from resident."
07/28/2021 - 10:16 p.m	To: Project Hotline From: Resident near site #4	<b>During the MPPCNV Monitoring:</b> Resident "called to complain about noise in the alley outside her bedroom window. She said that a utility pole was being installed."	Bob Derry (Public Information Manager) answered the hotline call and "Bob asked her if she wanted a hotel room and she asked how much longer it would last. Bob called Bryan Neet(PBS) and reported the noise and asked if he could find out what was going on and how much long it would last. Bryan reported back that it was SCL installing a pole and that, at 10:38 p.m., it would last another 15 minutes. Bob reported this to resident and she declined the hotel room."