

## SR 520 Montlake Project

**Noise Monitoring Weekly Report Summary for Monday, February 28, 2022 to Sunday, March 6, 2022**

**PUBLISHED March 9nd, 2022**

Monitoring times: Weekdays, 10 p.m. to 7 a.m.; weekends, 10 p.m. to 9 a.m.

**How to use this report:** This document summarizes the weekly nighttime noise data for the SR 520 Montlake Project. In it, you'll find:

- Page 1 - Summary of noise levels recorded above the limits allowed under the Major Public Project Construction Noise Variance, for this week and throughout the project. This includes non -project-related noise exceedances
- Page 2 - Map of the project limits and locations of the seven stationary monitor locations
- Pages 3 – 9 - Night -by-night noise recordings for each of the project noise monitors, along with a description of the work that night, comments received from the public regarding Project noise, and explanations for any noise limit exceedances and actions taken in response
- Page 10 - Log of public comments regarding nighttime noise issues and resolutions for the week

WSDOT is sharing this information as per the terms of the Major Public Project Construction Noise Variance (Permit #3030792).

**MPPCNV start date: Friday, August 16, 2019**


**MPPCNV days to date: 934**

<b>WEEKLY TOTALS</b>	
<b>Nights worked this week (under the MPPCNV)</b>	<b>4</b>
<b>Project related non-compliance this week</b>	<b>0</b>
<b>Nighttime noise issue comments to the project</b>	<b>0</b>
<b>Non-project-related noise exceedances this week</b>	<b>25</b>

<b>PROJECT TOTALS TO DATE</b>	
<b>Total Nights Worked (under the MPPCNV)</b>	<b>458</b>
<b>Total Project related non-compliance</b>	<b>113</b>
<b>Total noise issue comments to the project</b>	<b>113</b>
<b>Total non-project related exceedances</b>	<b>3465</b>

**Noise Monitoring Locations:** the map below shows the work limits of the SR 520 Montlake Project and the locations of the seven stationary noise monitoring sites

**EXHIBIT 5. CONSTRUCTION AREA AND NOISE MEASUREMENT LOCATIONS**



**SR 520 Montlake Project**  
**Major Public Project Construction Noise Variance**  
**NOISE MONITORING - WEEKLY REPORT**  
**Monday, February 28, 2022 to Sunday, March 6, 2022 10 pm to 7 am (weekdays) / 9am (weekends)**

The table below includes data gathered from noise monitoring equipment located at seven stationary and three portable locations throughout the Montlake Project area

<b>Monday, February 28, 2022</b>												
Site	Site limit*	10pm - 11pm	11pm - 12am	12am - 1am	1am - 2am	2am - 3am	3am - 4am	4am - 5am	5am - 6am	6am - 7am	7am - 8am	8am - 9am
Site 1 -2449 E. Lk WA Blvd	67	50.8	48.3	45.2	42.6	45.0	43.6	47.9	51.4	53.9	N/A	N/A
Site 2 - 2015 E. Roanoke St	78	61.4	59.0	56.4	55.0	55.0	54.5	55.0	60.2	62.8	N/A	N/A
Site 3A - Canterbury Shores	62	51.3	49.0	47.0	44.3	44.2	43.2	46.1	51.5	54.0	N/A	N/A
Site 4 - 2800 Montlake Blvd E	66	67.0	63.2	60.5	57.8	63.8	59.0	64.0	68.6	69.9	N/A	N/A
Site 5 - 2565 22nd Av E.	65	60.3	57.6	54.2	52.2	52.3	51.7	53.1	58.9	61.2	N/A	N/A
Site 6 - 2160 E. Hamlin St	63	56.7	54.2	50.7	48.0	48.9	47.0	52.6	57.0	59.2	N/A	N/A
Site 7 - 2209 E. Lake Wa Blvd	66	51.7	48.5	45.7	42.5	44.3	44.2	47.3	51.9	54.7	N/A	N/A
Site 8 - Portable Between Sites 4 and 6	63	58.4	56.0	51.3	48.9	50.0	48.6	52.6	57.9	61.0	N/A	N/A
Site 9 - Portable Between Sites 1 and 7	66	64.4	60.5	56.9	55.8	54.9	57.0	57.3	63.8	65.4	N/A	N/A
Site 10 - Portable Between Sites 1 and 7	66	64.7	60.6	55.8	55.7	54.8	57	57.8	63.7	65.8	N/A	N/A

\*Hourly-Average Leq (dBA)

**Notes recorded by the on-site Independent Noise Monitor**

**Work:**

Design-Builder worked between 10:00pm and 3:44am on installation of temporary lights and transverse bracing & cleaning and labeling conduits under the Montlake lid

**Public Comments:**

No public comments received related to nighttime noise.

**Exceedances:**

Sites 4 exceedances are due to public traffic. **(Non work related).**

**Non-Compliance:**

None.

**Legend**

Leq = Leq means the equivalent sound level, which is the constant sound level in a given time period.

N/A = Time Period not applicable to MPPCNV

Red = Noise Level Exceedance, project related

Blue = Noise level exceedance, not project related

~ = No Data Available

# = No contract work . Portable monitors are not being used (not needed).

**SR 520 Montlake Project**  
**Major Public Project Construction Noise Variance**  
**NOISE MONITORING - WEEKLY REPORT**  
**Monday, February 28, 2022 to Sunday, March 6, 2022 10 pm to 7 am (weekdays) / 9am (weekends)**

The table below includes data gathered from noise monitoring equipment located at seven stationary and three portable locations throughout the Montlake Project area

<b>Tuesday, March 1, 2022</b>												
Site	Site limit*	10pm - 11pm	11pm - 12am	12am - 1am	1am - 2am	2am - 3am	3am - 4am	4am - 5am	5am - 6am	6am - 7am	7am - 8am	8am - 9am
Site 1 -2449 E. Lk WA Blvd	67	51.2	50.3	47.1	45.7	44.2	48.0	48.0	53.3	53.9	N/A	N/A
Site 2 - 2015 E. Roanoke St	78	59.5	57.9	56.1	53.9	53.1	54.3	55.0	58.8	61.7	N/A	N/A
Site 3A - Canterbury Shores	62	51.7	50.3	47.9	44.7	44.1	46.3	47.6	51.4	53.5	N/A	N/A
Site 4 - 2800 Montlake Blvd E	66	64.7	61.9	60.5	58.8	56.4	58.9	62.8	66.1	69.0	N/A	N/A
Site 5 - 2565 22nd Av E.	65	58.1	56.6	54.6	52.5	51.7	52.7	53.3	56.9	60.3	N/A	N/A
Site 6 - 2160 E. Hamlin St	63	54.2	56.0	53.2	51.0	48.2	52.2	52.8	55.5	58.3	N/A	N/A
Site 7 - 2209 E. Lake Wa Blvd	66	49.4	48.7	45.9	43.5	42.4	47.4	47.1	51.0	53.3	N/A	N/A
Site 8 - Portable Between Sites 4 and 6	63	56.4	57.4	54.0	51.7	49.6	52.5	54.0	57.0	60.2	N/A	N/A
Site 9 - Portable Between Sites 1 and 7	66	59.9	57.6	55.9	54.1	52.4	56.5	56.6	60.1	63.1	N/A	N/A
Site 10 - Portable Between Sites 1 and 7	66	63.9	60.5	57.8	55.2	54.9	58.1	59.0	63.6	65.9	N/A	N/A

\*Hourly-Average Leq (dBA)

**Notes recorded by the on-site Independent Noise Monitor**

**Work:**

Design-Builder worked between 10:00pm and 3:38am on cleaning and labeling conduits under the Montlake lid

**Public Comments:**

No public comments received related to nighttime noise.

**Exceedances:**

Sites 4 exceedances are due to public traffic. **(Non work related).**

**Non-Compliance:**

None.

**Legend**

Leq = Leq means the equivalent sound level, which is the constant sound level in a given time period.

N/A = Time Period not applicable to MPPCNV

Red = Noise Level Exceedance, project related

Blue = Noise level exceedance, not project related

~ = No Data Available

# = No contract work . Portable monitors are not being used (not needed).

**SR 520 Montlake Project**  
**Major Public Project Construction Noise Variance**  
**NOISE MONITORING - WEEKLY REPORT**  
**Monday, February 28, 2022 to Sunday, March 6, 2022 10 pm to 7 am (weekdays) / 9am (weekends)**

The table below includes data gathered from noise monitoring equipment located at seven stationary and three portable locations throughout the Montlake Project area

<b>Wednesday, March 2, 2022</b>												
Site	Site limit*	10pm - 11pm	11pm - 12am	12am - 1am	1am - 2am	2am - 3am	3am - 4am	4am - 5am	5am - 6am	6am - 7am	7am - 8am	8am - 9am
Site 1 -2449 E. Lk WA Blvd	67	51.1	48.1	45.5	47.8	44.8	48.7	49.9	52.3	54.7	N/A	N/A
Site 2 - 2015 E. Roanoke St	78	61	59.5	58.1	57.9	56.7	57.5	58.8	60.1	62	N/A	N/A
Site 3A - Canterbury Shores	62	51.3	48.2	45.8	49.3	44.3	51	50.8	51.9	53.7	N/A	N/A
Site 4 - 2800 Montlake Blvd E	66	65.7	63.2	59.9	58.9	57.5	61.2	65.5	67.9	69.7	N/A	N/A
Site 5 - 2565 22nd Av E.	65	59.2	57.3	54.9	54.8	53.1	57.5	57.5	58.4	60.5	N/A	N/A
Site 6 - 2160 E. Hamlin St	63	54.8	52.1	45.2	51	45.1	48.5	50.4	54.6	58.4	N/A	N/A
Site 7 - 2209 E. Lake Wa Blvd	66	50.4	47.2	45.3	45.4	43.8	48.9	49.2	52.1	54.8	N/A	N/A
Site 8 - Portable Between Sites 4 and 6	63	57	53.9	48.3	53.6	47.8	50.8	52.6	57.1	60.2	N/A	N/A
Site 9 - Portable Between Sites 1 and 7	66	61.6	59	56.7	56.3	54.9	60.3	61.1	62.5	65.1	N/A	N/A
Site 10 - Portable Between Sites 1 and 7	66	64.9	61.5	58.6	56.9	57.5	61	62.1	64.2	67	N/A	N/A

\*Hourly-Average Leq (dBA)

**Notes recorded by the on-site Independent Noise Monitor**

**Work:**  
 Design-Builder worked between 10:00pm and 3:48am on installing temporary lights, emergency/maintenance boxes and transverse bracing

**Public Comments:**  
 No public comments received related to nighttime noise.

**Exceedances:**  
 Sites 4, & 10 exceedances are due to public traffic. **(Non work related).**

**Non-Compliance:**  
 None

**Legend**  
 Leq = Leq means the equivalent sound level, which is the constant sound level in a given time period.  
 N/A = Time Period not applicable to MPPCNV  
 Red = Noise Level Exceedance, project related  
 Blue = Noise level exceedance, not project related  
 ~ = No Data Available  
 # = No contract work . Portable monitors are not being used (not needed).

**SR 520 Montlake Project**  
**Major Public Project Construction Noise Variance**  
**NOISE MONITORING - WEEKLY REPORT**  
**Monday, February 28, 2022 to Sunday, March 6, 2022 10 pm to 7 am (weekdays) / 9am (weekends)**

The table below includes data gathered from noise monitoring equipment located at seven stationary and three portable locations throughout the Montlake Project area

<b>Thursday, March 3, 2022</b>												
Site	Site limit*	10pm - 11pm	11pm - 12am	12am - 1am	1am - 2am	2am - 3am	3am - 4am	4am - 5am	5am - 6am	6am - 7am	7am - 8am	8am - 9am
Site 1 -2449 E. Lk WA Blvd	67	50.9	48.1	44.5	45.0	45.7	47.5	48.1	53.4	56.8	N/A	N/A
Site 2 - 2015 E. Roanoke St	78	60.2	61.5	56.3	54.6	55.1	57.0	55.8	62.7	63.4	N/A	N/A
Site 3A - Canterbury Shores	62	49.2	~	44.0	41.9	43.7	43.9	45.4	51.0	53.6	N/A	N/A
Site 4 - 2800 Montlake Blvd E	66	65.6	69.6	60.2	58.5	57.4	59.9	62.6	71.9	69.9	N/A	N/A
Site 5 - 2565 22nd Av E.	65	58.4	58.5	54.2	52.5	53.1	56.3	53.7	60.8	61.5	N/A	N/A
Site 6 - 2160 E. Hamlin St	63	54.0	52.8	50.9	48.4	47.5	49.0	46.2	54.5	54.1	N/A	N/A
Site 7 - 2209 E. Lake Wa Blvd	66	51.5	48.6	44.1	42.5	43.6	46.8	46.6	55.4	55.6	N/A	N/A
Site 8 - Portable Between Sites 4 and 6	63	55.3	56.2	51.3	49.9	50.1	51.7	50.9	57.2	57.2	N/A	N/A
Site 9 - Portable Between Sites 1 and 7	66	61.9	64.6	56.0	53.2	53.7	57.3	57.8	70.1	65.5	N/A	N/A
Site 10 - Portable Between Sites 1 and 7	66	64.6	61.5	58.9	56.2	56.7	60.7	58.0	64.4	67.6	N/A	N/A

\*Hourly-Average Leq (dBA)

**Notes recorded by the on-site Independent Noise Monitor**

**Work:**  
 Design-Builder worked between 10:00pm and 3:37am on installing temporary lights, emergency/maintenance boxes and transverse bracing

**Public Comments:**  
 No public comments received related to nighttime noise.

**Exceedances:**  
 Site(s) 4, 9, 10 exceedances are due to public traffic driving by the noise monitors (**not work related**).  
 At 12 a.m. site 3A failed to send data for that hour, this was due to an error in the data transfer for the hour.

**Non-Compliance:**  
 None

**Legend**  
 Leq = Leq means the equivalent sound level, which is the constant sound level in a given time period.  
 N/A = Time Period not applicable to MPCCNV  
 Red = Noise Level Exceedance, project related  
 Blue = Noise level exceedance, not project related  
 ~ = No Data Available  
 # = No contract work . Portable monitors are not being used (not needed).

**SR 520 Montlake Project**  
**Major Public Project Construction Noise Variance**  
**NOISE MONITORING - WEEKLY REPORT**

Monday, February 28, 2022 to Sunday, March 6, 2022 10 pm to 7 am (weekdays) / 9am (weekends)

The table below includes data gathered from noise monitoring equipment located at seven stationary and three portable locations throughout the Montlake Project area

<b>Friday, March 4, 2022</b>												
Site	Site limit*	10pm - 11pm	11pm - 12am	12am - 1am	1am - 2am	2am - 3am	3am - 4am	4am - 5am	5am - 6am	6am - 7am	7am - 8am	8am - 9am
Site 1 -2449 E. Lk WA Blvd	67	54.6	53.5	51.9	50.6	50.5	44.7	44.9	47.7	52.3	54.7	56.9
Site 2 - 2015 E. Roanoke St	78	62.7	61.7	60.8	59.2	62.9	55.7	55.0	57.2	63.0	61.5	62.6
Site 3A - Canterbury Shores	62	54.4	53.2	51.9	50.2	49.4	46.3	45.3	48.6	52.3	55.6	54.6
Site 4 - 2800 Montlake Blvd E	66	66.2	65.3	62.7	61.4	64.7	57.9	58.1	61.1	65.4	66.6	67.4
Site 5 - 2565 22nd Av E.	65	60.9	60.0	59.0	57.4	58.9	54.1	53.5	55.8	62.2	59.7	60.7
Site 6 - 2160 E. Hamlin St	63	58.4	55.7	56.4	54.6	54.2	48.0	44.7	47.7	50.3	51.6	51.3
Site 7 - 2209 E. Lake Wa Blvd	66	53.3	52.1	50.7	50.9	48.0	45.0	43.5	46.2	50.5	51.7	53.2
Site 8 - Portable Between Sites 4 and 6	63	58.8	58.5	58.8	57.2	57.3	51.4	48.3	51.1	55.4	56.0	56.0
Site 9 - Portable Between Sites 1 and 7	66	61.8	61.0	59.8	58.9	65.9	56.5	54.1	56.7	60.3	61.0	62.1
Site 10 - Portable Between Sites 1 and 7	66	65.2	63.5	61.2	58.4	58.6	54.5	55.0	58.4	61.3	65.3	68.2

\*Hourly-Average Leq (dBA)

**Notes recorded by the on-site Independent Noise Monitor**

**Work:**

No nighttime construction work performed.

**Public Comments:**

No public comments received related to nighttime noise.

**Exceedances:**

Site(s) 4, 10 exceedances are due to public traffic driving by the noise monitors **(not work related)**.

**Non-Compliance:**

None

**Legend**

Leq = Leq means the equivalent sound level, which is the constant sound level in a given time period.

N/A = Time Period not applicable to MPPCNV

Red = Noise Level Exceedance, project related

Blue = Noise level exceedance, not project related

~ = No Data Available

# = No contract work . Portable monitors are not being used (not needed).

**SR 520 Montlake Project**  
**Major Public Project Construction Noise Variance**  
**NOISE MONITORING - WEEKLY REPORT**  
**Monday, February 28, 2022 to Sunday, March 6, 2022 10 pm to 7 am (weekdays) / 9am (weekends)**

The table below includes data gathered from noise monitoring equipment located at seven stationary and three portable locations throughout the Montlake Project area

<b>Saturday, March 5, 2022</b>												
Site	Site limit*	10pm - 11pm	11pm - 12am	12am - 1am	1am - 2am	2am - 3am	3am - 4am	4am - 5am	5am - 6am	6am - 7am	7am - 8am	8am - 9am
Site 1 -2449 E. Lk WA Blvd	67	57.3	54.8	52.4	50.2	48.9	46	43.1	43.1	48	50.1	52.0
Site 2 - 2015 E. Roanoke St	78	63.1	62	59.6	58	56.3	53.4	52.5	53.3	57.4	58.3	59.8
Site 3A - Canterbury Shores	62	54.6	53.9	50.2	49.9	47.9	46.6	44.8	43.0	48.4	49.8	52.4
Site 4 - 2800 Montlake Blvd E	66	66.1	65.1	62.9	61.0	58.9	57.7	57.3	60.9	64.6	65.5	66.2
Site 5 - 2565 22nd Av E.	65	61.5	60.4	58.1	56.6	54.4	51.7	51.5	51.9	55.9	56.9	58.7
Site 6 - 2160 E. Hamlin St	63	60.0	58.1	56.5	55.6	53.6	49.5	48.3	43.7	51.1	51.4	53.4
Site 7 - 2209 E. Lake Wa Blvd	66	54.7	52.8	50.2	48.5	47.2	44.5	42.2	43.3	47.4	49.3	51.2
Site 8 - Portable Between Sites 4 and 6	63	60.9	59.9	58.4	56.6	55.4	52.0	51.1	48.7	55.1	56.0	56.5
Site 9 - Portable Between Sites 1 and 7	66	62.4	63.1	59.0	57.5	56.8	53.4	52.4	53.0	57.3	58.4	59.8
Site 10 - Portable Between Sites 1 and 7	66	66.4	64.6	62.7	59.3	58.3	54.5	54.3	55.2	59.6	62.3	64.9

\*Hourly-Average Leq (dBA)

**Notes recorded by the on-site Independent Noise Monitor**

**Work:**

No nighttime construction work performed.

**Public Comments:**

No public comments received related to nighttime noise.

**Exceedances:**

Site(s) 4, & 10 exceedances are due to public traffic driving by the noise monitors (**not work related**).

**Non-Compliance:**

None

**Legend**

Leq = Leq means the equivalent sound level, which is the constant sound level in a given time period.

N/A = Time Period not applicable to MPPCNV

Red = Noise Level Exceedance, project related

Blue = Noise level exceedance, not project related

~ = No Data Available

# = No contract work . Portable monitors are not being used (not needed).



**SR 520 Montlake Project**  
**Major Public Project Construction Noise Variance**  
**NOISE MONITORING - WEEKLY REPORT**  
**Monday, February 28, 2022 to Sunday, March 6, 2022 10 pm to 7 am (weekdays) / 9am (weekends)**

The table below includes data gathered from noise monitoring equipment located at seven stationary and three portable locations throughout the Montlake Project area

<b>Sunday, March 6, 2022</b>												
Site	Site limit*	10pm - 11pm	11pm - 12am	12am - 1am	1am - 2am	2am - 3am	3am - 4am	4am - 5am	5am - 6am	6am - 7am	7am - 8am	8am - 9am
Site 1 -2449 E. Lk WA Blvd	67	52.3	49.8	47.5	44.4	46.5	45.2	49.9	55.0	57.5	N/A	N/A
Site 2 - 2015 E. Roanoke St	78	59.7	57.5	55.2	55.8	52.9	52.7	58.7	65.3	69.7	N/A	N/A
Site 3A - Canterbury Shores	62	50.1	48.3	46.0	43.3	41.0	44.0	46.4	49.2	54.6	N/A	N/A
Site 4 - 2800 Montlake Blvd E	66	64.3	62.2	59.3	57.5	58.8	57.7	62.7	66.4	71.2	N/A	N/A
Site 5 - 2565 22nd Av E.	65	57.8	55.6	53.8	54.3	50.8	51.0	55.3	59.9	68.8	N/A	N/A
Site 6 - 2160 E. Hamlin St	63	56.2	55.0	53.0	50.1	47.4	50.0	52.3	57.1	58.1	N/A	N/A
Site 7 - 2209 E. Lake Wa Blvd	66	50.1	48.0	46.0	45.6	45.7	44.1	48.4	54.5	55.7	N/A	N/A
Site 8 - Portable Between Sites 4 and 6	63	58.0	56.3	54.5	51.6	49.8	52.1	55.5	59.0	60.4	N/A	N/A
Site 9 - Portable Between Sites 1 and 7	66	59.2	57.1	55.0	56.5	56.3	53.2	56.7	61.4	66.3	N/A	N/A
Site 10 - Portable Between Sites 1 and 7	66	63.1	59.5	56.5	52.9	58.4	53.1	58.0	64.7	67.4	N/A	N/A

\*Hourly-Average Leq (dBA)

**Notes recorded by the on-site Independent Noise Monitor**

**Work:**

No nighttime construction work performed.

**Public Comments:**

No public comments received related to nighttime noise.

**Exceedances:**

Site(s) 4, 5, 9, 10 exceedance is due to public traffic driving by the noise monitors (**not work related**).

**Non-Compliance:**

None

**Legend**

Leq = Leq means the equivalent sound level, which is the constant sound level in a given time period.

N/A = Time Period not applicable to MPPCNV

Red = Noise Level Exceedance, project related

Blue = Noise level exceedance, not project related

~ = No Data Available

# = No contract work . Portable monitors are not being used (not needed).

**SR 520 Montlake Project**  
**Major Public Project Construction Noise Variance**  
**NOISE MONITORING - WEEKLY REPORT**

Monday, February 28, 2022 to Sunday, March 6, 2022

10 p.m. to 7 a.m. (weekdays)/9a.m. (weekends)

<b>Public Comment Log</b>			
Date / Time	To/From	Issue	Resolution
		No noise related complains	