Solution with the second secon



SR 520 Montlake Project

Noise Monitoring Weekly Report Summary for PUBLISHED APRIL 1, 2020

Monday, March 23, 2020

to

Sunday, March 29, 2020

Monitoring times: Weekdays, 10 p.m. to 7 a.m.; weekends, 10 p.m. to 9 a.m.

How to use this report: This document summarizes the weekly nighttime noise data for the SR 520 Montlake Project. In it, you'll find:

- Page 1 Summary of noise levels recorded above the limits allowed under the Major Public Project Construction Noise Variance, for this week and throughout the project. This includes non-project-related noise exceedances
- Page 2 Map of the project limits and locations of the seven stationary monitor locations
- Pages 3 9 Night-by-night noise recordings for each of the project noise monitors, along with a description of the work that night, comments received from the public regarding Project noise, and explanations for any noise limit exceedances and actions taken in response
- Page 10 Log of public comments regarding nighttime noise issues and resolutions for the week

WSDOT is sharing this information as per the terms of the Major Public Project Construction Noise Variance (Permit #3030792).

MPPCNV start date:Friday, August 16, 2019MPPCNV days to date:227

Beginning Thursday March 26th project construction is suspended due to the COVID-19 outbreak.

WEEKLY TOTALS	
Nights worked this week (under the MPPCNV)	0
Project related non-compliance this week	0
Nighttime noise issue comments to the project	0
Non-project-related noise exceedances this week	17

PROJECT TOTALS TO DATE						
Total Nights Worked (under the MPPCNV)	74					
Total Project related non-compliance	17					
Total noise issue comments to the project	23					
Total non-project related exceedances	1274					

Noise Monitoring Locations: the map below shows the work limits of the SR 520 Montlake Project and the locations of the seven stationary noise monitoring sites



EXHIBIT 5. CONSTRUCTION AREA AND NOISE MEASUREMENT LOCATIONS

Montlake Project MPPCNV Weekly Report

10 pm to 7 am (weekdays) / 9am (weekends)

The table below includes data gathered from noise monitoring equipment located at seven stationary and three portable locations throughout the Montlake Project area

				Μ	londay, Maro	ch 23, 2020						
Site	Site limit*	10pm - 11pm	11pm - 12am	12am - 1am	1am - 2am	2am - 3am	3am - 4am	4am - 5am	5am - 6am	6am - 7am	7am - 8am	8am - 9am
Site 1 -2449 E. Lk WA Blvd	67	50.4	49.7	46.9	45.0	48.5	44.7	47.9	53.9	57.0	N/A	N/A
Site 2 - 2015 E. Roanoke St	78	71.8	55.7	53.0	51.5	52.4	51.1	55.8	58.7	60.9	N/A	N/A
Site 3 - 3810 E. McGilvra St	62	46.2	45.8	45.2	44.7	46.5	44.8	45.2	48.4	48.3	N/A	N/A
Site 4 - 2800 Montlake Blvd E	66	64.0	62.7	60.1	58.5	57.5	56.9	62.8	66.6	69.3	N/A	N/A
Site 5 - 2565 22nd Av E.	65	68.4	54.0	51.4	49.3	51.4	48.5	53.7	56.1	58.6	N/A	N/A
Site 6 - 2160 E. Hamlin St	63	52.7	51.3	48.7	46.5	50.6	46.5	48.9	54.0	55.2	N/A	N/A
Site 7 - 2209 E. Lake Wa Blvd	66	54.6	49.9	47.1	44.9	48.3	44.6	48.2	53.7	57.9	N/A	N/A
Site 8 - Portable Between Sites 4 and 6	63	54.8	52.1	49.7	47.4	51.2	47.1	49.8	54.4	55.9	N/A	N/A
Site 9 - Portable Between Sites 1 and 7	66	56.4	54.6	51.2	49.7	52.3	48.3	53.5	60.0	64.1	N/A	N/A
Site 10 - Portable Between Sites 1 and 7	66	57.6	56.5	52.2	51.6	52.3	49.2	53.5	61.3	64.7	N/A	N/A
*Hou	rly-Average Leq	(dBA)										
Notes recorded by the on-site	e Independ	lent Noise M	onitor									
Work:												-
No nighttime construction work perform	ned.											
Public Comments:												
No public comments received related to	nighttime noi	se.										
Exceedances:												
Not project related. Exceedances are ca	used by public	traffic driving by	the noise monito	ors.								
Non-Compliance: None.												

Legend

Leq = Leq means the equivalent sound level, which is the constant sound level in a given time period.

N/A = Time Period not applicable to MPPCNV

Red = Noise Level Exceedance, project related

Blue = Noise level exceedance, not project related

~ = No Data Available

10 pm to 7 am (weekdays) / 9am (weekends)

The table below includes data gathered from noise monitoring equipment located at seven stationary and three portable locations throughout the Montlake Project area

				Т	uesday, Maro	ch 24, 2020						
Site	Site limit*	10pm - 11pm	11pm - 12am	12am - 1am	1am - 2am	2am - 3am	3am - 4am	4am - 5am	5am - 6am	6am - 7am	7am - 8am	8am - 9am
Site 1 -2449 E. Lk WA Blvd	67	53.7	50.2	47.8	48.5	51.6	47.9	49.0	57.1	58.8	N/A	N/A
Site 2 - 2015 E. Roanoke St	78	61.6	59.5	54.8	53.9	56.4	55.6	57.4	63.0	63.8	N/A	N/A
Site 3 - 3810 E. McGilvra St	62	48.4	46.0	45.4	46.6	51.7	50.2	48.2	54.8	52.2	N/A	N/A
Site 4 - 2800 Montlake Blvd E	66	66.8	65.2	59.8	59.7	60.8	59.5	64.6	69.6	71.6	N/A	N/A
Site 5 - 2565 22nd Av E.	65	59.6	56.0	52.4	53.4	56.4	53.3	53.5	60.9	60.8	N/A	N/A
Site 6 - 2160 E. Hamlin St	63	51.8	49.4	45.5	46.4	48.5	44.8	46.3	51.9	53.5	N/A	N/A
Site 7 - 2209 E. Lake Wa Blvd	66	54.3	51.3	47.9	48.1	49.4	46.6	49.3	56.6	59.1	N/A	N/A
Site 8 - Portable Between Sites 4 and 6	63	54.0	51.5	48.6	48.8	51.0	47.4	49.5	54.2	56.0	N/A	N/A
Site 9 - Portable Between Sites 1 and 7	66	59.2	56.6	53.2	53.5	53.6	52.3	54.7	63.2	67.8	N/A	N/A
Site 10 - Portable Between Sites 1 and 7	66	59.3	56.7	53.8	54.5	54.3	54.0	55.5	63.7	67.5	N/A	N/A
*Hou	ly-Average Leq	(dBA)										
Notes recorded by the on-site	Independ	ent Noise M	onitor									
Work:												
No nighttime construction work perform	ned.											
Public Comments: No public comments received related to	nighttime noi	se.										
Exceedances: Not project related. Exceedances are caused by public traffic driving by the noise monitors.												
Non-Compliance:												
None.												

Legend

Leq = Leq means the equivalent sound level, which is the constant sound level in a given time period.

N/A = Time Period not applicable to MPPCNV

Red = Noise Level Exceedance, project related

Blue = Noise level exceedance, not project related

~ = No Data Available

10 pm to 7 am (weekdays) / 9am (weekends)

The table below includes data gathered from noise monitoring equipment located at seven stationary and three portable locations throughout the Montlake Project area

				We	dnesday, Ma	arch 25, 2020						
Site	Site limit*	10pm - 11pm	11pm - 12am	12am - 1am	1am - 2am	2am - 3am	3am - 4am	4am - 5am	5am - 6am	6am - 7am	7am - 8am	8am - 9am
Site 1 -2449 E. Lk WA Blvd	67	51.2	49.1	48.3	45.1	46.1	45.1	47.4	52.3	55.9	N/A	N/A
Site 2 - 2015 E. Roanoke St	78	57.0	55.2	53.1	51.3	49.9	49.5	53.8	57.4	59.8	N/A	N/A
Site 3 - 3810 E. McGilvra St	62	45.9	45.1	46.3	44.8	45.2	44.8	45.0	46.4	46.5	N/A	N/A
Site 4 - 2800 Montlake Blvd E	66	63.3	61.2	59.7	57.5	56.6	56.1	62.8	65.8	68.9	N/A	N/A
Site 5 - 2565 22nd Av E.	65	55.1	52.8	50.8	48.9	47.8	47.0	51.3	54.8	57.5	N/A	N/A
Site 6 - 2160 E. Hamlin St	63	53.0	51.5	49.9	46.4	46.6	44.2	47.2	52.6	55.3	N/A	N/A
Site 7 - 2209 E. Lake Wa Blvd	66	51.5	49.2	48.9	45.5	45.1	43.8	47.6	52.5	56.2	N/A	N/A
Site 8 - Portable Between Sites 4 and 6	63	53.2	51.3	50.1	47.3	48.1	46.0	48.0	53.4	54.6	N/A	N/A
Site 9 - Portable Between Sites 1 and 7	66	55.7	53.1	53.1	49.0	48.9	47.9	52.5	59.0	63.3	N/A	N/A
Site 10 - Portable Between Sites 1 and 7	66	57.8	55.3	54.2	48.8	49.4	50.0	53.0	60.1	64.4	N/A	N/A
*Hou	rly-Average Leo	(dBA)									-	•
Notes recorded by the on-site	e Independ	lent Noise M	onitor									
Work:												<u>.</u>
No nighttime construction work perform	ned.											
Public Comments:												
No public comments received related to	nighttime noi	se.										
Exceedances:												
Not project related. Exceedances are ca	used by public	traffic driving by	the noise monito	ors.								
Non-Compliance:												
None.												

Legend

Leq = Leq means the equivalent sound level, which is the constant sound level in a given time period.

N/A = Time Period not applicable to MPPCNV

Red = Noise Level Exceedance, project related

Blue = Noise level exceedance, not project related

~ = No Data Available

SR 520 Montlake Project Major Public Project Construction Noise Variance **NOISE MONITORING - WEEKLY REPORT**

Monday, March 23, 2020 to Sunday, March 29, 2020 10 pm to 7 am (weekdays) / 9am (weekends)

The table below includes data gathered from noise monitoring equipment located at seven stationary and three portable locations throughout the Montlake Project area

Site 1 - 2449 E. Lk WA Blvd 67 49.1 49.6 47.0 43.7 44.3 44.0 47.2 51.6 54.4 Site 2 - 2015 E. Roanoke St 78 55.8 56.1 52.9 50.0 51.0 50.9 54.2 58.0 61.5 Site 3 - 3810 E. McGilvra St 62 45.9 46.9 45.5 44.9 45.2 45.1 46.3 48.0 46.9 Site 4 - 2800 Montlake Blvd E 66 62.4 62.3 58.8 56.7 58.5 56.9 61.9 66.3 69.2 Site 5 - 2565 22nd Av E. 65 53.9 54.6 50.9 48.0 48.7 49.1 52.6 55.5 57.9 Site 6 - 2160 E. Hamlin St 63 51.1 51.0 48.8 45.2 46.2 45.2 49.9 54.1 54.1 Site 7 - 2209 E. Lake Wa Blvd 66 49.9 50.3 47.6 44.4 44.6 45.2 48.2 52.6 53.9 51.9 Site 8 - Portable Between Sites 1 and 7 66 # # # # # # <td< th=""><th>7am - 8am 8am - 9 N/A N/A N/A N/A</th></td<>	7am - 8am 8am - 9 N/A N/A N/A N/A
Site 2 - 2015 E. Roanoke St 78 55.8 56.1 52.9 50.0 51.0 50.9 54.2 58.0 61.5 Site 3 - 3810 E. McGilvra St 62 45.9 46.9 45.5 44.9 45.2 45.1 46.3 48.0 46.9 50.9 51.0 50.9 61.9 66.3 69.2 50.9 51.0 52.6 55.5 57.9 51.5 56.9 61.9 66.3 69.2 50.6 51.0 52.6 55.5 57.9 51.6 51.0 52.6 55.5 57.9 51.1 51.0 51.0 52.6 52.6 53.9 54.1	N/A N/A
Site 3 - 3810 E. McGilvra St 62 45.9 46.9 45.5 44.9 45.2 45.1 46.3 48.0 46.9 Site 4 - 2800 Montlake Blvd E 66 62.4 62.3 58.8 56.7 58.5 56.9 61.9 66.3 69.2 Site 5 - 2565 22nd Av E. 65 53.9 54.6 50.9 48.0 48.7 49.1 52.6 55.5 57.9 Site 6 - 2100 E. Hamlin St 63 51.1 51.0 48.8 45.2 46.2 45.2 49.9 54.1 54.1 Site 7 -2209 E. Lake Wa Blvd 66 49.9 50.3 47.6 44.4 44.6 45.2 49.9 54.1 54.1 53.9	N/A N/A
Site 4 - 2800 Montlake Blvd E 66 62.4 62.3 58.8 56.7 58.5 56.9 61.9 66.3 69.2 Site 5 - 2565 22nd Av E. 65 53.9 54.6 50.9 48.0 48.7 49.1 52.6 55.5 57.9 Site 6 - 2160 E. Hamlin St 63 51.1 51.0 48.8 45.2 46.2 45.2 49.9 54.1 54.1 Site 7 - 2209 E. Lake Wa Blvd 66 49.9 50.3 47.6 44.4 44.6 45.2 48.2 52.6 53.9 53.9 53.9 53.9 53.9 53.9 54.1 54.1 54.1 54.1 54.1 54.1 54.1 54.1 54.1 53.9 53.9 53.9 53.9 53.9 54.9 54.1	N/A N/A
Site 5 - 2565 22nd Av E. 65 53.9 54.6 50.9 48.0 48.7 49.1 52.6 55.5 57.9 Site 6 - 2160 E. Hamlin St 63 51.1 51.0 48.8 45.2 46.2 45.2 49.9 54.1 54.1 Site 7 - 2209 E. Lake Wa Blvd 66 49.9 50.3 47.6 44.4 44.6 45.2 48.2 52.6 53.9 53.9 53.9 53.9 53.9 53.9 54.1	N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A
Site 6 - 2160 E. Hamlin St 63 51.1 51.0 48.8 45.2 46.2 45.2 49.9 54.1 54.1 Site 7 - 2209 E. Lake Wa Blvd 66 49.9 50.3 47.6 44.4 44.6 45.2 48.2 52.6 53.9 Site 8 - Portable Between Sites 4 and 6 63 #	N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A
Site 7 - 2209 E. Lake Wa Blvd 66 49.9 50.3 47.6 44.4 44.6 45.2 48.2 52.6 53.9 53.9 Site 8 - Portable Between Sites 4 and 6 63 #	N/A N/A N/A N/A N/A N/A
Site 8 - Portable Between Sites 4 and 6 63 # <td>N/A N/A N/A N/A</td>	N/A N/A N/A N/A
Site 9 - Portable Between Sites 1 and 7 66 # # # # # # # # # # # # # # # # #	N/A N/A
Site 10 - Portable Between Sites 1 and 7 66 # # # # # # # # # # # # # # # # #	
*Hourly-Average Leq (dBA) Notes recorded by the on-site Independent Noise Monitor Work: No nighttime construction work performed. Portable Monitors Site 8, Site 9 and Site 10 are not being used due to all construction work being suspended until further notice.	N/A N/A
Notes recorded by the on-site Independent Noise Monitor Work: No nighttime construction work performed. Portable Monitors Site 8, Site 9 and Site 10 are not being used due to all construction work being suspended until further notice.	
Work: No nighttime construction work performed. Portable Monitors Site 8, Site 9 and Site 10 are not being used due to all construction work being suspended until further notice.	
No nighttime construction work performed. Portable Monitors Site 8, Site 9 and Site 10 are not being used due to all construction work being suspended until further notice.	
Portable Monitors Site 8, Site 9 and Site 10 are not being used due to all construction work being suspended until further notice.	
Dublic Commenter	
Public Comments:	
No public comments received related to nighttime noise.	
Exceedances:	
Not project related. Exceedances are caused by public traffic driving by the noise monitors.	
Non-Compliance:	

None.

Legend

Leq = Leq means the equivalent sound level, which is the constant sound level in a given time period.

N/A = Time Period not applicable to MPPCNV

Red = Noise Level Exceedance, project related

Blue = Noise level exceedance, not project related

~ = No Data Available

10 pm to 7 am (weekdays) / 9am (weekends)

The table below includes data gathered from noise monitoring equipment located at seven stationary and three portable locations throughout the Montlake Project area

				F	riday, March	27, 2020						
Site	Site limit*	10pm - 11pm	11pm - 12am	12am - 1am	1am - 2am	2am - 3am	3am - 4am	4am - 5am	5am - 6am	6am - 7am	7am - 8am	8am - 9am
Site 1 -2449 E. Lk WA Blvd	67	50.7	48.1	46.1	44.3	47.4	46.8	45.3	49.6	50.7	53.2	54.5
Site 2 - 2015 E. Roanoke St	78	56.6	55.4	53.3	51.0	49.5	52.7	51.8	55.4	57.1	58.2	60.5
Site 3 - 3810 E. McGilvra St	62	46.4	46.0	45.2	45.1	46.4	46.2	45.7	46.7	46.1	47.3	48.5
Site 4 - 2800 Montlake Blvd E	66	63.0	61.6	61.3	57.1	55.9	58.7	58.6	62.7	66.3	68.0	70.5
Site 5 - 2565 22nd Av E.	65	55.0	53.4	51.0	49.2	49.1	51.6	49.8	53.9	54.6	56.1	58.4
Site 6 - 2160 E. Hamlin St	63	52.2	50.0	48.9	47.3	47.0	49.0	48.7	52.8	52.6	53.7	55.7
Site 7 - 2209 E. Lake Wa Blvd	66	51.0	49.8	47.5	45.4	46.7	47.6	45.7	50.0	51.4	53.4	55.6
Site 8 - Portable Between Sites 4 and 6	63	#	#	#	#	#	#	#	#	#	#	#
Site 9 - Portable Between Sites 1 and 7	66	#	#	#	#	#	#	#	#	#	#	#
Site 10 - Portable Between Sites 1 and 7	66	#	#	#	#	#	#	#	#	#	#	#
*Hou	rly-Average Leq	(dBA)										
Notes recorded by the on-site	e Independ	ent Noise M	onitor									
Work:												
No nighttime construction work perform	ned.											
Public Comments:												
No public comments received related to	nighttime noi	se.										
Exceedances:												
Not project related. Exceedances are ca	used by public	traffic driving by	the noise monito	ors.								
Non-Compliance:												
-												

Legend

Leq = Leq means the equivalent sound level, which is the constant sound level in a given time period.

N/A = Time Period not applicable to MPPCNV

Red = Noise Level Exceedance, project related

Blue = Noise level exceedance, not project related

~ = No Data Available

10 pm to 7 am (weekdays) / 9am (weekends)

The table below includes data gathered from noise monitoring equipment located at seven stationary and three portable locations throughout the Montlake Project area

				Sa	turday, Mar	ch 28, 2020						
Site	Site limit*	10pm - 11pm	11pm - 12am	12am - 1am	1am - 2am	2am - 3am	3am - 4am	4am - 5am	5am - 6am	6am - 7am	7am - 8am	8am - 9am
Site 1 -2449 E. Lk WA Blvd	67	54.0	52.6	51.3	48.9	50.3	49.1	45.9	48.2	50.8	52.5	53.7
Site 2 - 2015 E. Roanoke St	78	58.9	58.2	56.8	54.8	55.2	54.1	51.4	54.9	57.1	57.5	58.0
Site 3 - 3810 E. McGilvra St	62	52.3	50.7	50.0	49.5	52.2	48.5	46.7	47.1	46.8	48.5	48.1
Site 4 - 2800 Montlake Blvd E	66	65.2	64.1	62.2	60.1	59.4	59.3	57.6	62.5	66.4	65.1	64.8
Site 5 - 2565 22nd Av E.	65	58.8	57.5	56.3	54.2	55.8	52.5	49.9	53.0	54.4	55.8	56.7
Site 6 - 2160 E. Hamlin St	63	52.9	51.0	50.2	47.7	47.4	50.8	47.7	50.8	52.6	54.0	57.0
Site 7 - 2209 E. Lake Wa Blvd	66	53.7	52.5	50.8	48.3	48.5	48.6	45.7	49.2	50.7	52.6	53.3
Site 8 - Portable Between Sites 4 and 6	63	#	#	#	#	#	#	#	#	#	#	#
Site 9 - Portable Between Sites 1 and 7	66	#	#	#	#	#	#	#	#	#	#	#
Site 10 - Portable Between Sites 1 and 7	66	#	#	#	#	#	#	#	#	#	#	#
*Hou	rly-Average Leq	(dBA)										
Notes recorded by the on-site Independent Noise Monitor												
Work:												
No nighttime construction work perform	ned.											
Public Comments:												
No public comments received related to	nighttime noi	se.										
Exceedances:												
Not project related. Exceedances are caused by public traffic driving by the noise monitors.												
Non-Compliance:	Non-Compliance:											
None.												
Legend												

Leq = Leq means the equivalent sound level, which is the constant sound level in a given time period.

N/A = Time Period not applicable to MPPCNV

Red = Noise Level Exceedance, project related

Blue = Noise level exceedance, not project related

~ = No Data Available

10 pm to 7 am (weekdays) / 9am (weekends)

The table below includes data gathered from noise monitoring equipment located at seven stationary and three portable locations throughout the Montlake Project area

				S	unday, Marc	h 29, 2020						
Site	Site limit*	10pm - 11pm	11pm - 12am	12am - 1am	1am - 2am	2am - 3am	3am - 4am	4am - 5am	5am - 6am	6am - 7am	7am - 8am	8am - 9am
Site 1 -2449 E. Lk WA Blvd	67	49.8	48.8	45.9	45.0	52.0	54.4	51.9	54.8	55.1	N/A	N/A
Site 2 - 2015 E. Roanoke St	78	55.1	54.3	50.9	50.0	54.0	57.1	57.6	60.7	61.5	N/A	N/A
Site 3 - 3810 E. McGilvra St	62	45.5	46.3	45.3	45.2	48.6	51.2	50.5	51.2	49.5	N/A	N/A
Site 4 - 2800 Montlake Blvd E	66	62.3	61.3	58.2	56.8	58.1	60.6	64.3	68.8	72.6	N/A	N/A
Site 5 - 2565 22nd Av E.	65	52.5	52.9	48.9	48.9	54.9	58.0	56.5	59.4	58.9	N/A	N/A
Site 6 - 2160 E. Hamlin St	63	46.6	48.9	47.0	45.7	49.4	50.8	52.2	55.6	58.7	N/A	N/A
Site 7 - 2209 E. Lake Wa Blvd	66	50.6	49.6	46.5	46.4	49.5	53.7	51.5	54.6	56.4	N/A	N/A
Site 8 - Portable Between Sites 4 and 6	63	#	#	#	#	#	#	#	#	#	N/A	N/A
Site 9 - Portable Between Sites 1 and 7	66	#	#	#	#	#	#	#	#	#	N/A	N/A
Site 10 - Portable Between Sites 1 and 7	66	#	#	#	#	#	#	#	#	#	N/A	N/A
*Hou	rly-Average Leq	(dBA)										
Notes recorded by the on-site	e Independ	lent Noise M	onitor									
Work:												
No nighttime construction work perforn	ned.											
Public Comments:												
No public comments received related to	nighttime noi	se.										
Exceedances:												
Not project related. Exceedances are ca	used by public	traffic driving by	the noise monito	ors.								
Non-Compliance:												
None.												
Legend												

Leq = Leq means the equivalent sound level, which is the constant sound level in a given time period.

N/A = Time Period not applicable to MPPCNV

Red = Noise Level Exceedance, project related

Blue = Noise level exceedance, not project related

~ = No Data Available

SR 520 Montlake Project Major Public Project Construction Noise Variance NOISE MONITORING - WEEKLY REPORT

Monday, March 23, 2020 to Sunday, March 29, 2020

10 p.m. to 7 a.m. (weekdays)/9a.m. (weekends)

Public Comment Log			
Date / Time	To/From		Resolution
		No noise related complaints.	