

## SR 520 Montlake Project

Noise Monitoring Weekly Report Summary for **Monday, June 1, 2020** to **Sunday, June 7, 2020**

**PUBLISHED JUNE 10, 2020**

Monitoring times: Weekdays, 10 p.m. to 7 a.m.; weekends, 10 p.m. to 9 a.m.

**How to use this report:** This document summarizes the weekly nighttime noise data for the SR 520 Montlake Project. In it, you'll find:

- Page 1 - Summary of noise levels recorded above the limits allowed under the Major Public Project Construction Noise Variance, for this week and throughout the project. This includes non -project-related noise exceedances
- Page 2 - Map of the project limits and locations of the seven stationary monitor locations
- Pages 3 – 9 - Night-by-night noise recordings for each of the project noise monitors, along with a description of the work that night, comments received from the public regarding Project noise, and explanations for any noise limit exceedances and actions taken in response
- Page 10 - Log of public comments regarding nighttime noise issues and resolutions for the week

WSDOT is sharing this information as per the terms of the Major Public Project Construction Noise Variance (Permit #3030792).

**MPPCNV start date:** Friday, August 16, 2019

**MPPCNV days to date:** 297

WEEKLY TOTALS	
Nights worked this week (under the MPPCNV)	0
Project related non-compliance this week	0
Nighttime noise issue comments to the project	2
Non-project-related noise exceedances this week	22

PROJECT TOTALS TO DATE	
Total Nights Worked (under the MPPCNV)	75
Total Project related non-compliance	17
Total noise issue comments to the project	26
Total non-project related exceedances	1356

**Noise Monitoring Locations:** the map below shows the work limits of the SR 520 Montlake Project and the locations of the seven stationary noise monitoring sites

**EXHIBIT 5. CONSTRUCTION AREA AND NOISE MEASUREMENT LOCATIONS**



**SR 520 Montlake Project**  
**Major Public Project Construction Noise Variance**  
**NOISE MONITORING - WEEKLY REPORT**  
Monday, June 1, 2020      to      Sunday, June 7, 2020      10 pm to 7 am (weekdays) / 9am (weekends)

The table below includes data gathered from noise monitoring equipment located at seven stationary and three portable locations throughout the Montlake Project area

Monday, June 1, 2020												
Site	Site limit*	10pm - 11pm	11pm - 12am	12am - 1am	1am - 2am	2am - 3am	3am - 4am	4am - 5am	5am - 6am	6am - 7am	7am - 8am	8am - 9am
Site 1 - 2449 E. Lk WA Blvd	67	55.2	53.9	49.6	48.1	49.0	47.4	51.1	55.4	58.4	N/A	N/A
Site 2 - 2015 E. Roanoke St	78	62.6	58.3	54.8	53.3	53.2	52.5	56.5	61.0	62.4	N/A	N/A
Site 3 - 3810 E. McGilvra St	62	53.7	50.5	45.7	46.8	45.7	45.1	52.9	49.8	48.3	N/A	N/A
Site 4 - 2800 Montlake Blvd E	66	66.4	62.9	58.5	57.7	56.7	55.9	62.3	67.7	69.5	N/A	N/A
Site 5 - 2565 22nd Av E.	65	61.6	56.6	52.6	50.9	52.3	50.5	54.3	58.5	60.3	N/A	N/A
Site 6 - 2160 E. Hamlin St	63	50.6	48.6	46.1	46.4	48.7	43.7	48.6	51.1	53.5	N/A	N/A
Site 7 - 2209 E. Lake Wa Blvd	66	55.0	51.9	47.3	45.5	48.3	53.4	60.6	53.6	56.2	N/A	N/A
Site 8 - Portable Between Sites 4 and 6	63	53.0	50.8	47.9	47.5	49.3	47.6	53.4	52.7	53.6	N/A	N/A
Site 9 - Portable Between Sites 1 and 7	66	58.6	57.5	52.9	50.9	51.1	50.4	59.4	60.8	64.6	N/A	N/A
Site 10 - Portable Between Sites 1 and 7	66	60.0	60.5	55.5	53.5	52.3	51.7	55.4	60.9	65.6	N/A	N/A

\*Hourly-Average Leq (dBA)

**Notes recorded by the on-site Independent Noise Monitor**

**Work:**

No nighttime construction work performed.

**Public Comments:**

No public comments received related to nighttime noise.

**Exceedances:**

Site #4 are not project related. Exceedances are caused by public traffic driving by the noise monitors.

**Non-Compliance:**

None.

**Legend**

Leq = Leq means the equivalent sound level, which is the constant sound level in a given time period.

N/A = Time Period not applicable to MPPCNV

Red = Noise Level Exceedance, project related

Blue = Noise level exceedance, not project related

~ = No Data Available

# = No contract work . Portable monitors are not being used (not needed).

**SR 520 Montlake Project**  
**Major Public Project Construction Noise Variance**  
**NOISE MONITORING - WEEKLY REPORT**  
Monday, June 1, 2020      to      Sunday, June 7, 2020      10 pm to 7 am (weekdays) / 9am (weekends)

The table below includes data gathered from noise monitoring equipment located at seven stationary and three portable locations throughout the Montlake Project area

Tuesday, June 2, 2020												
Site	Site limit*	10pm - 11pm	11pm - 12am	12am - 1am	1am - 2am	2am - 3am	3am - 4am	4am - 5am	5am - 6am	6am - 7am	7am - 8am	8am - 9am
Site 1 - 2449 E. Lk WA Blvd	67	56.2	53.1	50.9	46.0	48.3	49.3	51.8	55.9	58.6	N/A	N/A
Site 2 - 2015 E. Roanoke St	78	61.4	68.4	58.8	53.2	55.7	55.8	57.8	61.1	63.4	N/A	N/A
Site 3 - 3810 E. McGilvra St	62	47.5	46.4	45.7	45.0	45.5	45.1	54.4	48.1	48.6	N/A	N/A
Site 4 - 2800 Montlake Blvd E	66	65.1	62.4	60.9	58.8	57.6	61.4	64.6	67.7	69.4	N/A	N/A
Site 5 - 2565 22nd Av E.	65	60.4	71.3	57.3	51.0	52.9	56.3	55.8	58.9	61.2	N/A	N/A
Site 6 - 2160 E. Hamlin St	63	52.2	49.2	46.1	47.2	45.9	47.2	50.0	51.5	51.1	N/A	N/A
Site 7 - 2209 E. Lake Wa Blvd	66	55.0	54.5	54.8	44.4	45.9	47.1	60.6	54.0	56.8	N/A	N/A
Site 8 - Portable Between Sites 4 and 6	63	53.1	50.9	47.8	42.5	46.5	48.9	53.6	53.8	52.3	N/A	N/A
Site 9 - Portable Between Sites 1 and 7	66	62.5	55.9	57.1	49.5	51.7	51.8	54.2	60.7	64.8	N/A	N/A
Site 10 - Portable Between Sites 1 and 7	66	62.7	57.8	56.6	51.5	54.2	53.9	55.3	61.3	65.1	N/A	N/A

\*Hourly-Average Leq (dBA)

**Notes recorded by the on-site Independent Noise Monitor**

**Work:**

No nighttime construction work performed.

**Public Comments:**

No public comments received related to nighttime noise.

**Exceedances:**

Site #4 and site #5 are not project related. Exceedances are caused by public traffic driving by the noise monitors.

**Non-Compliance:**

None.

**Legend**

Leq = Leq means the equivalent sound level, which is the constant sound level in a given time period.

N/A = Time Period not applicable to MPPCNV

Red = Noise Level Exceedance, project related

Blue = Noise level exceedance, not project related

~ = No Data Available

# = No contract work . Portable monitors are not being used (not needed).

**SR 520 Montlake Project**  
**Major Public Project Construction Noise Variance**  
**NOISE MONITORING - WEEKLY REPORT**  
Monday, June 1, 2020 to Sunday, June 7, 2020 10 pm to 7 am (weekdays) / 9am (weekends)

The table below includes data gathered from noise monitoring equipment located at seven stationary and three portable locations throughout the Montlake Project area

Wednesday, June 3, 2020												
Site	Site limit*	10pm - 11pm	11pm - 12am	12am - 1am	1am - 2am	2am - 3am	3am - 4am	4am - 5am	5am - 6am	6am - 7am	7am - 8am	8am - 9am
Site 1 - 2449 E. Lk WA Blvd	67	53.4	51.6	49.2	46.9	45.0	45.6	50.0	54.9	58.9	N/A	N/A
Site 2 - 2015 E. Roanoke St	78	57.9	57.1	54.6	53.2	51.9	51.6	57.5	60.2	62.6	N/A	N/A
Site 3 - 3810 E. McGilvra St	62	46.8	47.0	46.0	45.5	45.3	45.3	52.5	49.6	49.6	N/A	N/A
Site 4 - 2800 Montlake Blvd E	66	62.8	62.0	58.9	57.2	56.8	56.0	68.8	67.3	69.4	N/A	N/A
Site 5 - 2565 22nd Av E.	65	56.0	55.2	52.6	51.2	49.6	49.3	54.6	57.6	60.3	N/A	N/A
Site 6 - 2160 E. Hamlin St	63	49.5	50.5	48.5	45.2	44.1	44.5	51.1	50.1	52.6	N/A	N/A
Site 7 - 2209 E. Lake Wa Blvd	66	53.8	50.1	47.7	47.0	43.8	57.1	61.5	53.1	56.5	N/A	N/A
Site 8 - Portable Between Sites 4 and 6	63	51.4	50.7	47.7	46.6	45.2	44.9	51.1	52.1	53.0	N/A	N/A
Site 9 - Portable Between Sites 1 and 7	66	63.2	56.6	54.2	55.3	48.8	53.7	53.7	60.4	64.2	N/A	N/A
Site 10 - Portable Between Sites 1 and 7	66	58.8	56.7	54.6	52.6	49.9	49.8	53.2	61.1	65.8	N/A	N/A

\*Hourly-Average Leq (dBA)

**Notes recorded by the on-site Independent Noise Monitor**

**Work:**

No nighttime construction work performed.

**Public Comments:**

8:09 a.m - June 4th - A call to the hotline was received from a resident near site #5 to complain of loud construction noise on Montlake Boulevard outside their house. Resident said they knew it was allowed by the contract because it was after 7 AM, but it was louder than the noise from the Market demolition. This did need a follow up. **See Public Notice Log for additional details.**

8:29 a.m - June 4th - A call to the hotline was received from a resident near site #5 to complain of loud construction noise on Montlake Boulevard. Resident is teaching classes remotely from their home today and is concerned that the sound will disrupt their classes. This did need a follow up. **See Public Notice Log for additional details.**

**Exceedances:**

Sites #4 are not project related. Exceedances are caused by public traffic driving by the noise monitors.

**Non-Compliance:**

None.

**Legend**

Leq = Leq means the equivalent sound level, which is the constant sound level in a given time period.

N/A = Time Period not applicable to MPPCNV

Red = Noise Level Exceedance, project related

Blue = Noise level exceedance, not project related

~ = No Data Available

# = No contract work . Portable monitors are not being used (not needed).

**SR 520 Montlake Project**  
**Major Public Project Construction Noise Variance**  
**NOISE MONITORING - WEEKLY REPORT**  
Monday, June 1, 2020      to      Sunday, June 7, 2020      10 pm to 7 am (weekdays) / 9am (weekends)

The table below includes data gathered from noise monitoring equipment located at seven stationary and three portable locations throughout the Montlake Project area

Thursday, June 4, 2020												
Site	Site limit*	10pm - 11pm	11pm - 12am	12am - 1am	1am - 2am	2am - 3am	3am - 4am	4am - 5am	5am - 6am	6am - 7am	7am - 8am	8am - 9am
Site 1 - 2449 E. Lk WA Blvd	67	54.3	52.4	49.6	47.9	46.3	47.9	50.6	55.2	58.7	N/A	N/A
Site 2 - 2015 E. Roanoke St	78	61.8	58.0	54.8	53.2	52.8	53.0	56.8	60.8	63.6	N/A	N/A
Site 3 - 3810 E. McGilvra St	62	46.0	45.5	45.3	45.4	45.3	45.3	51.5	48.2	48.8	N/A	N/A
Site 4 - 2800 Montlake Blvd E	66	68.7	62.6	59.3	57.9	56.7	57.7	62.4	67.5	69.8	N/A	N/A
Site 5 - 2565 22nd Av E.	65	66.7	63.0	62.1	59.9	60.7	58.7	61.7	65.6	68.7	N/A	N/A
Site 6 - 2160 E. Hamlin St	63	48.2	47.2	45.0	45.5	44.1	44.0	49.1	50.2	51.7	N/A	N/A
Site 7 - 2209 E. Lake Wa Blvd	66	53.2	50.3	47.6	46.5	44.5	48.1	54.8	53.1	56.7	N/A	N/A
Site 8 - Portable Between Sites 4 and 6	63	51.1	48.9	47.7	46.6	45.6	46.4	51.5	51.5	52.7	N/A	N/A
Site 9 - Portable Between Sites 1 and 7	66	58.7	57.0	53.8	52.7	49.5	50.7	53.3	60.3	65.1	N/A	N/A
Site 10 - Portable Between Sites 1 and 7	66	60.5	58.8	55.7	53.5	51.1	52.1	54.5	61.1	65.7	N/A	N/A

\*Hourly-Average Leq (dBA)

**Notes recorded by the on-site Independent Noise Monitor**

**Work:**

No nighttime construction work performed.

**Public Comments:**

No public comments received related to nighttime noise.

**Exceedances:**

Site #4 and site #5 are not project related. Exceedances are caused by public traffic driving by the noise monitors.

**Non-Compliance:**

None.

**Legend**

Leq = Leq means the equivalent sound level, which is the constant sound level in a given time period.

N/A = Time Period not applicable to MPPCNV

Red = Noise Level Exceedance, project related

Blue = Noise level exceedance, not project related

~ = No Data Available

# = No contract work . Portable monitors are not being used (not needed).

**SR 520 Montlake Project**  
**Major Public Project Construction Noise Variance**  
**NOISE MONITORING - WEEKLY REPORT**  
Monday, June 1, 2020      to      Sunday, June 7, 2020      10 pm to 7 am (weekdays) / 9am (weekends)

The table below includes data gathered from noise monitoring equipment located at seven stationary and three portable locations throughout the Montlake Project area

Friday, June 5, 2020												
Site	Site limit*	10pm - 11pm	11pm - 12am	12am - 1am	1am - 2am	2am - 3am	3am - 4am	4am - 5am	5am - 6am	6am - 7am	7am - 8am	8am - 9am
Site 1 - 2449 E. Lk WA Blvd	67	53.4	52.6	50.0	47.0	46.9	44.8	48.4	50.3	51.6	54.3	56.8
Site 2 - 2015 E. Roanoke St	78	59.4	58.5	57.6	53.9	51.6	51.5	50.5	55.4	57.4	58.4	61.1
Site 3 - 3810 E. McGilvra St	62	45.7	45.3	45.0	44.7	44.9	45.1	53.1	48.3	47.3	47.6	48.5
Site 4 - 2800 Montlake Blvd E	66	64.0	62.5	61.0	58.3	56.7	57.1	57.6	62.7	66.2	65.6	67.0
Site 5 - 2565 22nd Av E.	65	63.2	62.9	63.1	60.0	60.8	60.0	59.0	62.2	62.7	63.9	66.3
Site 6 - 2160 E. Hamlin St	63	47.6	46.8	46.3	43.9	47.4	45.5	50.2	48.7	51.6	54.2	55.2
Site 7 - 2209 E. Lake Wa Blvd	66	51.5	50.1	49.2	46.0	44.9	47.0	59.8	48.3	50.4	52.4	55.3
Site 8 - Portable Between Sites 4 and 6	63	49.4	49.0	47.3	45.3	47.8	46.1	50.7	48.8	50.8	53.5	55.0
Site 9 - Portable Between Sites 1 and 7	66	57.8	57.1	54.6	52.6	50.5	50.3	48.8	53.8	56.6	60.3	63.0
Site 10 - Portable Between Sites 1 and 7	66	59.7	58.9	56.6	53.4	52.0	50.6	50.2	56.5	58.0	61.4	63.8

\*Hourly-Average Leq (dBA)

**Notes recorded by the on-site Independent Noise Monitor**

**Work:**

No nighttime construction work performed.

**Public Comments:**

No public comments received related to nighttime noise.

**Exceedances:**

Site #4 and site #5 are not project related. Exceedances are caused by public traffic driving by the noise monitors.

**Non-Compliance:**

None.

**Legend**

Leq = Leq means the equivalent sound level, which is the constant sound level in a given time period.

N/A = Time Period not applicable to MPPCNV

Red = Noise Level Exceedance, project related

Blue = Noise level exceedance, not project related

~ = No Data Available

# = No contract work . Portable monitors are not being used (not needed).

**SR 520 Montlake Project**  
**Major Public Project Construction Noise Variance**  
**NOISE MONITORING - WEEKLY REPORT**  
Monday, June 1, 2020      to      Sunday, June 7, 2020      10 pm to 7 am (weekdays) / 9am (weekends)

The table below includes data gathered from noise monitoring equipment located at seven stationary and three portable locations throughout the Montlake Project area

Saturday, June 6, 2020												
Site	Site limit*	10pm - 11pm	11pm - 12am	12am - 1am	1am - 2am	2am - 3am	3am - 4am	4am - 5am	5am - 6am	6am - 7am	7am - 8am	8am - 9am
Site 1 - 2449 E. Lk WA Blvd	67	53.3	51.4	49.7	49.3	50.0	46.9	46.9	49.1	51.4	54.1	55.5
Site 2 - 2015 E. Roanoke St	78	59.4	58.2	56.0	54.0	54.6	52.3	52.2	55.2	58.0	59.5	60.3
Site 3 - 3810 E. McGilvra St	62	45.8	45.5	45.4	45.1	52.9	49.3	52.8	48.5	47.6	47.6	48.4
Site 4 - 2800 Montlake Blvd E	66	63.9	62.7	60.5	59.0	60.2	57.8	58.8	61.9	65.2	65.3	65.8
Site 5 - 2565 22nd Av E.	65	64.3	64.0	62.1	61.0	62.3	60.9	60.1	61.6	62.7	65.5	64.7
Site 6 - 2160 E. Hamlin St	63	51.1	49.7	47.6	44.6	48.8	45.4	47.4	47.6	49.4	52.0	51.0
Site 7 - 2209 E. Lake Wa Blvd	66	51.8	50.5	48.6	49.6	49.0	45.2	57.0	47.8	49.9	52.8	54.2
Site 8 - Portable Between Sites 4 and 6	63	51.4	50.1	48.5	46.4	49.2	46.9	52.0	49.4	49.2	53.2	52.7
Site 9 - Portable Between Sites 1 and 7	66	58.9	57.1	55.6	58.8	53.3	51.1	51.1	54.8	59.2	59.7	62.6
Site 10 - Portable Between Sites 1 and 7	66	60.7	58.6	56.6	56.9	54.1	53.2	51.9	55.1	57.9	60.6	63.0

\*Hourly-Average Leq (dBA)

**Notes recorded by the on-site Independent Noise Monitor**

**Work:**

No nighttime construction work performed.

**Public Comments:**

No public comments received related to nighttime noise.

**Exceedances:**

Site #4 are not project related. Exceedances are caused by public traffic driving by the noise monitors.

**Non-Compliance:**

None.

**Legend**

Leq = Leq means the equivalent sound level, which is the constant sound level in a given time period.

N/A = Time Period not applicable to MPPCNV

Red = Noise Level Exceedance, project related

Blue = Noise level exceedance, not project related

~ = No Data Available

# = No contract work . Portable monitors are not being used (not needed).



**SR 520 Montlake Project**  
**Major Public Project Construction Noise Variance**  
**NOISE MONITORING - WEEKLY REPORT**  
Monday, June 1, 2020 to Sunday, June 7, 2020 10 pm to 7 am (weekdays) / 9am (weekends)

The table below includes data gathered from noise monitoring equipment located at seven stationary and three portable locations throughout the Montlake Project area

Sunday, June 7, 2020												
Site	Site limit*	10pm - 11pm	11pm - 12am	12am - 1am	1am - 2am	2am - 3am	3am - 4am	4am - 5am	5am - 6am	6am - 7am	7am - 8am	8am - 9am
Site 1 - 2449 E. Lk WA Blvd	67	52.9	50.7	47.8	47.0	42.5	46.1	49.0	54.0	57.6	N/A	N/A
Site 2 - 2015 E. Roanoke St	78	57.9	55.9	54.2	53.7	50.4	51.9	55.6	59.4	62.2	N/A	N/A
Site 3 - 3810 E. McGilvra St	62	46.1	45.8	45.4	45.9	45.3	45.3	50.2	48.5	48.3	N/A	N/A
Site 4 - 2800 Montlake Blvd E	66	62.8	61.6	59.5	57.8	56.9	57.0	62.4	67.5	69.6	N/A	N/A
Site 5 - 2565 22nd Av E.	65	63.5	62.9	61.0	62.9	59.0	59.7	62.4	64.8	67.7	60.2	N/A
Site 6 - 2160 E. Hamlin St	63	52.5	51.6	48.3	48.2	44.3	47.6	51.0	52.6	54.9	N/A	N/A
Site 7 - 2209 E. Lake Wa Blvd	66	51.4	49.3	47.2	46.2	42.5	50.2	49.6	52.5	55.9	N/A	N/A
Site 8 - Portable Between Sites 4 and 6	63	52.6	50.2	47.8	48.3	43.9	45.6	49.1	52.4	54.6	N/A	N/A
Site 9 - Portable Between Sites 1 and 7	66	57.2	57.4	54.9	51.1	47.6	57.9	53.6	60.5	65.2	N/A	N/A
Site 10 - Portable Between Sites 1 and 7	66	58.9	57.8	54.7	52.1	48.8	49.9	52.5	60.9	65.5	N/A	N/A

\*Hourly-Average Leq (dBA)

**Notes recorded by the on-site Independent Noise Monitor**

**Work:**

No nighttime construction work performed.

**Public Comments:**

No public comments received related to nighttime noise.

**Exceedances:**

Site #4 and site #5 are not project related. Exceedances are caused by public traffic driving by the noise monitors.

**Non-Compliance:**

None.

**Legend**

Leq = Leq means the equivalent sound level, which is the constant sound level in a given time period.

N/A = Time Period not applicable to MPPCNV

Red = Noise Level Exceedance, project related

Blue = Noise level exceedance, not project related

~ = No Data Available

# = No contract work . Portable monitors are not being used (not needed).

**Monday, June 1, 2020 to Sunday, June 7, 2020**

## Public Comment Log

Montlake Project MPPCNV Weekly Report