



SR 520 Montlake Project

Noise Monitoring Weekly Report Summary for

Monday, June 29, 2020

to

Sunday, July 5, 2020

PUBLISHED JULY 8, 2020

Monitoring times: Weekdays, 10 p.m. to 7 a.m.; weekends, 10 p.m. to 9 a.m.

How to use this report: This document summarizes the weekly nighttime noise data for the SR 520 Montlake Project. In it, you'll find:

- Page 1 - Summary of noise levels recorded above the limits allowed under the Major Public Project Construction Noise Variance, for this week and throughout the project. This includes non-project-related noise exceedances
- Page 2 - Map of the project limits and locations of the seven stationary monitor locations
- Pages 3 – 9 - Night-by-night noise recordings for each of the project noise monitors, along with a description of the work that night, comments received from the public regarding Project noise, and explanations for any noise limit exceedances and actions taken in response
- Page 10 - Log of public comments regarding nighttime noise issues and resolutions for the week

WSDOT is sharing this information as per the terms of the Major Public Project Construction Noise Variance (Permit #3030792).

MPPCNV start date: **Friday, August 16, 2019**

MPPCNV days to date: **325**

WEEKLY TOTALS


Nights worked this week (under the MPPCNV)	0
Project related non-compliance this week	0
Nighttime noise issue comments to the project	1
Non-project-related noise exceedances this week	15

PROJECT TOTALS TO DATE

Total Nights Worked (under the MPPCNV)	84
Total Project related non-compliance	19
Total noise issue comments to the project	30
Total non-project related exceedances	1423

Noise Monitoring Locations: the map below shows the work limits of the SR 520 Montlake Project and the locations of the seven stationary noise monitoring sites

EXHIBIT 5. CONSTRUCTION AREA AND NOISE MEASUREMENT LOCATIONS



SR 520 Montlake Project
Major Public Project Construction Noise Variance
NOISE MONITORING - WEEKLY REPORT
Monday, June 29, 2020 to Sunday, July 5, 2020 10 pm to 7 am (weekdays) / 9am (weekends)

The table below includes data gathered from noise monitoring equipment located at seven stationary and three portable locations throughout the Montlake Project area

Monday, June 29, 2020												
Site	Site limit*	10pm - 11pm	11pm - 12am	12am - 1am	1am - 2am	2am - 3am	3am - 4am	4am - 5am	5am - 6am	6am - 7am	7am - 8am	8am - 9am
Site 1 - 2449 E. Lk WA Blvd	67	54.7	52.5	47.6	45.8	44.8	45.8	49.5	55.2	58.1	N/A	N/A
Site 2 - 2015 E. Roanoke St	78	59.6	58.7	54.0	52.5	51.6	51.5	55.9	60.9	61.9	N/A	N/A
Site 3 - 3810 E. McGilvra St	62	46.7	46.6	45.8	45.6	45.7	45.9	49.0	46.9	47.5	N/A	N/A
Site 4 - 2800 Montlake Blvd E	66	64.5	63.5	59.5	58.2	55.7	58.4	63.6	68.7	69.3	N/A	N/A
Site 5 - 2565 22nd Av E.	65	58.0	57.3	52.2	50.7	50.3	49.6	54.0	59.1	60.3	N/A	N/A
Site 6 - 2160 E. Hamlin St	63	53.4	52.8	48.9	48.2	47.9	48.6	49.8	52.5	55.2	N/A	N/A
Site 7 - 2209 E. Lake Wa Blvd	66	53.0	52.4	46.8	46.2	44.2	46.0	49.8	54.4	56.8	N/A	N/A
Site 8 - Portable Between Sites 4 and 6	63	53.7	52.3	49.5	47.9	47.9	47.2	49.9	54.0	55.4	N/A	N/A
Site 9 - Portable Between Sites 1 and 7	66	64.2	57.6	52.6	54.4	49.5	54.2	57.0	63.9	64.9	N/A	N/A
Site 10 - Portable Between Sites 1 and 7	66	61.2	59.0	53.6	51.2	49.8	48.9	54.3	62.4	65.9	N/A	N/A

*Hourly-Average Leq (dBA)

Notes recorded by the on-site Independent Noise Monitor

Work:

No nighttime construction work performed.

Public Comments:

6:41 a.m. - June 30th - A text was received by the project hotline from a resident near site #6 complaining of work starting near her home at 6:30 a.m. She said there was a machine going full steam at MOHAI "clanging and banging". Resident did need a follow up. **See Public Notice Log for additional details.**

Exceedances:

None

Non-Compliance:

None

Legend

Leq = Leq means the equivalent sound level, which is the constant sound level in a given time period.

N/A = Time Period not applicable to MPPCNV

Red = Noise Level Exceedance, project related

Blue = Noise level exceedance, not project related

~ = No Data Available

= No contract work . Portable monitors are not being used (not needed).

SR 520 Montlake Project
Major Public Project Construction Noise Variance
NOISE MONITORING - WEEKLY REPORT

Monday, June 29, 2020 to Sunday, July 5, 2020 10 pm to 7 am (weekdays) / 9am (weekends)

The table below includes data gathered from noise monitoring equipment located at seven stationary and three portable locations throughout the Montlake Project area

Tuesday, June 30, 2020												
Site	Site limit*	10pm - 11pm	11pm - 12am	12am - 1am	1am - 2am	2am - 3am	3am - 4am	4am - 5am	5am - 6am	6am - 7am	7am - 8am	8am - 9am
Site 1 - 2449 E. Lk WA Blvd	67	53.9	53.8	49.2	46.4	46.0	46.9	50.8	54.8	58.1	N/A	N/A
Site 2 - 2015 E. Roanoke St	78	59.1	58.9	55.1	53.6	52.0	52.3	56.9	60.1	62.4	N/A	N/A
Site 3 - 3810 E. McGilvra St	62	47.5	47.4	46.0	45.9	45.8	45.8	50.3	48.0	47.4	N/A	N/A
Site 4 - 2800 Montlake Blvd E	66	64.3	63.6	60.5	58.7	58.3	58.5	63.8	67.4	69.6	N/A	N/A
Site 5 - 2565 22nd Av E.	65	58.0	57.6	53.5	52.3	50.6	50.6	55.1	58.1	60.7	N/A	N/A
Site 6 - 2160 E. Hamlin St	63	55.8	56.4	52.2	52.2	48.3	49.3	52.6	54.0	55.3	N/A	N/A
Site 7 - 2209 E. Lake Wa Blvd	66	53.0	52.5	49.1	46.5	45.6	45.6	50.5	53.3	56.8	N/A	N/A
Site 8 - Portable Between Sites 4 and 6	63	54.8	53.6	49.0	50.2	48.0	48.9	52.7	54.2	55.5	N/A	N/A
Site 9 - Portable Between Sites 1 and 7	66	60.6	59.1	57.0	51.6	50.7	50.3	58.2	60.1	65.7	N/A	N/A
Site 10 - Portable Between Sites 1 and 7	66	59.6	59.4	55.1	51.4	51.5	52.0	54.4	61.7	65.8	N/A	N/A

*Hourly-Average Leq (dBA)

Notes recorded by the on-site Independent Noise Monitor

Work:

No nighttime construction work performed.

Public Comments:

No public comments received related to nighttime noise.

Exceedances:

Site #4 are not project related. Exceedances are caused by public traffic driving by the noise monitors.

Non-Compliance:

None.

Legend

Leq = Leq means the equivalent sound level, which is the constant sound level in a given time period.

N/A = Time Period not applicable to MPPCNV

Red = Noise Level Exceedance, project related

Blue = Noise level exceedance, not project related

~ = No Data Available

= No contract work . Portable monitors are not being used (not needed).

SR 520 Montlake Project
Major Public Project Construction Noise Variance
NOISE MONITORING - WEEKLY REPORT

Monday, June 29, 2020 to Sunday, July 5, 2020 10 pm to 7 am (weekdays) / 9am (weekends)

The table below includes data gathered from noise monitoring equipment located at seven stationary and three portable locations throughout the Montlake Project area

Wednesday, July 1, 2020												
Site	Site limit*	10pm - 11pm	11pm - 12am	12am - 1am	1am - 2am	2am - 3am	3am - 4am	4am - 5am	5am - 6am	6am - 7am	7am - 8am	8am - 9am
Site 1 - 2449 E. Lk WA Blvd	67	53.5	51.7	48.9	46.5	48.1	48.1	49.9	54.7	58.3	N/A	N/A
Site 2 - 2015 E. Roanoke St	78	59.0	57.0	60.2	52.6	53.9	53.5	55.2	60.5	61.8	N/A	N/A
Site 3 - 3810 E. McGilvra St	62	46.9	46.5	46.5	46.2	46.7	46.6	51.5	50.1	48.4	N/A	N/A
Site 4 - 2800 Montlake Blvd E	66	64.8	62.6	64.7	57.3	58.4	58.9	62.9	67.4	68.9	N/A	N/A
Site 5 - 2565 22nd Av E.	65	57.4	55.5	59.2	51.0	52.5	51.8	53.4	58.5	60.3	N/A	N/A
Site 6 - 2160 E. Hamlin St	63	54.0	53.3	52.0	51.3	51.4	51.5	52.1	55.6	57.4	N/A	N/A
Site 7 - 2209 E. Lake Wa Blvd	66	52.5	50.0	50.8	45.4	46.3	46.7	48.4	53.9	57.0	N/A	N/A
Site 8 - Portable Between Sites 4 and 6	63	53.3	51.2	50.7	48.7	49.5	50.3	50.9	54.9	56.5	N/A	N/A
Site 9 - Portable Between Sites 1 and 7	66	59.9	56.4	53.3	50.4	51.4	53.3	53.3	60.9	66.3	N/A	N/A
Site 10 - Portable Between Sites 1 and 7	66	60.4	58.4	54.2	50.1	52.7	52.1	53.5	62.0	67.5	N/A	N/A

*Hourly-Average Leq (dBA)

Notes recorded by the on-site Independent Noise Monitor

Work:

No nighttime construction work performed.

Public Comments:

No public comments received related to nighttime noise.

Exceedances:

Site #4, site #9 and #10 are not project related. Exceedances are caused by public traffic driving by the noise monitors.

Non-Compliance:

None.

Legend

Leq = Leq means the equivalent sound level, which is the constant sound level in a given time period.

N/A = Time Period not applicable to MPPCNV

Red = Noise Level Exceedance, project related

Blue = Noise level exceedance, not project related

~ = No Data Available

= No contract work . Portable monitors are not being used (not needed).

SR 520 Montlake Project
Major Public Project Construction Noise Variance
NOISE MONITORING - WEEKLY REPORT

Monday, June 29, 2020 to Sunday, July 5, 2020 10 pm to 7 am (weekdays) / 9am (weekends)

The table below includes data gathered from noise monitoring equipment located at seven stationary and three portable locations throughout the Montlake Project area

Thursday, July 2, 2020												
Site	Site limit*	10pm - 11pm	11pm - 12am	12am - 1am	1am - 2am	2am - 3am	3am - 4am	4am - 5am	5am - 6am	6am - 7am	7am - 8am	8am - 9am
Site 1 - 2449 E. Lk WA Blvd	67	54.8	54.6	51.5	47.6	47.3	43.7	51.1	52.4	54.6	N/A	N/A
Site 2 - 2015 E. Roanoke St	78	60.4	60.0	57.6	54.7	52.6	52.3	55.1	57.9	60.3	N/A	N/A
Site 3 - 3810 E. McGilvra St	62	47.2	48.9	46.2	45.9	45.8	45.4	51.6	46.5	47.9	N/A	N/A
Site 4 - 2800 Montlake Blvd E	66	64.3	64.4	61.5	58.3	57.5	57.6	60.9	64.3	67.7	N/A	N/A
Site 5 - 2565 22nd Av E.	65	58.9	58.6	56.2	52.9	51.2	50.0	53.7	56.1	58.5	N/A	N/A
Site 6 - 2160 E. Hamlin St	63	50.9	50.8	50.5	47.6	46.7	44.3	51.4	49.7	54.7	N/A	N/A
Site 7 - 2209 E. Lake Wa Blvd	66	53.2	53.4	50.7	47.1	46.3	44.0	48.8	51.1	53.1	N/A	N/A
Site 8 - Portable Between Sites 4 and 6	63	53.0	54.5	50.8	48.8	48.5	45.0	52.6	50.0	54.7	N/A	N/A
Site 9 - Portable Between Sites 1 and 7	66	59.2	60.0	55.8	51.3	51.1	48.6	53.6	59.7	59.3	N/A	N/A
Site 10 - Portable Between Sites 1 and 7	66	60.7	60.8	57.2	50.6	52.6	48.0	53.9	60.1	60.8	N/A	N/A

*Hourly-Average Leq (dBA)

Notes recorded by the on-site Independent Noise Monitor

Work:

No nighttime construction work performed.

Public Comments:

No public comments received related to nighttime noise.

Exceedances:

Site #4 are not project related. Exceedances are caused by public traffic driving by the noise monitors.

Non-Compliance:

None.

Legend

Leq = Leq means the equivalent sound level, which is the constant sound level in a given time period.

N/A = Time Period not applicable to MPPCNV

Red = Noise Level Exceedance, project related

Blue = Noise level exceedance, not project related

~ = No Data Available

= No contract work . Portable monitors are not being used (not needed).

SR 520 Montlake Project
Major Public Project Construction Noise Variance
NOISE MONITORING - WEEKLY REPORT

Monday, June 29, 2020 to Sunday, July 5, 2020 10 pm to 7 am (weekdays) / 9am (weekends)

The table below includes data gathered from noise monitoring equipment located at seven stationary and three portable locations throughout the Montlake Project area

Friday, July 3, 2020												
Site	Site limit*	10pm - 11pm	11pm - 12am	12am - 1am	1am - 2am	2am - 3am	3am - 4am	4am - 5am	5am - 6am	6am - 7am	7am - 8am	8am - 9am
Site 1 - 2449 E. Lk WA Blvd	67	63.3	52.7	53.0	50.4	48.5	45.8	50.2	49.0	52.3	53.3	55.3
Site 2 - 2015 E. Roanoke St	78	62.2	59.6	60.4	56.6	56.0	52.6	54.9	55.1	57.8	58.5	60.1
Site 3 - 3810 E. McGilvra St	62	49.5	46.5	46.7	46.1	45.8	45.7	50.2	47.2	47.3	46.8	48.1
Site 4 - 2800 Montlake Blvd E	66	65.1	62.8	69.9	60.2	60.0	55.8	57.4	61.2	65.1	64.0	64.5
Site 5 - 2565 22nd Av E.	65	60.5	57.8	58.9	55.0	54.0	51.0	53.6	53.0	55.7	56.6	58.4
Site 6 - 2160 E. Hamlin St	63	70.3	47.9	47.3	44.8	46.2	40.3	48.1	47.8	47.3	46.3	49.6
Site 7 - 2209 E. Lake Wa Blvd	66	60.3	51.2	52.5	49.1	47.1	44.3	48.0	47.0	50.2	50.6	53.1
Site 8 - Portable Between Sites 4 and 6	63	63.7	59.3	51.9	47.8	47.1	43.6	50.0	47.1	48.3	48.8	52.4
Site 9 - Portable Between Sites 1 and 7	66	65.5	57.2	57.1	54.1	51.4	49.9	53.8	52.3	57.5	57.5	60.5
Site 10 - Portable Between Sites 1 and 7	66	66.9	58.7	58.2	55.2	53.2	50.4	53.5	54.6	60.2	60.3	62.7

*Hourly-Average Leq (dBA)

Notes recorded by the on-site Independent Noise Monitor

Work:

No nighttime construction work performed.

Public Comments:

No public comments received related to nighttime noise.

Exceedances:

Site #4, site #6, site #8 and site #10 are not project related. Exceedances are caused by public traffic driving by the noise monitors.

Non-Compliance:

None.

Legend

Leq = Leq means the equivalent sound level, which is the constant sound level in a given time period.

N/A = Time Period not applicable to MPPCNV

Red = Noise Level Exceedance, project related

Blue = Noise level exceedance, not project related

~ = No Data Available

= No contract work . Portable monitors are not being used (not needed).

SR 520 Montlake Project
Major Public Project Construction Noise Variance
NOISE MONITORING - WEEKLY REPORT

Monday, June 29, 2020 to Sunday, July 5, 2020 10 pm to 7 am (weekdays) / 9am (weekends)

The table below includes data gathered from noise monitoring equipment located at seven stationary and three portable locations throughout the Montlake Project area

Saturday, July 4, 2020												
Site	Site limit*	10pm - 11pm	11pm - 12am	12am - 1am	1am - 2am	2am - 3am	3am - 4am	4am - 5am	5am - 6am	6am - 7am	7am - 8am	8am - 9am
Site 1 - 2449 E. Lk WA Blvd	67	64.5	57.3	53.2	50.1	48.9	45.6	46.5	48.6	51.5	54.0	54.7
Site 2 - 2015 E. Roanoke St	78	63.1	63.2	58.7	56.3	54.1	52.3	52.1	55.6	57.7	58.8	58.8
Site 3 - 3810 E. McGilvra St	62	57.2	52.6	46.9	46.2	45.7	45.6	48.9	46.1	46.8	48.0	49.6
Site 4 - 2800 Montlake Blvd E	66	65.0	68.6	61.4	59.3	57.9	56.7	56.2	61.1	64.8	63.8	63.9
Site 5 - 2565 22nd Av E.	65	61.7	61.2	56.4	54.7	52.3	50.4	50.1	53.4	55.7	56.8	56.6
Site 6 - 2160 E. Hamlin St	63	58.5	56.0	47.5	46.4	46.4	44.8	46.8	48.7	50.4	50.2	49.7
Site 7 - 2209 E. Lake Wa Blvd	66	59.3	55.8	51.3	48.8	47.3	44.9	45.1	47.6	50.0	51.6	52.8
Site 8 - Portable Between Sites 4 and 6	63	56.0	54.1	50.1	48.0	48.3	45.7	47.4	48.9	49.4	49.5	50.3
Site 9 - Portable Between Sites 1 and 7	66	63.4	60.6	57.7	53.3	54.2	49.1	50.2	52.1	55.8	58.9	59.8
Site 10 - Portable Between Sites 1 and 7	66	66.3	62.0	59.4	53.8	54.8	49.5	51.1	54.5	58.0	61.0	61.8

*Hourly-Average Leq (dBA)

Notes recorded by the on-site Independent Noise Monitor

Work:

No nighttime construction work performed.

Public Comments:

No public comments received related to nighttime noise.

Exceedances:

Site #4 and site #10 are not project related. Exceedances are caused by public traffic driving by the noise monitors.

Non-Compliance:

None.

Legend

Leq = Leq means the equivalent sound level, which is the constant sound level in a given time period.

N/A = Time Period not applicable to MPPCNV

Red = Noise Level Exceedance, project related

Blue = Noise level exceedance, not project related

~ = No Data Available

= No contract work . Portable monitors are not being used (not needed).

SR 520 Montlake Project
Major Public Project Construction Noise Variance
NOISE MONITORING - WEEKLY REPORT

Monday, June 29, 2020 to Sunday, July 5, 2020 10 pm to 7 am (weekdays) / 9am (weekends)

The table below includes data gathered from noise monitoring equipment located at seven stationary and three portable locations throughout the Montlake Project area

Sunday, July 5, 2020												
Site	Site limit*	10pm - 11pm	11pm - 12am	12am - 1am	1am - 2am	2am - 3am	3am - 4am	4am - 5am	5am - 6am	6am - 7am	7am - 8am	8am - 9am
Site 1 - 2449 E. Lk WA Blvd	67	54.3	52.8	49.2	47.1	47.9	46.1	50.9	55.8	57.6	N/A	N/A
Site 2 - 2015 E. Roanoke St	78	59.9	58.5	54.1	52.4	52.5	52.0	57.0	60.6	61.9	N/A	N/A
Site 3 - 3810 E. McGilvra St	62	47.0	46.8	45.9	45.5	46.0	45.5	51.4	48.1	48.2	N/A	N/A
Site 4 - 2800 Montlake Blvd E	66	64.3	62.7	58.4	56.8	56.4	56.7	64.8	67.0	68.9	N/A	N/A
Site 5 - 2565 22nd Av E.	65	57.9	57.0	52.3	50.5	50.4	50.1	55.0	57.7	59.7	60.2	N/A
Site 6 - 2160 E. Hamlin St	63	48.7	49.3	48.7	45.7	45.6	46.9	53.0	52.1	52.0	N/A	N/A
Site 7 - 2209 E. Lake Wa Blvd	66	52.0	51.0	47.8	45.9	45.4	45.3	49.0	52.8	55.4	N/A	N/A
Site 8 - Portable Between Sites 4 and 6	63	51.0	51.8	49.0	47.1	47.5	47.5	51.9	53.4	53.3	N/A	N/A
Site 9 - Portable Between Sites 1 and 7	66	57.2	55.6	51.4	48.9	50.4	48.9	53.1	59.8	63.3	N/A	N/A
Site 10 - Portable Between Sites 1 and 7	66	60.6	58.8	54.8	52.6	52.6	48.7	54.9	62.4	65.4	N/A	N/A

*Hourly-Average Leq (dBA)

Notes recorded by the on-site Independent Noise Monitor

Work:

No nighttime construction work performed.

Public Comments:

No public comments received related to nighttime noise.

Exceedances:

Site #4 are not project related. Exceedances are caused by public traffic driving by the noise monitors.

Non-Compliance:

None.

Legend

Leq = Leq means the equivalent sound level, which is the constant sound level in a given time period.

N/A = Time Period not applicable to MPPCNV

Red = Noise Level Exceedance, project related

Blue = Noise level exceedance, not project related

~ = No Data Available

= No contract work . Portable monitors are not being used (not needed).

SR 520 Montlake Project
Major Public Project Construction Noise Variance
NOISE MONITORING - WEEKLY REPORT

Monday, June 29, 2020 to Sunday, July 5, 2020

10 p.m. to 7 a.m. (weekdays)/9a.m. (weekends)

Public Comment Log			
Date / Time	To/From	Issue	Resolution
06/30/2019 - 6:41 am	To: Hotline From: Resident	Resident near site #6 texted the project complaining of work starting near her home at 6:30 a.m. Resident said there was a machine going full steam at MOHAI "clanging and banging". She said she didn't understand why a 7 a.m. start time couldn't be followed.	John Welch called resident and apologized for the second morning of early work this week. He also reminded her that while the contract allows for work at any time of the day or night in accordance with the MPPCNV, we've made an internal commitment to limit work in this area to normal business hours as much as we can. Graham reviewed the alarms for noise monitoring station #6 and found no exceedances. Should work outside of normal daytime hours be planned, Graham will continue to notify this resident and other nearby neighbors. In this case, our crews jumped the gun. We have spoken to our crews and stressed the importance of being a good neighbor, and that we are limiting noisier activities to after 7 a.m.